Advertisement No: BHU/IMS/TC/N-1/2014/04 Dated: 05-03-2015

BID DOCUMENT

(e - Procurement)

Supply of Medical Equipment in Trauma Centre, IMS



Issued On:

05-03-2015

OFFICE OF THE OFFICER ON SPECIAL DUTY,
TRAUMA CENTRE, INSTITUTE OF MEDICAL SCIENCES
BANARAS HINDU UNIVERSITY
VARANASI-221005, INDIA

This document is subject to copyright.

This document may be used and reproduced for non-commercial purposes only. Any commercial use, including reselling, charging to access,-redistribution, or for derivative works such as unofficial translations based on these documents is not allowed.

Checklist for Bid/Tender Submission

(The following check-list must be filled in and submitted with the bid documents)

Pre- Qualification Bid

Sr.	Particulars	Yes/No
No.		
1.	Have you attached the techno commercial unpriced bid form duly filled in	
	appropriately?	
2.	Have you attached a copy of the last audited balance sheet of your firm	
3.	Have you attached the details of the income tax clearance certificate, proof of	
	manufacturing unit/ dealership letter/ general order suppliers and copy of	
	Central / State sales tax registration certificate?	
4.	Have you attached the copies of relevant work orders from Govt. Depts. / PSUs	
	and Central Autonomous Bodies?	
5.	EMD: Have you submitted EMD asked for (as specified in BDS).	
6.	Have you submitted samples of all items indicated in the respective schedule of	
	requirements at the address of tender inviting authority within due date, if	
	required.	
7.	Have you enclosed the schedule of requirement indicating the make offered	
	without indicating the pricing components along with the techno commercial	
	unpriced bid?	
8.	Have you submitted the bids both techno commercial unpriced and priced bid	
	separately for each tender?	

9.	Have you enclosed the statement of deviations from financial terms and conditions, if any?	
Priced Bid:		
1.	Have you signed and attached the priced bid form?	
2	Have you attached the schedule of requirements duly priced?	

Table of Contents

PART 1 – Bidding Procedures	6
Section I. Instructions for Online Bid Submission	7
Section II. Instructions to Bidders	11
Section III. Bid Data Sheet (BDS)	30
Section IV. Prequalification	33
Section V. Policy of University for Corrupt and Fraudulent Practices	364
PART 2 – Supply Requirements	388
Section VI. Schedule of Requirements	39
(1) List of goods and Delivery Schedule(2) List of Related Services and Completion Schedule(3) Technical Specification	56
PART 3 - Contract	107
Section VII. General Conditions of Contract	108
Section VIII. Special Conditions of Contract	124
PART 4 Bidding and Contract Forms	128
Section IX: Bidding Form	129
Section X: Contract Form	137
NIT	147

PART 1 – BIDDING PROCEDURES

Section I: Instructions for Online Bid Submission

Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app

- 1) Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the contractors/bidders on the e-Procurement/e-tender portal are prerequisite for e-tendering.
- 2) Bidder should register for the enrollment in the e-Procurement site using the "Online Bidder Enrollment" option available on the home page. Portal enrollment is generally free of charge. During enrollment/registration, the bidders should provide only valid and true information including valid email id. All the correspondence shall be made directly with the contractors/bidders through email id as registered.
- 3) Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
- 4) Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/nCode/eMudra or any other Certifying Authority recognized by Controller of Certifying Authorities (CCA) India on eToken/SmartCard, should be registered.
- 5) The registered DSC only should be used by the bidder in the transactions and should ensure safety of the same.
- 6) Contractor/Bidder may go through the tenders published on the site and download the tender documents/schedules for the tenders.
- 7) After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as required, otherwise bid will be rejected.

- 8) Any clarifications may be sought online through the tender site, through the contact details or during pre-bid meeting if any. Bidder should take into account the corrigendum if any published before submitting the bids online.
- 9) Bidder may log in to the site through the secured login by the user id/ password chosen during enrolment/registration and then by submitting the password of the e-Token/Smartcard to access DSC.
- 10) Bidder may select the tender in which he/she is interested in by using the search option and then move it to the 'my tenders' folder.
- 11) From my tender folder, he may select the tender to view all the details uploaded there.
- 12) It shall be deemed that the bidder has read and understood all the terms and conditions before submitting the offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the incomplete bid shall stand rejected.
- 13) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and ordinarily it shall be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, all may be clubbed together and provided in the requested format. Bidders Bid documents may be scanned with 100 dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through zip/rar and the same if permitted may be uploaded. The file size being less than 1 MB the transaction uploading time will be very fast.
- 14) The Bidders can update well in advance, the documents such as certificates, annual report details etc., under "My Space option" and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.

- 15) Bidder should submit the Tender Fee/ EMD as specified in the tender. The hard copy should be posted/couriered/given in person to the Tender Inviting Authority, within bid submission due date and time as indicated in the tender. Scanned copy of the instrument should be uploaded as part of the offer.
- 16) While submitting the bids online, the bidder shall read the terms and conditions and may accept the same to proceed further to submit the bid packets.
- 17) The bidder has to select the payment option as offline to pay the Tender FEE/ EMD as applicable and enter details of the instruments.
- 18) The details of the DD/any other accepted instrument, physically delivered, should tally with the details available in the scanned copy and the data entered during bid submission time, otherwise submitted bid shall not be acceptable or liable for rejection.
- 19) The bidder has to digitally sign and upload the required bid documents one by one as indicated. Very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation that they have read, understood and agreed with all clauses of the bid document including General conditions of contract without any exception.
- 20) The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid may be rejected.
- 21) If the price bid format is provided in a spread sheet file like BoQ_XXXX.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Priced-bid/BOQ template shall not be modified / replaced by the bidder; else the bid submitted is liable to be rejected for the tender.
- 22) The bidders are advised to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission due date and time (as per Server

- System Clock). The TIA shall not be held responsible for any delay or the difficulties faced during the submission of bids online by the bidders.
- 23) After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number indicated by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and also be used as entry pass to participate in the bid opening.
- 24) The time settings fixed in the server side and displayed at the top of the tender site, shall remain valid for all actions of requesting, bid submission, bid opening etc., in the e-Tender system. The bidders should follow such time during bid submission.
- 25) All the data being entered by the bidders would be encrypted using Public Key Infrastructure (PKI) encryption techniques to ensure the secrecy of the data. The data entered is not retrievable by unauthorized persons during the bid submission and until the time of bid opening by any person.
- 26) Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers' public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 27) The confidentiality of the bids is maintained with the use of Secured Socket Layer (SSL) 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 28) The bidder should logout of the tendering system using the normal logout option available at the top right hand corner and not by selecting the (X) exit option in the browser.
- 29) For any queries regarding e-Tendering process, the bidders may contact at address as provided in the tender document. Parallely for any further queries, the bidders are advised to contact over phone: 1-800-233-7315 or send a mail to cppp-nic@nic.in.

Section II. Instructions to Bidders

Table of Clauses

A.	General	13
1.	Scope of Bid	13
	Corrupt and Fraudulent Practices	
	Eligible Bidders	
	Contents of Bidding Document	
	Sections of Bidding Document.	
	Clarification of Bidding Documents, Site Visit, Pre-Bid Meeting	
o.	Amendment of Bidding Document	1/
C.	Preparation of Bids	17
7.	Cost of Bidding	17
	Language of Bid	
	Documents Comprising the Bid	
10	.Tender Forms and Price Schedules(BOQ)	19
11	.Alternative Bids	19
12	.Bid Prices and Discounts	19
	.Currencies of Bid and Payment	
14	Documents Establishing the Eligibility and Qualifications of the Bidder	21
15	Period of Validity of Bids	22
16	.Bid Security	22
D.	Submission and Opening of Bids	23
	Sealing and Marking of Bids	
18	Deadline for Submission of Bids	23
	Late Bids	
20	.Withdrawal, Substitution, and Modification of Bids	24
	.Bid Opening	
Ε.	Evaluation and Comparison of Bids	25
	.Confidentiality	
	·	25

24. Determination of Responsiveness	25
25. Conversion to Single Currency	
26.Margin of Preference	
27.Evaluation of Bids	26
28.Comparison of Bids	27
29. Qualification of the Bidder	27
30. Purchaser's Right to Accept Any Bid, and to Reject Any or All Bids	28
F. Award of Contract	28
r. Awaru di Contract	40
31.Award Criteria	28
	28
31.Award Criteria	28 29
31. Award Criteria	28 29 29

Section II. Instructions to Bidders

A. General

1. Scope of Bid

1.1 Scope of Work:

Supply of **Medical Equipment** as per Specifications

- 1.2 Throughout these Bidding Documents unless the context otherwise requires:
 - (a) "in writing" means communicated in written form (e.g. by mail, e-mail, fax, telex) with proof of receipt;
 - (b) "singular" means "plural" and vice versa; and
 - (c) "day" means calendar day.

2. Corrupt and Fraudulent Practices

- 2.1 The Purchaser requires compliance with its policy in regard to corrupt and fraudulent practices as set forth in Section V.
- 2.2 Further in pursuance of this policy, Bidder shall permit and cause its agents (whether declared or not), sub-contractors, sub-consultants, service providers or suppliers to provide access to purchaser to all the accounts, records and other documents relating to submission of the applicant, bid submission (in case prequalified), and contract performance (in case of award), to inspect and to have them audited by auditors appointed by the purchaser.

3. Eligible Bidders

- 3.1 A Bidder may be a firm, a company, a limited liability partnership (LLP), a government-owned entity or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent.
- 3.2 In the case of a joint venture, all members shall be jointly and severally liable for the execution of the contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the bidding process and during the contract execution in the event the JV is awarded the contract.

- 3.3 A Bidder shall not have a conflict of interest. Any Bidder found to have a conflict of interest shall be disqualified. A Bidder may be considered to have a conflict of interest for the purpose of this bidding process, if the Bidder:
 - (a) directly or indirectly controls, is controlled by or is under common control with another Bidder; or
 - (b) receives or has received any direct or indirect subsidy from another Bidder; or
 - (c) has the same legal representative as another Bidder; or
 - (d) has a relationship with another Bidder, directly or through common third parties, that puts it in a position to influence the bid of another Bidder, or influence the decisions of the Purchaser regarding this bidding process; or
 - (e) participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid shall result in the disqualification of all Bids in which such Bidder is involved. This, however does not limit the inclusion of the same subcontractor in more than one bid; or
 - (f) any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the bid; or
 - (g) any of its affiliates has been hired (or is proposed to be hired) by the Purchaser for the contract implementation; or
 - (h) would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the project that it provided or was provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm; or
 - (i) has a close business or family relationship with a professional staff of the Purchaser (or of the project implementing agency, or of a recipient of a part of the loan) who:
 - (i) are directly or indirectly involved in the preparation of the bidding documents or specifications of the contract, and/or the bid evaluation process of such contract; or
 - (ii) would be involved in the implementation or supervision of such contract.

- 3.4 A foreign firm and individual may be ineligible if as a matter of law or regulations, India prohibits commercial relations with the country of bidder.
- 3.5 A Bidder shall provide such evidence of eligibility satisfactory to the Purchaser, as the Purchaser shall reasonably request.

B. Contents of Bidding Document

4. Sections of Bidding Document

4.1 The Bidding Documents consist of Parts 1, 2, 3 and 4, which include all the Sections indicated below, and should be read in conjunction with any Addenda if any, issued.

PART 1 Bidding Procedures

- Section I. Instructions for Online Bid Submission
- Section II. Instructions to Bidders
- Section III. Bid Data Sheet (BDS)
- Section IV. Prequalification
- Section V. Policy of University against the Corrupt and

fraudulent Practices.

PART 2 Supply Requirements

• Section VI. Schedule of Requirements

PART 3 Contract

- Section VII General Conditions of Contract
- Section VIII. Special Conditions of Contract

PART 4 Bidding and Contract Forms

- Section VIII. Bidding Forms
- Section VIII. Contract Forms
- 4.2 The Invitation for Bids issued by the Purchaser is not part of the Bidding Document.

- 4.3 Unless obtained directly from the Purchaser, the Purchaser is not responsible for the completeness of the document, responses to requests for clarification, the Minutes of the pre-Bid meeting (if any), or Addenda to the Bidding Document. In case of any contradiction, documents obtained directly from the Purchaser shall prevail.
- 4.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents and to furnish with its Bid all information or documentation as required by the Bidding Documents.
- 5. Clarification of Bidding Documents, Site Visit, Pre-Bid Meeting
- 5.1 A Bidder requiring any clarification of the Bidding Document shall contact the Purchaser in writing at the Purchaser's address specified in the BDS or raise its enquiries during the pre-bid meeting if provided. The Purchaser will respond in writing to any request for clarification, provided that such request is received prior to the deadline for submission of bids within a period specified in the BDS. The Purchaser shall forward copies of its response to all Bidders who have acquired the Bidding Documents, including a description of the inquiry but without identifying its source. If so specified in the BDS, the Purchaser shall also promptly publish its response at the web page identified in the BDS. Should the clarification results in changes to the essential elements of the Bidding Documents, the Purchaser shall amend the Bidding Documents following the due procedure.
- 5.2 If so specified in the BDS, the Bidder is advised to visit and examine the project site and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for procurement of Goods. The costs of visiting shall be at the Bidder's own expense.
- 5.3 The Bidder and any of its personnel or agents shall be granted permission by the Purchaser to enter upon its premises and lands upon the express condition that the Bidder, its personnel, and agents shall indemnify the Purchaser against all liability in respect thereof.
- 5.4 If so specified in the BDS, the Bidder's designated representative is invited to attend a pre-bid meeting. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 5.5 The Bidder is advised to submit any questions in writing to reach the Purchaser not beyond one week preceding the meeting.

5.6 Minutes of the pre-bid meeting, if applicable, including the text of the questions asked by Bidders, without identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Documents. Any modification to the Bidding Documents that may become necessary as a result of the pre-bid meeting shall be made by the Purchaser exclusively through the issue of an addendum and not through the minutes of the pre-bid meeting. Absence in the pre-bid meeting shall not be a cause for disqualification of a Bidder.

6. Amendment of Bidding Document

- 6.1 At any time prior to the deadline for submission of bids, the Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by corrigendum. In case of e-procurement, corrigendum / amendment shall be published on http://eprocure.gov.in/eprocure/app.
- 6.2 Any addendum issued shall be part of the Bidding Documents and shall be communicated in writing to all who have obtained the Bidding Documents from the Purchaser. The Purchaser shall also promptly publish the addendum on the Purchaser's web page.
- 6.3 The Purchaser may, at its discretion to give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, extend the deadline for the submission of bids.

C. Preparation of Bids

7. Cost of Bidding

7.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

8. Language of Bid

8.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser, shall be written in the language specified in the BDS. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages into the language specified in the BDS, in which case, for purposes of interpretation of the Bid, such translation shall govern.

9. Documents Comprising the Bid

9.1 The tender/Bid shall be submitted online in two part, viz., Technical Bid and Commercial Bid.

9.1.1 TECHNICAL BID

The following documents are to be scanned and uploaded as part of the Technical Bid as per the tender document:

- (a) Scanned copy of Tender Forms (Techno Commercial Un-Priced Bid) and Tender Acceptance Letter);
- (b) Scanned copy of the completed schedules,
- (c) Scanned copy of Bid Security or copy of proof for submission of Tender Document Fee/ Earnest Money Deposit etc;
- (d) Scanned copy of written confirmation authorizing the signatory of the Bid to commit the Bidder;
- (e) Scanned copy of documentary evidence (i) establishing the Bidder's qualifications to perform the contract if its bid is accepted and (ii) the Bidder's eligibility to bid;
- (f) Scanned copy of (i) documentary evidence, that the Goods and Related Services to be supplied by the Bidder are of eligible origin and (ii) conform to the Bidding Documents, and (iii) any other document required in the BDS;
- (g) Scanned copy of Pre-qualification Details as per Section-IV like PAN/TIN/Sales Tax / Service Tax etc.
- (h) Technical Bid.

All the original documents as well as the original payment instrument like Demand Draft/Pay order or banker cheque of any scheduled bank against Tender Fee/EMD, samples as specified in this tender document have to be sent to the address of the Purchaser mentioned in Bid Data Sheet (BDS) by post/speed post/courier/by hand on or before bid Submission closing date & time. Beyond that the tender shall be summarily rejected without assigning any reason.

9.1.2 **COMMERCIAL BID**

The commercial bid comprises of:

- (i) Scanned copy of Tender Form (Price Bid)
- (ii) Price bid in the form of BoQ_XXXX.xls.
- (iii) Scanned copy of item wise breakup of price bid.

The Price bid format is provided as BoQ_XXXX.xls along with this Tender Document at https://eprocure.gov.in/eprocure/app. Bidders are advised to download this BoQ_BIOCHEM.xls and quote their offer/rates in the prescribed column. Bidders can quote Basic Price in INR or CURRENCY (for other than INR) but it is mandatory to quote taxes/levies in INR only, in the prescribed column and upload the same in the commercial bid.

- 9.2 In addition to the above requirements, bids submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement, there to.
- 9.3 The Bidder shall furnish in the Tender Forms information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Bid.
- 10. Tender
 Forms(Technic
 al and Price)
 and Price
 Schedule(BOQ)
- 10.1 Tender Forms and Price Schedules (Bill of Quantity-BOQ) shall be prepared using the relevant forms furnished in Section IX, Bidding Forms and BOQ provided. The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.
- 11. Alternative Bids
- 11.1 Unless otherwise specified in the BDS, alternative bids shall not be considered.
- 12. Bid Prices and Discounts
- 12.1 The prices and discounts quoted by the Bidder in the Tender Forms and in the Price Schedules(BOQ) shall conform to the requirements specified as under.
 - (a) All lots (contracts) and items must be listed and priced separately in the Price Schedules(BOQ).
 - (b) The price to be quoted in the Tender Forms shall be the total price of the bid, excluding any discounts offered.
 - (c) The Bidder shall quote any discount and indicate the methodology for their application in the Tender Forms.
 - (d) Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account, unless otherwise specified in the BDS A bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected. However, if in accordance with the BDS, prices quoted by

the Bidder shall be subject to adjustment during the performance of the Contract, a bid submitted with a fixed price quotation shall not be rejected, but the price adjustment shall be treated as zero.

- 12.2 If so bids are being invited for individual lots (contracts) or for any combination of lots (packages). Unless otherwise specified in the BDS, prices quoted shall correspond to 100 % of the items specified for each lot and to 100% of the quantities specified for each item of a lot. Bidders wishing to offer discounts for the award of more than one Contract shall specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted provided the bids for all lots (contracts) are opened at the same time.
- 12.3 Prices shall be quoted as specified in each Price Schedule(BOQ) as provided. The dis-aggregation of price components is required solely for the purpose of facilitating the comparison of bids by the Purchaser. This shall not in any way limit the Purchaser's right to contract on any of the terms offered. In quoting prices, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible country. Prices shall be entered in the following manner:
 - (a) For Goods manufactured in India:
 - (i) the price of the Goods quoted EXW (ex-works, exfactory, ex warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable on the components and raw material used in the manufacture or assembly of the Goods;
 - (ii) any sales tax/VAT and other taxes payable on the Goods, if the contract is awarded to the Bidder; and
 - (iii) the price for inland transportation, insurance, and other local services required to convey the Goods to their final destination (Project Site) as specified in the BDS.
 - (b) For Goods manufactured outside India, to be imported:
 - (i) the price of the Goods quoted under Carriage and Insurance Paid (CIP) Model up to named place of destination in India as specified in the BDS:

- (ii) the price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination (Project Site) specified in the BDS;
- (c) For Goods manufactured outside India, already imported:
 - (i) the price of the Goods, including the original import value of the Goods; plus any mark-up (or rebate); plus any other related local cost, and custom duties and other import taxes already paid or to be paid on the Goods already imported.
 - (ii) the custom duties and other import taxes already paid (need to be supported with documentary evidence) or to be paid on the Goods already imported;
 - (iii) the price of the Goods, obtained as the difference between (i) and (ii) above;
 - (iv) any sales and other taxes which will be payable on the Goods if the contract is awarded to the Bidder; and
 - (v) the price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination (Project Site) specified in the BDS.
- (d) for Related Services, other than inland transportation and other services required to convey the Goods to their final destination, whenever such Related Services are specified in the Schedule of Requirements:
 - (i) the price of each item comprising the Related Services (inclusive of any applicable taxes).

- 13. Currencies of Bid and Payment
- 13.1 The currency(ies) of the bid and the currency(ies) of payments shall be as specified in the BDS. The Bidder shall quote in Indian Rupees the portion of the bid price that corresponds to expenditures incurred in Indian Rupees, unless otherwise specified in the BDS.
- 14. Documents
 Establishing the
 Eligibility and
 Qualifications
 of the Bidder
- 14.1 To establish Bidder's their eligibility, Bidders shall complete the Tender Form (Techno Commercial Un-Priced Bid & Priced Bid), included in Section-IX, Bidding Forms.
- 14.2 The documentary evidence of the Bidder's qualifications to perform the contract if its bid is accepted shall establish to the Purchaser's satisfaction:

- (a) that, if required in the BDS, a Bidder that does not manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in Section IX, Bidding Forms to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods in India;
- (b) that, if required in the BDS, in case of a Bidder not doing business within India, the Bidder is or will be (if awarded the contract) represented by an Agent in the country equipped and able to carry out the Supplier's maintenance, repair and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
- (c) that the Bidder meets each of the qualification criterion.

15. Period of Validity of Bids

- 15.1 Bids shall remain valid for the period specified in the BDS after the bid submission deadline date prescribed by the Purchaser. A bid valid for a shorter period shall be rejected by the Purchaser as non responsive.
- 15.2 In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. A Bidder may refuse the request without forfeiting its Earnest Money Deposit (EMD). A Bidder acceding to the request will neither be required nor permitted to modify the bid.
- 15.3 Bid evaluation will be based on the bid prices without taking into consideration the above modifications.

16. Bid Security

- 16.1 The Bidder shall furnish as part of its bid, a bid security, as specified in the BDS, in original form the amount and currency as specified in the BDS.
- 16.2 If a bid security is specified, the bid security shall be a demand guarantee in any of the following forms at the Bidder's option:
 - (a) an unconditional guarantee issued by a bank or financial institution (such as an insurance, bonding or surety company);
 - (b) an irrevocable letter of credit;
 - (c) a banker's cheque or Demand Draft; or
 - (d) any other security as specified in the BDS,

of a reputed source from an eligible country. If the unconditional guarantee is issued by a financial institution located outside India, the

issuing financial institution shall have a correspondent financial institution located in India to make it enforceable The bid security shall be valid for forty five (45) days beyond the original validity period of the bid, or beyond the extended period.

- 16.3 If a Bid Security is specified, any bid not accompanied by a substantially responsive Bid Security, shall be rejected by the Purchaser as non-responsive.
- 16.4 If a Bid Security is specified, the Bid Security of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder's signing the contract and furnishing the Performance Security.
- 16.5 The Bid Security of the successful Bidder shall be returned as promptly as possible once the successful Bidder has signed the contract and furnished the required performance security.
- 16.6 The Bid Security of the bidder may be forfeited or the Bid Securing Declaration executed:
 - (a) if he withdraws from the bid during the period of bid validity specified by the Bidder on the Tender Forms, or any extension thereto provided by the Bidder; or
 - (b) if he being successful Bidder fails to:
 - (i) sign the Contract; or
 - (ii) furnish a performance security.
- 16.7 The bid security of a JV must be in the name of the JV that submits the bid. If the JV has not been legally constituted into a legally enforceable entity at the time of bidding, the bid security shall be in the names of all members as named in the letter of intent.

D. Submission and Opening of Bids

- 17. Sealing and Marking of Bids
- 18. Deadline for Submission of Bids
- 17.1 The Bidder shall submit the bids electronically, through the eprocurement system (https://eprocure.gov.in/eprocure/app). Any document submitted through any other means will not be considered as part of the Bid except for the Originals as asked for in this tender.
- 18.1 The Purchaser may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Documents, in which case all rights and obligations of the Purchaser and Bidders

previously subject to the deadline shall thereafter be subject to the deadline as extended.

19. Late Bids

19.1 The e-Procurement system would not allow any late submission of bids after due date and time as per server system. After electronic online proposal submission, the system generates a unique identification number which is time stamped. This shall be treated as acknowledgement of the proposal submission

20. Withdrawal, Substitution, and Modification of Bids

- 20.1 A Bidder may withdraw, substitute, or modify its bid on the eprocurement system before the date and time specified but not beyond.
- 20.2 No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Tender Forms or any extension thereof Modification/Withdrawal of the Bid sent through any other means shall not be considered by the Purchaser.

21. Bid Opening

- 21.1 The Purchaser shall open the bids as per electronic bid opening procedures specified in Central Public Procurement Portal (CPPP) at the date and time specified. Bidders can also view the bid opening by logging on to the e-procurement system. Specific bid opening procedures are laid down at https://eprocure.gov.in/eprocure/app under the head "Bidders Manual Kit". The tenderer/bidder will be at liberty to be present either in person or through an authorized representative at the time of opening of the Bid or they can view the bid opening event online at their remote end. Price Bids of only those tenderers shall be opened whose technical bids qualify.
- 21.2 The withdrawn bid will be available in the system therefore will be considered, If bidder once withdraws the bid then he will not be able to participate in the respective tender again. Modification to the bid shall be opened and read out with the corresponding bid. Only bids that are opened and read out at bid opening shall be considered further.
- 21.3 The Purchaser shall prepare a record of the bid opening that shall include,; the name of the Bidder; whether there is a withdrawal, substitution, or modification; the Bid Price including any discounts and alternative bids; and the presence or absence of a bid security, if one was required. The Bidders' representatives who are present in the office of the Purchaser to witness the bid opening shall be requested to sign the record. The omission/refusal of a Bidder's signature on the record shall not invalidate the contents and effect of

the record. A copy of the record shall be made available on the e-procurement system.

E. Evaluation and Comparison of Bids

22. Confidentiality

- 22.1 Information relating to the evaluation of bids and recommendation of contract award shall not be disclosed to bidders or any other persons not officially concerned with the bidding process until information on Contract Award is communication to all Bidders.
- 22.2 No Bidder shall contact the purchaser on any matter relating to its bid from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Purchaser it should be done in writing.
- 22.3 Any effort by a Bidder to influence the purchaser in its decisions on bid evaluation, bid comparison or contract award decisions may result in rejection of the Bidder's bid.

23. Clarification of Bids

- 23.1 To assist in the examination, evaluation, comparison of the bids, and qualification of the Bidders, the Purchaser may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder in respect to its Bid and that is not in response to a request by the Purchaser shall not be considered. The Purchaser's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Purchaser in the Evaluation of the bids.
- 23.2 If a Bidder does not provide clarifications of its bid by the date and time set in the Purchaser's request for clarification, its bid may be rejected.

24. Determination of Responsiveness

24.1 The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself.

- 24.2 A substantially responsive Bid is one that meets the requirements of the Bidding Documents without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that:
 - (a) if accepted, would
 - (i) affect in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or
 - (ii) limit in any substantial way, inconsistent with the Bidding Documents, the Purchaser's rights or the Bidder's obligations under the Contract; or
 - (b) if rectified, would unfairly affect the competitive position of other bidders presenting substantially responsive bids.
- 24.3 The Purchaser shall examine the technical aspects of the bid submitted in accordance with instructions specified in tender document, in particular, to confirm that all requirements enumerated in the 'Schedule of Requirements' Section-VI have been complied with, without any material deviation or reservation or omission.
- 24.4 If a bid is not responsive to the requirements of Bidding Documents, it shall be rejected by the Purchaser and may not subsequently be made responsive by correction of the material deviation, reservation or omission.
- 25. Conversion to Single Currency
- 25.1 For evaluation and comparison purposes, the currency(ies) of the Bid shall be converted in a single currency as specified in the BDS.
- 26. Margin of Preference
- 26.1 Unless otherwise specified in the BDS, a margin of preference shall not apply.
- 27. Evaluation of Bids
- 27.1 The Purchaser shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted.
- 27.2 To evaluate a Bid, the Purchaser shall consider the following:
 - (a) evaluation will be done for Items or Lots (contracts), as specified in the BDS; and the Bid Price
 - (b) price adjustment due to discounts offered;
 - (c) converting the amount resulting from above, if relevant, to a single currency;

- (d) price adjustment due to quantifiable nonmaterial nonconformities in:
- 27.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.
- 27.4 The Purchaser's evaluation of a bid shall exclude and not take into account:
 - (a) in the case of Goods manufactured in the India, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the Bidder;
 - (b) in the case of Goods manufactured outside India, already imported or to be imported, customs duties and other import taxes levied on the imported Good, sales and other similar taxes, which will be payable on the Goods if the contract is awarded to the Bidder;
 - (c) any allowance for price adjustment during the period of execution of the contract, if provided in the bid.
- 27.5 The Purchaser's evaluation of a bid may require the consideration of other factors, in addition to the Bid Price quoted. These factors may be related to the characteristics, performance, and terms and conditions of purchase of the Goods and Related Services. The effect of the factors selected, if any, shall be expressed in monetary terms to facilitate comparison of bids.

28. Comparison of Bids

28.1 The Purchaser shall compare the evaluated prices of all substantially responsive bids established to determine the lowest evaluated bid. The comparison shall be on the basis of CIP-Carriage and Insurance Paid to (place of destination) prices for imported goods and EXW – Ex Works (named place of delivery) prices, plus cost of inland transportation and insurance to place of destination, for goods manufactured within India, together with prices for any required installation, training, commissioning and other services. The evaluation of prices shall not take into account custom duties and other taxes levied on imported goods quoted CIP and sales and similar taxes levied in connection with the sale or delivery of goods.

29. Qualification of the Bidder

29.1 The Purchaser shall determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated and substantially responsive bid meets the qualifying criteria.

- 29.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder.
- 29.3 An affirmative determination shall be a prerequisite for award of the Contract to the Bidder. A negative determination shall result in disqualification of the bid, in which event the Purchaser shall proceed to the next lowest evaluated bid to make a similar determination of that Bidder's qualifications to perform satisfactorily.
- 30. Purchaser's
 Right to Accept
 Any Bid, and to
 Reject Any or
 All Bids
- 30.1 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to Bidders. In case of annulment, all bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.

F. Award of Contract

- 31. Award Criteria
- 31.1 The Purchaser shall award the Contract to the Bidder whose bid has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Documents, provided the Bidder is determined to be qualified to perform the Contract satisfactorily.
- 32. Purchaser's
 Right to Vary
 Quantities at
 Time of Award
- 32.1 At the time the Contract is awarded, the Purchaser reserves the right to increase or decrease the quantity of Goods and Related Services originally specified in Section VI, Schedule of Requirements, provided this does not exceed the percentages specified in the BDS, and without any change in the unit prices or other terms and conditions of the bid and the Bidding Documents.

33. Notification of Award

- 33.1 Prior to the expiration of the period of bid validity, the Purchaser shall, notify the successful Bidder, in writing, that its Bid has been accepted. The notification letter (hereinafter and in the Conditions of Contract and Contract Forms called the "Letter of Acceptance") shall specify the sum that the Purchaser will pay the Supplier in consideration of the supply of Goods (hereinafter and in the Conditions of Contract and Contract Forms called "the Contract Price"). At the same time, the Purchaser shall also notify all other Bidders of the results of the bidding.
- 33.2 Until a formal Contract is prepared and executed, the notification of award shall constitute a binding Contract.
- 33.3 The Purchaser shall promptly respond in writing to any unsuccessful Bidder who, after notification of award, requests in writing the grounds on which its bid was not selected.

34. Signing of Contract

- 34.1 Promptly after notification, the Purchaser shall send the successful Bidder the Contract Agreement.
- 34.2 Within twenty-eight (28) days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Purchaser.
- 34.3 Notwithstanding anything contained in clause 34.2, in case signing of the Contract Agreement is prevented by any export restrictions attributable to the Purchaser, or to the use of the products/goods, systems or services to be supplied, where such export restrictions arise from trade regulations from a country supplying those products/goods, systems or services, the Bidder shall not be bound by its bid, always provided however, that the Bidder can demonstrate to the satisfaction of the Purchaser that signing of the Contact Agreement has not been prevented by any lack of diligence on the part of the Bidder in completing any formalities, including applying for permits, authorizations and licenses necessary for the export of the products/goods, systems or services under the terms of the Contract.

35. Performance Security

35.1 Within twenty eight (28) days of the receipt of notification of award from the Purchaser, the successful Bidder, if required, shall furnish the Performance Security in accordance with the General Conditions of Contract (GCC), using for that purpose the Performance Security Form included in Section-X, Contract Forms, or another Form acceptable to the Purchaser. If the Performance Security furnished by the successful Bidder is in the form of a bond, it shall be issued by a bonding or insurance company that has been determined by the successful Bidder to be acceptable

- to the Purchaser. A foreign institution providing a bond shall have a correspondent financial institution located in India.
- 35.2 Failure of the successful Bidder to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security. In that event the Purchaser may award the Contract to the next lowest evaluated Bidder, whose bid is substantially responsive and is determined by the Purchaser to be qualified to perform the Contract satisfactorily.

Section III. Bid Data Sheet (BDS)

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). In case of inconsistency, the provisions herein shall prevail over those in ITB.

Serial No.		A. General	
1.	The reference number of the Invitation for Bids is		
	BHU/IMS/TC/N-1/2014/04 Dated: 05-03-2015		
2.	The Purchaser is The	Director, IMS, BHU, Varanasi	
3.	Maximum number of	members in the JV shall be: 4	
]	B. Contents of Bidding Documents	
4.	For Clarification of bid purposes only, the Purchaser's address is The Director , IMS , BHU , Varanasi		
	Attention	: Prof. Anand Kumar	
	Address	: The Officer on Special Duty, Trauma Centre, IMS,	
		BHU, Varanasi	
	Floor/ Room number:		
	City	: Varanasi	
	ZIP Code	: 221005	
	Country	: India	
	Telephone	: 91-542-2366444	
	Facsimile number	: 91-542-2366444	
	Electronic mail addres	ss: osdtraumabhu@gmail.com	
5.	Web page	https://eprocure.gov.in/eprocure/app	
6.	A site visit shall not b	be organized by the purchaser.	
7.	A Pre-Bid meeting	: NA	
		C. Preparation of Bids	

8.	The language of the bid is: English or Hindi .
0.	All correspondence exchange shall be in English or Hindi language.
	Language for translation of supporting documents and printed literature is English or Hindi .
9.	The Bidder shall submit the following additional documents in its bid: NA
10.	Alternative Bids shall not be considered.
11.	The prices quoted by the Bidder shall not be subject to adjustment during the performance of the Contract.
12.	Place of Destination: Office of OSD, Trauma Centre, IMS, BHU, Varanasi
13.	Final destination: Office of OSD, Trauma Centre, IMS, BHU, Varanasi
14.	The prices shall be quoted by the bidder in : Foreign Currency of Principal's Country (Preferably in Indian Rupees)
	The Bidder is required to quote in Indian Rupees (INR), the portion of the bid price that corresponds to expenditures incurred in Indian Rupees (INR).
15.	Manufacturer's authorization is Required
16.	After sales service is Required.
17.	The bid validity period shall be 120 days.
18.	EMD/Bid security shall be paid @ 2.5% of the estimated value(s) of quoted items or Rs. 2,50,000/- whichever is higher by the way of Bank Guarantee (BG)/F.D.R. in favor of the Registrar, Banaras Hindu University, Varanasi-221005 and should be valid for a period of 60 days beyond the BID validity period. All tenders received without EMD/Bank Security shall be rejected. TENDER FEE: NIL
19.	Other types of acceptable securities: NA
	D. Submission and Opening of Bids
20.	For bid submission purposes only, the Purchaser's address is The Officer on Special Duty, Trauma Centre, IMS, BHU, Varanasi – 221005.
	Attention : Prof. Anand Kumar

: Office of Director, IMS, BHU, Varanasi. Street Address Floor/ Room number: IMS Ground Floor : Varanasi ZIP/Postal Code : 221005 Country : India The deadline for bid submission is: : 17th April 2015 Date Time : 05:00 PM The electronic bidding opening procedures shall be as given in Section I-Instructions for Online Bid Submission. 21. The bid opening shall take place at: Committee Room, Office of Director, IMS, BHU, Varanasi Street Address : Banaras Hindu University, Varanasi Floor/ Room number: City : Varanasi Country : India : 22nd April 2015 Date : 11:00 AM Time The electronic bidding opening procedures shall be as given in Section I-Instructions for Online Bid Submission. E. Evaluation and Comparison of Bids The currency that shall be used for bid evaluation and comparison purposes to 22. convert all bid prices expressed in various currencies into a single currency is: **Indian Rupees** The source of exchange rate shall be: **Reserve Bank of India.** The date for the exchange rate shall be: Last day for submission of Bids. 23. A margin of domestic preference shall apply. Evaluation will be done for concern equipment. 24. Note:

Bids will be evaluated for each item and the Contract will comprise the item(s)

	awarded to the successful Bidder.
	F. Award of Contract
25.	The maximum percentage by which quantities may be increased is: 20%
	The maximum percentage by which quantities may be decreased is: 30%

Section IV. Prequalification

- 1. A notarized affidavit by the firm that it has never been black-listed must be attached along with the Bid, failing which the Bid shall be rejected.
- Profile of each Bidder and past experience in supply of the material (certificates to be enclosed), proof of manufacturing Unit/Dealership letter and general order supplier. Manufacturer's authorization certificate as prescribed in Section IX in case bidder is not manufacturer.
- 3. List of other Govt. Departments, Public Sector units and Central Autonomous Bodies for which the bidder is supplying material or having the similar type of contracts and a certificate regarding the satisfactory performance of the contract.
- **4.** Copy of the audited balance sheet of the bidder for the previous three financial years indicating the turnover in supply of the material.
- **5.** True copy of Permanent Account Number.
- **6.** Details of Sales Tax / VAT along with a copy of certificate to be attached.
- **7.** Service Tax No. along with copy of certificate.
- **8.** TIN along with copy of certificate.
- 9. Submission of samples if required, for all items indicated in the schedule of requirements. The make of items proposed to be supplied should be indicated in the format of the schedule of requirements and submitted along with the techno commercial un priced bid without indicating the pricing components.
- 10. Willingness to execute all orders which are placed to meet emergency requirement on priority basis. The Bidder shall note that standards for workmanship, material and equipment, and references to brand names designated by the Purchaser in the schedule of requirements are intended to be descriptive only and not restrictive. The Bidder may substitute alternative standards, brand names and/or catalogue numbers in his bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

Section V. Policy of University against the Corrupt and Fraudulent Practices

University strictly adheres to its policy against corruption and requires that bidders and their agents, subagents, sub-contractors, suppliers etc. shall not indulge in any kind of corrupt practices, fraudulent practices, collusive practices, coercive practices, obstructive practices or other kinds of corruption declared as crimes under Indian law.

a) If bidder or their agents, subagents, sub-contractors, suppliers etc. are found, directly or indirectly, involved in such practices, bid or agreement and execution thereof at any stage may be rejected or cancelled as the case may be by the University and besides it, University may initiate legal actions including civil and criminal proceeding.

For the purpose of this provision the terms are defined as follows:

- (i) "Corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;¹;
- (ii) "Fraudulent Practices" is any act or omission including a misrepresentation which knowingly or recklessly made to mislead another party to obtain financial or other benefit or to avoid an obligation;²
- (iii) "Collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;³
- (iii) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;⁴

For the purpose of this sub-paragraph, "another party" refers to a public official acting in relation to the procurement process or contract execution. In this context, "public official" includes university staff and employees of other organizations taking or reviewing procurement decisions.

For the purpose of this sub-paragraph, "party" refers to a public official; the terms "benefit" and "obligation" relate to the procurement process or contract execution; and the "act or omission" is intended to influence the procurement process or contract execution.

For the purpose of this sub-paragraph, "party" refers to participants in the procurement process (including public officials) attempting either themselves, or through another person or entity not participating in the procurement or selection process, to simulate competition or to establish bid prices at artificial, non-competitive levels, or are privy to each other's bid prices or other conditions.

⁴ For the purpose of this sub-paragraph, "party" refers to a participant in the procurement process or contract execution.

(v) "obstructive practice" is:

deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation.

b) Besides actions under clause (a) University may also take action to blacklist such bidder either indefinitely or for a specified period.

PART 2 – Supply Requirements

Section VI. Schedule of Requirements

Contents

1.	List of Goods and Delivery Schedule	40
2.	List of Related Services and Completion Schedule	56
3.	Technical Specifications	57

1. List of Goods and Delivery Schedule

Line	Description of Goods	Quantity	Physical	Final	Delivery	(as per Incote	rms) Date
Item N°			unit	Destination as specified in BDS	Earliest Delivery Date	Latest Delivery Date	Bidder's offered Delivery date [to be provided by the bidder]
[insert item No]	[insert description of Goods]	[insert quantity of item to be supplied]	[insert physical unit for the quantity]	[insert place of Delivery]	[insert the number of days following the date of effectiveness the Contract]	[insert the number of days following the date of effectiveness the Contract]	[insert the number of days following the date of effectiveness the Contract]
	DEPARTMENT OF NEUROSI Cranial Surgery Set (From item No. 0						
1.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED Approximate 165 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
2.	TOENNIS-ADSON DISSECTING SCISSOR CURVED DELICATE Approximate 175 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
3.	SCHMIEDEN-TAYLOR DURA SCISSOR Approximate 155 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
4.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED Approximate 115 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
5.	MICRO ADSON TOOTH DISSECTING TISSUE FORCEP Approximate 180 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
6.	ADSON TOOTH DELICATE TISSUE FORCEP Approximate 120 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
7.	CAIRS-DOTT/CUSHING DELICATE DISSECTING STRAIGHT FORCEP APPROXIMATE 175 MM	3	Nos.	Trauma Centre, IMS, BHU	30	45	
8.	DEBAKEY DISSECTING Forcep 1.5 MM TIP Approximate 200 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	

9.	CUSHING/BROWN/GRUENWALD- GERALD BAYONET DELICATE DISSECTING Forcep ½ Approximate 180 MM LONG	3	Nos.	Trauma Centre, IMS, BHU	30	45	
10.	Backhaus Towel Clamp sharp tip approximate 90 mm	12	Nos.	Trauma Centre,	30	45	
				IMS, BHU			
11.	HEAVY DISSECTING FORCEP MEDIUM ½ Approximate 145 MM	3	Nos.	Trauma Centre,	30	45	
	LONG			IMS, BHU			
12.	HUDSON/ADSON TOOTH DURAL	3	Nos.	Trauma	30	45	
	FORCEP APPROXIMATE 120 MM LONG			Centre, IMS, BHU			
13.	DANDY DELICATE FORCEP	90	Nos.	Trauma	30	45	
	CURVED ON SIDE Approximate 140 MM LONG			Centre, IMS, BHU			
14.	BABY-CRILE-WOOD NEEDLE	3	Nos.	Trauma	30	45	
	HOLDER WITH TUNSGTEN CARBIDE INSERT Approximate 150			Centre, IMS, BHU			
	MM LONG						
15.	DE'BAKEY NEEDLE HOLDER WITH TUNSGTEN-CARBIDE	3	Nos.	Trauma Centre,	30	45	
	INSERT APPROXIMATE 180 MM			IMS, BHU			
16	LONG	3	Nos.	T	30	45	
16.	MAYO-HEGAR NEEDLE HOLDER HEAVY PATTERN WITH	3	Nos.	Trauma Centre,	30	45	
	TUNSGTEN CARBIDE INSERT			IMS, BHU			
17.	APPROXIMATE 185 MM LONG ADSON-BABY/CONE SELF	3	Nos.	Trauma	30	45	
	RETAINING RETRACTOR SEMI			Centre,			
	SHARP APPROXIMATE 140 MM LONG			IMS, BHU			
18.	GILLIES DURAL HOOK SHARP	3	Nos.	Trauma	30	45	
	APPROXIMATE 180 MM LONG			Centre, IMS, BHU			
19.	FRAZIER DURAL HOOK	6	Nos.	Trauma	30	45	
	APPROXIMATE 130 MM LONG			Centre, IMS, BHU			
20.	DAVIS RASPATORY	3	Nos.	Trauma	30	45	
	APPROXIMATE 245 MM LONG			Centre, IMS, BHU			
21.	FREER RASPARATORY	3	Nos.	Trauma	30	45	
	APPROXIMATE 190 MM LONG			Centre, IMS, BHU			
22.	MALLEABLE BRAIN SPATULA	3	Nos.	Trauma	30	45	
	FLAT 9 MM WIDE Approximate 200 mm Long			Centre, IMS, BHU			
23.	MALLEABLE BRAIN SPATULA	3	Nos.	Trauma	30	45	
	FLAT 12 MM WIDE Approximate			Centre,			
	200 MM LONG			IMS, BHU			

24.	MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate	3	Nos.	Trauma Centre,	30	45	
	200 MM LONG			IMS, BHU			
25.	MALLEABLE BRAIN SPATULA	3	Nos.	Trauma	30	45	
	FLAT 25 MM WIDE Approximate			Centre,			
	200 MM LONG			IMS, BHU			
26.	FERGUSION/FRAZIER SUCTION	6	Nos.	Trauma	30	45	
	CANNULAE ANGULAR 3 MM			Centre,			
	Approximate 110 MM LONG			IMS, BHU			
27.	FERGUSION/FRAZIER SUCTION	6	Nos.	Trauma	30	45	
	CANNULAE ANGULAR 4 mm			Centre,			
	Approximate 110 MM			IMS, BHU			
28.	FERGUSION/FRAZIER SUCTION	6	Nos.	Trauma	30	45	
	CANNULAE ANGULAR 2.5 MM			Centre,			
	Approximate 110 MM			IMS, BHU			
29.	GIGLIE HOOK HANDLE FOR	9	Nos.	Trauma	30	45	
	WIRE SAWS			Centre,			
				IMS, BHU			
30.	DEMARTEL CONDUCTOR	12	Nos.	Trauma	30	45	
	FLEXIBLE FOR GIGLE WIRE SAW			Centre,			
	APPROXIMATE 350 MM			IMS, BHU			
31.	GIGLE TWISTED WIRE SAW	9	Nos.	Trauma	30	45	
	APPROXIMATE 500 MM LONG			Centre,			
	(MINIMUM 20 WIRES TO BE			IMS, BHU			
	CONSIDERED AS 1 UNIT)						
32.	RANEY SCALP REUSABLE CLIP	3	Nos.	Trauma	30	45	
	PACK (MINIMUM 24 PIECES TO			Centre,			
	BE CONSIDERED AS 1 UNIT)			IMS, BHU			
33.	RANEY CLIP APPLYING	3	Nos.	Trauma	30	45	
	/REMOVING FORCEP			Centre,			
			1	IMS, BHU			
34.	RUSKIN BONE RONGEUR	3	Nos.	Trauma	30	45	
	ANGULAR DOUBLE ACTION			Centre,			
	APPROXIMATE 190 MM LONG			IMS, BHU			
35.	OLIVERCRONA BONE RONGEUR	3	Nos.	Trauma	30	45	
	CURVED Approximate 205 MM			Centre,			
	LONG			IMS, BHU			
36.	VENTRICULAR PUNTURE	3	Nos.	Trauma	30	45	
	CUSHING/CUSHING-			Centre,			
	CAIRNS/DANDY/CONE 1.5-2.0			IMS, BHU			
	MM DIAMETER						

			_				1
37.	HUDSON HAND DRILL SET:	3	Nos.	Trauma	30	45	
	COMPONENTS: 1. HUDSON			Centre,			
	DRILL BRACE – 1, 2. HUDSON			IMS, BHU			
	CEREBELLAR EXTENSION			11.10, 11.1			
	PIECE-1, 3. CUSHING						
	PERFORATOR 10 MM-1, 4.						
	CUSHING PERFORATOR 12 MM-						
	1, 5. CUSHING PERFORATOR 14						
	MM-1, 6. BURR CONICAL 10 MM-						
	1, 7. BURR CONICAL 14 MM-1, 8.						
	Burr SPHERICAL 16 mm, 9. BURR						
	SPHERICAL 22 mm, 10. DRILL BID						
	2 mm-1 (ALL TO BE QUOTED AS 1						
	UNIT)						
20	· · · · · · · · · · · · · · · · · · ·		NT -	TD	20	14.5	
38.	JANSEN SELF RETAINING	6	Nos.	Trauma	30	45	
	RETRACTOR Approximate 100 MM			Centre,			
	LONG			IMS, BHU			
39.	SCALPEL HANDLE FOR	3	Nos.	Trauma	30	45	
	SURGICAL BLADE NO. 11			Centre,			
	BAYONET TYPE Approximate 210			IMS, BHU			
	MM LONG						
40.	SCALPEL HANDLE FOR	3	Nos.	Trauma	30	45	
40.	SURGICAL BLADE NO. 23	5	1105.		30	43	
				Centre,			
	BAYONET TYPE Approximate 135			IMS, BHU			
	MM LONG						
41.	SCALPEL HANDLE FOR	3	Nos.	Trauma	30	45	
	SURGICAL BLADE NO. 15			Centre,			
	BAYONET TYPE Approximate 135			IMS, BHU			
	MM LONG						
42.	DAHLGREN SKULL PUNCH With	3	Nos.	Trauma	30	45	
	2 Extra Hooks Approximate 210 MM			Centre,			
	LONG			IMS, BHU			
43.	BURR HOLE PROTECTION	3	Nos.	Trauma	30	45	
75.	FORCEP APPROXIMATE 205 MM	3	1405.		30	43	
				Centre,			
4.4	LONG		NT	IMS, BHU	20	4.5	
44.	LEMPERT PERIOSTEAL	3	Nos.	Trauma	30	45	
	ELEVATOR 6 MM WIDE			Centre,			
	Approximate 185 mm Long			IMS, BHU			
45.	CURVED PERIOSTEAL	3	Nos.	Trauma	30	45	
	ELEVATOR/RASPATORY 12.5			Centre,			
	MM WIDE APPROXIMATE 140			IMS, BHU			
	MM LONG						
46.	VOLKMANN BONE CURETTE 3.5	3	Nos.	Trauma	30	45	
10.	mm CUP Approximate mm 170 mm	3	1105.	Centre,			
	Long			IMS, BHU			
47.	WIRE CUTTER TO CUT WIRE	3	Noc		30	45	
4/.		3	Nos.	Trauma	30	43	
	CLOSE TO BONE			Centre,			
				IMS, BHU			

48.	PENFIELD DISSECTOR No. 1	3	Nos.	Trauma	30	45	
	Approximate 175 MM LONG			Centre,			
				IMS, BHU			
49.	PENFIELD DISSECTOR NO. 2	3	Nos.	Trauma	30	45	
	Approximate 195 MM LONG			Centre,			
				IMS, BHU			
50.	PENFIELD TISSUE DISSECTOR	3	Nos.	Trauma	30	45	
50.	NO. 3 Approximate 195 MM LONG	5	1,05.	Centre,		10	
	110. 3 Approximate 133 MM Bolto			IMS, BHU			
51.	PENFIELD TISSUE DISSECTOR	3	Nos.	Trauma	30	45	
51.	NO. 4 Approximate 205 MM LONG	3	1103.	Centre,	30	7.5	
	NO. 4 Approximate 203 Will LONG			IMS, BHU			
52.	COMPLETE PNEUMATIC	1	Nos.	Trauma	30	45	
32.	KERRSION PUNCH ASSEMBLY	1	1108.		30	43	
				Centre,			
	WITH 2MM,3MM,4MM LONG			IMS, BHU			
- F2	BLADES	2	NT.	T	20	4.5	
53.	KERRISON PUNCH 90° 3 MM	3	Nos.	Trauma	30	45	
	UPWARD, NOIR TYPE,			Centre,			
	DETACHABLE WITH STANDARD			IMS, BHU			
	FOOT PLATE APPROXIMATE 180						
	MM LONG						
54.	KERRISON PUNCH 90 ⁰ 4 MM	3	Nos.	Trauma	30	45	
	UPWARD, NOIR TYPE,			Centre,			
	DETACHABLE WITH STANDARD			IMS, BHU			
	FOOT PLATE APPROXIMATE 180						
	MM LONG						
55.	KERRISON PUNCH 40 ^o 2 MM	3	Nos.	Trauma	30	45	
	UPWARD, NOIR TYPE,			Centre,			
	DETACHABLE WITH STANDARD			IMS, BHU			
	FOOT PLATE APPROXIMATE 180						
	MM LONG						
56.	FREER/HALLE PERIOSTEAL	3	Nos.	Trauma	30	45	
	ELEVATOR BLUNT 4 MM WIDE			Centre,			
	AND APPROXIMATE 190 MM			IMS, BHU			
	LONG						
57.	PENNYBACKER PROBE	3	Nos.	Trauma	30	45	
	DISSECTOR 5 MM WIDE			Centre,			
	Approximate 230 MM LONG			IMS, BHU			
58.	YASARGIL GALEA SPRING-	6	Nos.	Trauma	30	45	
	HOOK (LARGE) FOR GALEA	-		Centre,			
	FIXATION WITH BULL DOG			IMS, BHU			
	CLAMP						
59.	YASARGIL GALEA SPRING-	6	Nos.	Trauma	30	45	
	HOOK (SMALL) FOR GALEA	J	1,00.	Centre,			
	FIXATION WITH BULL DOG			IMS, BHU			
	CLAMP			1115, 1110			
60.	WULLSTEIN/WEITLANER	3	Nos.	Trauma	30	45	
50.	RETRACTOR BLUNT	3	1105.	Centre,	30	173	
	APPROXIMATE 130 MM LONG			IMS, BHU			
I	ALL KOMINIATE TOURINI LONG			IMB, DHU			

61.	KERRISON PUNCH 40 ⁰ 2 MM BAYONET UPWARD, NOIR,	3	Nos.	Trauma Centre,	30	45
	DETACHABLE WITH THIN FOOT			IMS, BHU		
	PLATE APPROXIMATE 180 MM			,		
	LONG					
62.	YASARGIL MICRO DISSECTING	3	Nos.	Trauma	30	45
	SCISSOR BAYONET STRAIGHT			Centre,		
	Approximate 225 MM LONG			IMS, BHU		
63.	YASARGIL MICRO DISSECTING	3	Nos.	Trauma	30	45
	SCISSOR BAYONET CURVED			Centre,		
	UPWARD APPROXIMATE 225 MM			IMS, BHU		
	LONG					
64.	YASARGIL MICRO DISSECTING	3	Nos.	Trauma	30	45
	SCISSOR BAYONET WITH			Centre,		
	STRAIGHT TIP Approximate 165			IMS, BHU		
	MM LONG		 NT		20	145
65.	YASARGIL MICRO DISSECTING	3	Nos.	Trauma	30	45
	SCISSOR BAYONET WITH			Centre,		
	UPWARD CURVED TIP APPROXIMATE 165 MM LONG			IMS, BHU		
66.	YASARGIL MICRO DISSECTING	3	Nos.	Trauma	30	45
00.	SCISSOR BAYONET WITH	3	INOS.	Centre,	30	43
	STRAIGHT TIP Approximate 200			IMS, BHU		
	MM LONG			IMS, BITO		
67.	YASARGIL MICRO DISSECTING	3	Nos.	Trauma	30	45
07.	SCISSOR BAYONET WITH	3	1105.	Centre,	30	
	UPWARD CURVED TIP			IMS, BHU		
	APPROXIMATE 200 MM LONG					
68.	YASARGIL FORCEP FOR	3	Nos.	Trauma	30	45
	GRASPING TUMOR BAYONET 3			Centre,		
	MM CUP Approximate 200 MM			IMS, BHU		
	LONG					
69.	YASARGIL MICROFORCEP	3	Nos.	Trauma	30	45
	BAYONET 0.6 mm Tip Approximate			Centre,		
	180 mm Long		1	IMS, BHU		
70.	YASARGIL MICROFORCEP	3	Nos.	Trauma	30	45
	BAYONET 0.9 mm Tip Approximate			Centre,		
	220 mm Long			IMS, BHU		1.5
71.	JEWELER MICROFORCEP	3	Nos.	Trauma	30	45
	ANGULAR TIP Approximate 110			Centre,		
70	MM LONG	2	NT.	IMS, BHU	20	45
72.	LUCAE TOOTH BAYONET	3	Nos.	Trauma	30	45
	FORCEP APPROXIMATE 140 MM			Centre,		
73.	LONG YASARGIL MICRO NEEDLE	3	Nos.	IMS, BHU Trauma	30	45
13.	HOLDER BAYONET STRAIGHT	3	INOS.	Centre,	30	43
	APPROXIMATE 200 MM LONG			IMS, BHU		
74.	CASPAR EXPLORATION HOOK	3	Nos.	Trauma	30	45
/ +.	WITH 90° TIP Approximate 245 MM	3	1108.	Centre,		""
	LONG			IMS, BHU		
	-		1		i	1

75.	ADSON NERVE HOOKBLUNT	3	Nos.	Trauma	30	45	
	APPROXIMATE 190 MM LONG			Centre,			
				IMS, BHU			
76.	KLAINERT-KUTZ/KILMER DURA	3	Nos.	Trauma	30	45	
	HOOK SHARP Approximate 160			Centre,			
	MM LONG			IMS, BHU			
77.	CASPAR MICRO-DISSECTOR 2	3	Nos.	Trauma	30	45	
	MM DOWN WARD CURVED			Centre,			
l	APPROXIMATE 230 MM LONG			IMS, BHU			
78.	CASPAR MICRO DISSECTOR	3	Nos.	Trauma	30	45	
	UPWARD CURVED BAYONET 1			Centre,			
	MM Approximate 200 MM LONG			IMS, BHU			
79.	CASPAR MICRO DISSECTOR	3	Nos.	Trauma	30	45	
,,,	BAYONET DOWNWARD		1,00.	Centre,			
i	CURVED 1 MM APPROXIMATE			IMS, BHU			
ı	210 MM LONG			2			
80.	YASARGIL MICRO RASPATORY	3	Nos.	Trauma	30	45	
00.	BAYONET DOWNWARD	5	1105.	Centre,			
	CURVED APPROXIMATE 185 MM			IMS, BHU			
	LONG			niis, Biic			
81.	SAMI TYPE KNIFE FOR TUMOR	3	Nos.	Trauma	30	45	
01.	TISSUE 1.5 MM Approximate 230		1,00.	Centre,			
	MM LONG			IMS, BHU			
82.	SAMI TYPE KNIFE OR TUMOR	3	Nos.	Trauma	30	45	
02.	TISSUE 2 MM Approximate 230 MM		1,00.	Centre,			
	LONG			IMS, BHU			
83.	YASARGIL ARACHNOID KNIFE	3	Nos.	Trauma	30	45	
-	BAYONET SHAPE			Centre,			
				IMS, BHU			
84.	FERGUSON/FRAZIER 2 MM	3	Nos.	Trauma	30	45	
	CANNULA ANGULAR			Centre,			
	Approximate 110 MM LONG			IMS, BHU			
85.	NOIR/SUPER CUT METZENBAUM	3	Nos.	Trauma	30	45	
	DISSECTING SCISSOR CURVED			Centre,			
	Approximate 180 mm LONG			IMS, BHU			
86.	NOIR/SUPER CUT BABY	3	Nos.	Trauma	30	45	
	METZENBAUM DISSECTING	-		Centre,			
	SCISSOR DELCATE CURVED			IMS, BHU			
	APPROXIMATE 145 MM LONG						
87.	CRILE-WOOD NEEDLE HOLDER	3	Nos.	Trauma	30	45	
	WITH TUNGSTEN CARBIDE			Centre,			
	INSERT APPROXIMATE 185 MM			IMS, BHU			
	LONG						
88.	FRYKHOLN/LEKSELL BONE	3	Nos.	Trauma	30	45	
00.	RONGEUR DOUBLE ACTION	3	1,00.	Centre,			
	Approximate 240 mm Long			IMS, BHU			
89.	ECHLIN BONE RONGEUR	3	Nos.	Trauma	30	45	
	DOUBLE ACTION Approximate 230			Centre,			
	MM LONG			IMS, BHU			
•		i	i		1		

	T	_	T = -	1_	1.0		
90.	MOLLISON SELF RETAINING	3	Nos.	Trauma	30	45	
	RETRACTOR Approximate 155 MM			Centre,			
	LONG			IMS, BHU			
91.	ADSON-ANDERSON SELF	3	Nos.	Trauma	30	45	
	RETAINING LAMINECTOMY			Centre,			
	RETRACTOR APPROXIMATE 190			IMS, BHU			
	MM LONG			,			
92.	CONE SKULL PUNCH	3	Nos.	Trauma	30	45	
	APPROXIMATE 23 CM FOR			Centre,			
1	THICK SKULL			IMS, BHU			
93.	MISKIMON SELF RETAINING	3	Nos.	Trauma	30	45	
	RETRACTOR Approximate 200 MM	_		Centre,			
	LONG			IMS, BHU			
94.	TAYLOR DURAL SCISSORS	3	Nos.	Trauma	30	45	
<i>)</i> 1.	ABOUT 140 MM LONG ANGLED	3	1105.	Centre,	30		
1	TIDOUT INDIVIDUO TITOLLED			IMS, BHU			
95.	REUSABLE SUBCUTANEOUS	3	Nos.	Trauma	30	45	
75.	TUNNELLOR FOR PASSAGE OF	3	1105.	Centre,	30	13	
1	SHUNT TUBE FROM SKULL TO			IMS, BHU			
	ABDOMEN (ADULT)			mis, bii			
96.	REUSABLE SUBCUTANEOUS	3	Nos.	Trauma	30	45	
70.	TUNNELLOR FOR PASSAGE OF	3	1105.	Centre,	30	7.5	
	SHUNT TUBE FROM SKULL TO			IMS, BHU			
	ABDOMEN (PEDIATRIC)			IIVIS, BIIU			
97.	PERITONEAL TROCAR FOR	3	Nos.	Trauma	30	45	
97.	PLACEMENT OF SHUNT IN	3	NOS.	Centre,	30	43	
	ABDOMEN			IMS, BHU			
00		3	Nos.		30	45	
98.	CASPAR STRAIGHT BIOPSY	3	Nos.	Trauma	30	45	
	FORCEP 2 MM X 12 MM			Centre,			
00	APPROXIMATE 160 MM LONG	2	N.T.	IMS, BHU	20	4.5	
99.	CUSHING/CASPAR STRAIGHT	3	Nos.	Trauma	30	45	
	BIOPSY Forcep 2 MM Approximate			Centre,			
100	140 MM LONG		N. T.	IMS, BHU	20	4.5	
100.	TAKAHASI/WEIL-BLAEK	3	Nos.	Trauma	30	45	
	LSEY/LOVE-GRUENWALD 3 MM			Centre,			
1	BIOPSY FORCEP APPROXIMATE			IMS, BHU			
	120 MM LONG						
101.	COBB RASPARATORY ABOUT 13	3	Nos.	Trauma	30	45	
1	MM Approximate 280 MM LONG			Centre,			
				IMS, BHU			
102.	LANGENBECK RETRACTOR 14	3	Nos.	Trauma	30	45	
1	MM WIDE Approximate 180 MM			Centre,			
	LONG			IMS, BHU			
103.	STERLIZATION	3	Nos.	Trauma	30	45	
	TRAY/CONTAINER LARGER SIZE			Centre,			
				IMS, BHU			
104.	Radiolucent Spinal Frame	1	Nos.	Trauma	30	45	
	_			Centre,			
1				IMS, BHU			
	<u> </u>		1	, -	1		

105.	High Speed Electrical Craniotome and Drill set	2	Nos.	Trauma Centre,	30	45	
	Dim sec			IMS, BHU			
106.	Miniplate Fixation Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
107.	Ultrasound Surgical Aspirator	1	Nos.	Trauma Centre, IMS, BHU	30	45	
108.	Neurosurgery Radiolucent O.T. Table	1	Nos.	Trauma Centre, IMS, BHU	30	45	
	Department of Plastic Surgery				•		
109.	Total power tool assembly with saws, driver, drill and burrs	1	Nos.	Trauma Centre, IMS, BHU	30	45	
110.	Nerve Stimulator-Mapper-Locator	1	Nos.	Trauma Centre, IMS, BHU	30	45	
111.	Mesh dermatome with variable expansion	1	Nos.	Trauma Centre, IMS, BHU	30	45	
112.	Electronic tourniquet	4	Nos.	Trauma Centre, IMS, BHU	30	45	
	Department of General Surgery				•		
113.	Metzenbaum scissors 6" curved (TC)	6	Nos.	Trauma Centre, IMS, BHU	30	45	
114.	Metzenbaum scissors 9" curved (TC)	6	Nos.	Trauma Centre, IMS, BHU	30	45	
115.	Stitch cutting scissors	10	Nos.	Trauma Centre, IMS, BHU	30	45	
116.	Mayo Scissors small straight (TC)	4	Nos.	Trauma Centre, IMS, BHU	30	45	
117.	Mayo Scissors small curved (TC)	4	Nos.	Trauma Centre, IMS, BHU	30	45	
118.	Mayo Scissors large straight (TC)	4	Nos.	Trauma Centre, IMS, BHU	30	45	
119.	Mayo Scissors large curved (TC)	4	Nos.	Trauma Centre, IMS, BHU	30	45	

			T	T	1	T	
120.	Iris scissors straight (TC)	2	Nos.	Trauma Centre, IMS, BHU	30	45	
121.	Iris scissors curved (TC)	2	Nos.	Trauma Centre, IMS, BHU	30	45	
122.	Langenbeck retractor small	8	Nos.	Trauma Centre, IMS, BHU	30	45	
123.	Langenback retractor medium	8	Nos.	Trauma Centre, IMS, BHU	30	45	
124.	Czerney retractor	8	Nos.	Trauma Centre, IMS, BHU	30	45	
125.	Deaver's retractor	8	Nos.	Trauma Centre, IMS, BHU	30	45	
126.	Doyen's retractor	8	Nos.	Trauma Centre, IMS, BHU	30	45	
127.	Morris retractor Large	4	Nos.	Trauma Centre, IMS, BHU	30	45	
128.	Morris retractor Small	4	Nos.	Trauma Centre, IMS, BHU	30	45	
129.	Cat's paw retractor	4	Nos.	Trauma Centre, IMS, BHU	30	45	
130.	Jeweller's forceps small	4	Nos.	Trauma Centre, IMS, BHU	30	45	
131.	Jeweller's forceps medium	4	Nos.	Trauma Centre, IMS, BHU	30	45	
132.	Jeweller's forceps large	4	Nos.	Trauma Centre, IMS, BHU	30	45	
133.	Adson's forceps tooth	4	Nos.	Trauma Centre, IMS, BHU	30	45	
134.	Adson's forceps non-tooth	4	Nos.	Trauma Centre, IMS, BHU	30	45	
135.	Vulsellum forceps	4	Nos.	Trauma Centre, IMS, BHU	30	45	

136.	Allis forceps	8	Nos.	Trauma Centre, IMS, BHU	30	45
137.	Baby Allis Forceps	8	Nos.	Trauma Centre, IMS, BHU	30	45
138.	Babcock Forceps Large	8	Nos.	Trauma Centre, IMS, BHU	30	45
139.	Babcock Forceps Small	8	Nos.	Trauma Centre, IMS, BHU	30	45
140.	Scalpel handle no.3 & 4 (Each Size)	10	Nos.	Trauma Centre, IMS, BHU	30	45
141.	Kidney trays	10	Nos.	Trauma Centre, IMS, BHU	30	45
142.	Small Bowls (Katori)	10	Nos.	Trauma Centre, IMS, BHU	30	45
143.	Sponge holding forceps	10	Nos.	Trauma Centre, IMS, BHU	30	45
144.	Artery forceps (6 inch & 9 inch) (Each size)	30	Nos.	Trauma Centre, IMS, BHU	30	45
145.	Mosquito forceps	20	Nos.	Trauma Centre, IMS, BHU	30	45
146.	Cheatle forceps	6	Nos.	Trauma Centre, IMS, BHU	30	45
147.	Dissecting forceps 3", 4", 5"	6	Nos.	Trauma Centre, IMS, BHU	30	45
148.	Skin hooks single	4	Nos.	Trauma Centre, IMS, BHU	30	45
149.	Skin hooks double sharp	4	Nos.	Trauma Centre, IMS, BHU	30	45
150.	Skin hooks double blunt	4	Nos.	Trauma Centre, IMS, BHU	30	45
151.	Needle holder 4" & 5" (Each Size)	4	Nos.	Trauma Centre, IMS, BHU	30	45

			1	1			ı
152.	Needle holder 7"	4	Nos.	Trauma Centre, IMS, BHU	30	45	
153.	Towel clips	40	Nos.	Trauma Centre, IMS, BHU	30	45	
154.	Chisel straight	4	Nos.	Trauma Centre, IMS, BHU	30	45	
155.	Chisel curved	4	Nos.	Trauma Centre, IMS, BHU	30	45	
156.	Bulldog clamps	10	Nos.	Trauma Centre, IMS, BHU	30	45	
157.	Giggley saw handle (Pair)	6	Nos.	Trauma Centre, IMS, BHU	30	45	
158.	Dingam mouth gag with tongue depressor set	2	Nos.	Trauma Centre, IMS, BHU	30	45	
159.	Kilner Dott mouth gag with tongue depressor set	2	Nos.	Trauma Centre, IMS, BHU	30	45	
160.	Cleft palate elevators left, right, straight	1	Nos.	Trauma Centre, IMS, BHU	30	45	
161.	Cleft palate scissors 6" (TC)	1	Nos.	Trauma Centre, IMS, BHU	30	45	
162.	Metallic rulers	2	Nos.	Trauma Centre, IMS, BHU	30	45	
163.	Selfretaining abdominal wall retractor	4	Nos.	Trauma Centre, IMS, BHU	30	45	
164.	Aufricht scissors	2	Nos.	Trauma Centre, IMS, BHU	30	45	
165.	Skin grafting handle (Watson type)	2	Nos.	Trauma Centre, IMS, BHU	30	45	
166.	Silver's miniature skin grafting handle	2	Nos.	Trauma Centre, IMS, BHU	30	45	
167.	Skin grafting meshing board	1	Nos.	Trauma Centre, IMS, BHU	30	45	

	T=				T = 0	1	
168.	Double action bone nibbler	1	Nos.	Trauma Centre, IMS, BHU	30	45	
169.	Double action bone cutter	1	Nos.	Trauma Centre,	30	45	
170.	Wire cutter	1	Nos.	IMS, BHU Trauma Centre,	30	45	
171.	Fascial stripper	1	Nos.	IMS, BHU Trauma	30	45	
172.	To a long string on	1	Nec	Centre, IMS, BHU	30	45	
1/2.	Tendon stripper	1	Nos.	Trauma Centre, IMS, BHU	30	45	
173.	Tendon hook	1	Nos.	Trauma Centre, IMS, BHU	30	45	
174.	Tendon retriever	1	Nos.	Trauma Centre, IMS, BHU	30	45	
175.	Hand drill chuck type	1	Nos.	Trauma Centre, IMS, BHU	30	45	
176.	Hand drill collet type	1	Nos.	Trauma Centre, IMS, BHU	30	45	
177.	Rib shear	2	Nos.	Trauma Centre, IMS, BHU	30	45	
178.	Jaw hook	1	Nos.	Trauma Centre, IMS, BHU	30	45	
179.	Ramus retractor	1	Nos.	Trauma Centre, IMS, BHU	30	45	
180.	Mandible retractor	1	Nos.	Trauma Centre, IMS, BHU	30	45	
181.	Rowe's maxillary disimpaction forceps left and right	1	Nos.	Trauma Centre, IMS, BHU	30	45	
182.	K-wire cutter	1	Nos.	Trauma Centre, IMS, BHU	30	45	
183.	K-wire bender	1	Nos.	Trauma Centre, IMS, BHU	30	45	

184.	Wire twister	1	Nos.	Trauma Centre,	30	45	
185.	Bone awl	1	Nos.	IMS, BHU Trauma Centre, IMS, BHU	30	45	
186.	Bone currete	1	Nos.	Trauma Centre, IMS, BHU	30	45	
187.	Joel's Thyroid retractor	2	Nos.	Trauma Centre, IMS, BHU	30	45	
188.	Desjordin's store holding forceps	2	Nos.	Trauma Centre, IMS, BHU	30	45	
189.	Intestinal Clamps (Non crushing)	8	Nos.	Trauma Centre, IMS, BHU	30	45	
190.	Vascular Clamps (De Bakey's)	16	Nos.	Trauma Centre, IMS, BHU	30	45	
191.	Right angle Bowel Clamps (Non crushing)	4	Nos.	Trauma Centre, IMS, BHU	30	45	
192.	Octopus self retaining abdominal wall retractor	1	Nos.	Trauma Centre, IMS, BHU	30	45	
193.	Right angle artery Forceps (6 & 8 inch) (Each Size)	4	Nos.	Trauma Centre, IMS, BHU	30	45	
194.	Lung retractor	2	Nos.	Trauma Centre, IMS, BHU	30	45	
195.	Periosteal elevator (straight & Curved) (Each Size)	4	Nos.	Trauma Centre, IMS, BHU	30	45	
196.	High Frequency Monopolar and Bipolar Surgical Diathermy Unit	1	Nos.	Trauma Centre, IMS, BHU	30	45	
	Department of Orthopaedic						
197.	Basic Set LC-DCP/DCP-Complete	2	Nos.	Trauma Centre, IMS, BHU	30	45	
198.	Small Fragment Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
199.	Mini Fragment Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	

200.	CHS/DCS Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
201.	General Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
202.	Instrument Set For Austin Moore Prosthesis & Bipolar	1	Nos.	Trauma Centre, IMS, BHU	30	45	
203.	K Nail Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
204.	Wire Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
205.	Tension Band Wiring Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
206.	Bone Forceps Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
207.	Instrument Set for Square Nailing of Radius/ULNA	1	Nos.	Trauma Centre, IMS, BHU	30	45	
208.	Laminectomy Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
209.	Plaster Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
210.	Staple Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
211.	Instrument Set for Angled Blade Plate	1	Nos.	Trauma Centre, IMS, BHU	30	45	
212.	Large 7MM Cannulated Screw Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
213.	4MM Cannulated Screw Instrument Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
214.	Tubular External Fixator Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	
215.	Universal External Fixator Set	1	Nos.	Trauma Centre, IMS, BHU	30	45	

216.	Spine Instrument Set (Monoaxial/Poly Axial/Cervical/Tlif)	1	Nos.	Trauma Centre, IMS, BHU	30	45	
217.	Power Drilling System (Battery Operated)	2	Nos.	Trauma Centre, IMS, BHU	30	45	
218.	Electric Drilling System	2	Nos.	Trauma Centre, IMS, BHU	30	45	
219.	General Pelvic Instruments	1	Nos.	Trauma Centre, IMS, BHU	30	45	
220.	C-Arm Image Intensifier	2	Nos.	Trauma Centre, IMS, BHU	30	45	
221.	Vacuum assisted Closure System	1	Nos.	Trauma Centre, IMS, BHU	30	45	
	Department of Anaesthesiology	& ICU					
222.	FLEXIBLE/ FIBEROPTIC VIDEO BRONCOSCOPE (ADULT SIZE)	1	Nos.	Trauma Centre, IMS, BHU	30	45	
223.	Videolaryngoscope	1	Nos.	Trauma Centre, IMS, BHU	30	45	
224.	Scoop Stretchers	4	Nos.	Trauma Centre, IMS, BHU	30	45	

2. List of Related Services and Completion Schedule

Service	Description of Service	Quantity ¹	Physical Unit	Place where Services shall be performed	Final Completion Date(s) of Services
[insert Service No]	[insert description of Related Services]	[insert quantity of items to be supplied]	[insert physical unit for the items]	[insert name of the Place]	[insert required Completion Date(s)]
As per a	As per attached Technical Specification			Trauma Centre, IMS, BHU	30 Days

^{1.} If applicable

List of Instruments/Equipments

Item No.	Name of Items	Quantity
	DEPARTMENT OF NEUROSURGERY	
	Cranial Surgery Set (From item No. 01- 103)	
1.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED	3
	Approximate 165 MM LONG	
2.	TOENNIS-ADSON DISSECTING SCISSOR CURVED DELICATE	3
	Approximate 175 MM LONG	
3.	SCHMIEDEN-TAYLOR DURA SCISSOR Approximate 155 MM LONG	3
4.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED	3
	Approximate 115 MM LONG	
5.	MICRO ADSON TOOTH DISSECTING TISSUE FORCEP Approximate 180 MM LONG	3
6.	ADSON TOOTH DELICATE TISSUE FORCEP Approximate 120 MM LONG	3
7.	CAIRS-DOTT/CUSHING DELICATE DISSECTING STRAIGHT FORCEP APPROXIMATE 175 MM	3
8.	DEBAKEY DISSECTING Forcep 1.5 MM TIP Approximate 200 MM LONG	3
9.	CUSHING/BROWN/GRUENWALD-GERALD BAYONET DELICATE	3
· .	DISSECTING Forcep ½ Approximate 180 MM LONG	
10.	Backhaus Towel Clamp sharp tip approximate 90 mm	12
11.	HEAVY DISSECTING FORCEP MEDIUM ½ Approximate 145 MM LONG	3
12.	HUDSON/ADSON TOOTH DURAL FORCEP APPROXIMATE 120 MM LONG	3
13.	DANDY DELICATE FORCEP CURVED ON SIDE Approximate 140 MM LONG	90
14.	BABY-CRILE-WOOD NEEDLE HOLDER WITH TUNSGTEN CARBIDE	3
	INSERT Approximate 150 MM LONG	
15.	DE'BAKEY NEEDLE HOLDER WITH TUNSGTEN-CARBIDE INSERT APPROXIMATE 180 MM LONG	3
16.	MAYO-HEGAR NEEDLE HOLDER HEAVY PATTERN WITH	3
	TUNSGTEN CARBIDE INSERT APPROXIMATE 185 MM LONG	
17.	ADSON-BABY/CONE SELF RETAINING RETRACTOR SEMI SHARP APPROXIMATE 140 MM LONG	3
18.	GILLIES DURAL HOOK SHARP APPROXIMATE 180 MM LONG	3
19.	FRAZIER DURAL HOOK APPROXIMATE 130 MM LONG	6
20.	DAVIS RASPATORY APPROXIMATE 245 MM LONG	3
21.	FREER RASPARATORY APPROXIMATE 190 MM LONG	3
22.	MALLEABLE BRAIN SPATULA FLAT 9 MM WIDE Approximate 200 mm	3
23.	Long MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 MM LONG	3
24.	MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG	3

Item No.	Name of Items	Quantity
25.	MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200	3
26.	MM LONG FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM	6
27.	Approximate 110 MM LONG FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM	6
28.	FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM	6
29.	GIGLIE HOOK HANDLE FOR WIRE SAWS	9
30.	DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM	12
31.	GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT)	9
32.	RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT)	3
33.	RANEY CLIP APPLYING /REMOVING FORCEP	3
34.	RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG	3
35.	OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG	3
36.	VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER	3
37.	HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT)	3
38.	JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG	6
39.	SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG	3
40.	SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG	3
41.	SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG	3
42.	DAHLGREN SKULL PUNCH With 2 Extra Hooks Approximate 210 MM LONG	3
43.	BURR HOLE PROTECTION FORCEP APPROXIMATE 205 MM LONG	3
44.	LEMPERT PERIOSTEAL ELEVATOR 6 MM WIDE Approximate 185 mm Long	3
45.	CURVED PERIOSTEAL ELEVATOR/RASPATORY 12.5 MM WIDE APPROXIMATE 140 MM LONG	3
46.	VOLKMANN BONE CURETTE 3.5 mm CUP Approximate mm 170 mm Long	3
47.	WIRE CUTTER TO CUT WIRE CLOSE TO BONE	3
48.	PENFIELD DISSECTOR No. 1 Approximate 175 MM LONG	3

Item No.	Name of Items	Quantity
49.	PENFIELD DISSECTOR NO. 2 Approximate 195 MM LONG	3
50.	PENFIELD TISSUE DISSECTOR NO. 3 Approximate 195 MM LONG	3
51.	PENFIELD TISSUE DISSECTOR NO. 4 Approximate 205 MM LONG	3
52.	COMPLETE PNEUMATIC KERRSION PUNCH ASSEMBLY WITH	1
32.	2MM,3MM,4MM LONG BLADES	
53.	KERRISON PUNCH 90° 3 MM UPWARD, NOIR TYPE, DETACHABLE	3
	WITH STANDARD FOOT PLATE APPROXIMATE 180 MM LONG	
54.	KERRISON PUNCH 90 ^o 4 MM UPWARD, NOIR TYPE, DETACHABLE	3
	WITH STANDARD FOOT PLATE APPROXIMATE 180 MM LONG	
55.	KERRISON PUNCH 40 ^o 2 MM UPWARD, NOIR TYPE, DETACHABLE	3
	WITH STANDARD FOOT PLATE APPROXIMATE 180 MM LONG	
56.	FREER/HALLE PERIOSTEAL ELEVATOR BLUNT 4 MM WIDE AND	3
57	APPROXIMATE 190 MM LONG	2
57.	PENNYBACKER PROBE DISSECTOR 5 MM WIDE Approximate 230 MM LONG	3
58.	YASARGIL GALEA SPRING-HOOK (LARGE) FOR GALEA FIXATION	6
56.	WITH BULL DOG CLAMP	0
59.	YASARGIL GALEA SPRING-HOOK (SMALL) FOR GALEA FIXATION	6
37.	WITH BULL DOG CLAMP	
60.	WULLSTEIN/WEITLANER RETRACTOR BLUNT APPROXIMATE 130	3
	MM LONG	
61.	KERRISON PUNCH 40° 2 MM BAYONET UPWARD, NOIR,	3
	DETACHABLE WITH THIN FOOT PLATE APPROXIMATE 180 MM	
	LONG	
62.	YASARGIL MICRO DISSECTING SCISSOR BAYONET STRAIGHT	3
	Approximate 225 MM LONG	
63.	YASARGIL MICRO DISSECTING SCISSOR BAYONET CURVED	3
<i>C</i> 1	UPWARD APPROXIMATE 225 MM LONG YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH	3
64.	STRAIGHT TIP Approximate 165 MM LONG	3
65.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH UPWARD	3
05.	CURVED TIP APPROXIMATE 165 MM LONG	3
66.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH	3
00.	STRAIGHT TIP Approximate 200 MM LONG	
67.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH UPWARD	3
	CURVED TIP APPROXIMATE 200 MM LONG	
68.	YASARGIL FORCEP FOR GRASPING TUMOR BAYONET 3 MM CUP	3
	Approximate 200 MM LONG	
69.	YASARGIL MICROFORCEP BAYONET 0.6 mm Tip Approximate 180 mm	3
5 0	Long	
70.	YASARGIL MICROFORCEP BAYONET 0.9 mm Tip Approximate 220 mm	3
71	Long IEWELED MICROSCOP ANGLE AD TIP Approximate 110 MM LONG	2
71.	JEWELER MICROFORCEP ANGULAR TIP Approximate 110 MM LONG	3
72.	LUCAE TOOTH BAYONET FORCEP APPROXIMATE 140 MM LONG	3
73.	YASARGIL MICRO NEEDLE HOLDER BAYONET STRAIGHT	3
	APPROXIMATE 200 MM LONG	

Item No.	Name of Items	Quantity
74.	CASPAR EXPLORATION HOOK WITH 90° TIP Approximate 245 MM LONG	3
75.	ADSON NERVE HOOKBLUNT APPROXIMATE 190 MM LONG	3
76.	KLAINERT-KUTZ/KILMER DURA HOOK SHARP Approximate 160 MM LONG	3
77.	CASPAR MICRO-DISSECTOR 2 MM DOWN WARD CURVED APPROXIMATE 230 MM LONG	3
78.	CASPAR MICRO DISSECTOR UPWARD CURVED BAYONET 1 MM Approximate 200 MM LONG	3
79.	CASPAR MICRO DISSECTOR BAYONET DOWNWARD CURVED 1 MM APPROXIMATE 210 MM LONG	3
80.	YASARGIL MICRO RASPATORY BAYONET DOWNWARD CURVED APPROXIMATE 185 MM LONG	3
81.	SAMI TYPE KNIFE FOR TUMOR TISSUE 1.5 MM Approximate 230 MM LONG	3
82.	SAMI TYPE KNIFE OR TUMOR TISSUE 2 MM Approximate 230 MM LONG	3
83.	YASARGIL ARACHNOID KNIFE BAYONET SHAPE	3
84.	FERGUSON/FRAZIER 2 MM CANNULA ANGULAR Approximate 110 MM LONG	3
85.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED Approximate 180 mm LONG	3
86.	NOIR/SUPER CUT BABY METZENBAUM DISSECTING SCISSOR DELCATE CURVED APPROXIMATE 145 MM LONG	3
87.	CRILE-WOOD NEEDLE HOLDER WITH TUNGSTEN CARBIDE INSERT APPROXIMATE 185 MM LONG	3
88.	FRYKHOLN/LEKSELL BONE RONGEUR DOUBLE ACTION Approximate 240 mm Long	3
89.	ECHLIN BONE RONGEUR DOUBLE ACTION Approximate 230 MM LONG	3
90.	MOLLISON SELF RETAINING RETRACTOR Approximate 155 MM LONG	3
91.	ADSON-ANDERSON SELF RETAINING LAMINECTOMY RETRACTOR APPROXIMATE 190 MM LONG	3
92.	CONE SKULL PUNCH APPROXIMATE 23 CM FOR THICK SKULL	3
93.	MISKIMON SELF RETAINING RETRACTOR Approximate 200 MM LONG	3
94.	TAYLOR DURAL SCISSORS ABOUT 140 MM LONG ANGLED	3
95.	REUSABLE SUBCUTANEOUS TUNNELLOR FOR PASSAGE OF SHUNT TUBE FROM SKULL TO ABDOMEN (ADULT)	3
96.	REUSABLE SUBCUTANEOUS TUNNELLOR FOR PASSAGE OF SHUNT TUBE FROM SKULL TO ABDOMEN (PEDIATRIC)	3
97.	PERITONEAL TROCAR FOR PLACEMENT OF SHUNT IN ABDOMEN	3
98.	CASPAR STRAIGHT BIOPSY FORCEP 2 MM X 12 MM APPROXIMATE 160 MM LONG	3
99.	CUSHING/CASPAR STRAIGHT BIOPSY Forcep 2 MM Approximate 140 MM LONG	3

Item No.	Name of Items	Quantity
100.	TAKAHASI/WEIL-BLAEK LSEY/LOVE-GRUENWALD 3 MM BIOPSY FORCEP APPROXIMATE 120 MM LONG	3
101.	COBB RASPARATORY ABOUT 13 MM Approximate 280 MM LONG	3
102.	LANGENBECK RETRACTOR 14 MM WIDE Approximate 180 MM LONG	3
103.	STERLIZATION TRAY/CONTAINER LARGER SIZE	3
104.	Radiolucent Spinal Frame	1
105.	High Speed Electrical Craniotome and Drill set	2
106.	Miniplate Fixation Set	1
107.	Ultrasound Surgical Aspirator	1
108.	Neurosurgery Radiolucent O.T. Table	1
	Department of Plastic Surgery	
109.	Total power tool assembly with saws, driver, drill and burrs	1
110.	Nerve Stimulator-Mapper-Locator	1
111.	Mesh dermatome with variable expansion	1
112.	Electronic tourniquet	4
	Department of General Surgery	
113.	Metzenbaum scissors 6" curved (TC)	6
114.	Metzenbaum scissors 9" curved (TC)	6
115.	Stitch cutting scissors	10
116.	Mayo Scissors small straight (TC)	4
117.	Mayo Scissors small curved (TC)	4
118.	Mayo Scissors large straight (TC)	4
119.	Mayo Scissors large curved (TC)	4
120.	Iris scissors straight (TC)	2
121.	Iris scissors curved (TC)	2
122.	Langenbeck retractor small	8
123.	Langenback retractor medium	8
124.	Czerney retractor	8
125.	Deaver's retractor	8
126.	Doyen's retractor	8
127.	Morris retractor Large	4
128.	Morris retractor Small	4
129.	Cat's paw retractor	4
130.	Jeweller's forceps small	4
131.	Jeweller's forceps medium	4
132.	Jeweller's forceps large	4
133.	Adson's forceps tooth	4
134.	Adson's forceps non-tooth	4
135.	Vulsellum forceps	4
136.	Allis forceps	8
137.	Baby Allis Forceps	8

Item No.	Name of Items	Quantity
138.	Babcock Forceps Large	8
139.	Babcock Forceps Small	8
140.	Scalpel handle no.3 & 4 (Each Size)	10
141.	Kidney trays	10
142.	Small Bowls (Katori)	10
143.	Sponge holding forceps	10
144.	Artery forceps (6 inch & 9 inch) (Each size)	30
145.	Mosquito forceps	20
146.	Cheatle forceps	6
147.	Dissecting forceps 3", 4", 5"	6
148.	Skin hooks single	4
149.	Skin hooks double sharp	4
150.	Skin hooks double blunt	4
151.	Needle holder 4" & 5" (Each Size)	4
152.	Needle holder 7"	4
153.	Towel clips	40
154.	Chisel straight	4
155.	Chisel curved	4
156.	Bulldog clamps	10
157.	Giggley saw handle (Pair)	6
158.	Dingam mouth gag with tongue depressor set	2
159.	Kilner Dott mouth gag with tongue depressor set	2
160.	Cleft palate elevators left, right, straight	1
161.	Cleft palate scissors 6" (TC)	1
162.	Metallic rulers	2
163.	Selfretaining abdominal wall retractor	4
164.	Aufricht scissors	2
165.	Skin grafting handle (Watson type)	2
166.	Silver's miniature skin grafting handle	2
167.	Skin grafting meshing board	1
168.	Double action bone nibbler	1
169.	Double action bone cutter	1
170.	Wire cutter	1
171.	Fascial stripper	1
172.	Tendon stripper	1
173.	Tendon hook	1
174.	Tendon retriever	1
175.	Hand drill chuck type	1
176.	Hand drill collet type	1
177.	Rib shear	2
178.	Jaw hook	1

Item No.	Name of Items	Quantity
179.	Ramus retractor	1
180.	Mandible retractor	1
181.	Rowe's maxillary disimpaction forceps left and right	1
182.	K-wire cutter	1
183.	K-wire bender	1
184.	Wire twister	1
185.	Bone awl	1
186.	Bone currete	1
187.	Joel's Thyroid retractor	2
188.	Desjordin's store holding forceps	2
189.	Intestinal Clamps (Non crushing)	8
190.	Vascular Clamps (De Bakey's)	16
191.	Right angle Bowel Clamps (Non crushing)	4
192.	Octopus self retaining abdominal wall retractor	1
193.	Right angle artery Forceps (6 & 8 inch) (Each Size)	4
194.	Lung retractor	2
195.	Periosteal elevator (straight & Curved) (Each Size)	4
196.	High Frequency Monopolar and Bipolar Surgical Diathermy Unit	1
	Department of Orthopaedic	
197.	Basic Set LC-DCP/DCP-Complete	2
198.	Small Fragment Set	1
199.	Mini Fragment Set	1
200.	CHS/DCS Instrument Set	1
201.	General Instrument Set	1
202.	Instrument Set For Austin Moore Prosthesis & Bipolar	1
203.	K Nail Instrument Set	1
204.	Wire Instrument Set	1
205.	Tension Band Wiring Set	1
206.	Bone Forceps Set	1
207.	Instrument Set for Square Nailing of Radius/ULNA	1
208.	Laminectomy Instrument Set	1
209.	Plaster Instrument Set	1
210.	Staple Instrument Set	1
211.	Instrument Set for Angled Blade Plate	1
212.	Large 7MM Cannulated Screw Instrument Set	1
213.	4MM Cannulated Screw Instrument Set	1
214.	Tubular External Fixator Set	1
215.	Universal External Fixator Set	1
216.	Spine Instrument Set (Monoaxial/Poly Axial/Cervical/Tlif)	1
217.	Power Drilling System (Battery Operated)	2
218.	Electric Drilling System	2

Item	Name of Items	Quantity
No. 219.	General Pelvic Instruments	1
219.	General Pervic instruments	1
220.	C-Arm Image Intensifier	2
221.	Vacuum assisted Closure System	1
	Department of Anaesthesiology & ICU	
222.	FLEXIBLE/ FIBEROPTIC VIDEO BRONCOSCOPE (ADULT SIZE)	1
223.	Videolaryngoscope	1
224.	Scoop Stretchers	4

1. Department of Neurosurgery Technical Specifications for Equipments/Instruments

Technical Specification: Terms and Conditions of item No. 1 to 103

- 1. Each Item should be US- FDA approved and enclose the supportive document.
- 2. All Instruments should be highly heat resistance/non corrosive and of high quality steel.
- 3. Lot number and name of company should be mentioned on each & every instrument.
- 4. The surface of the instruments should be non reflective.
- 5. The principal should have own office in India.
- 6. Submit user list/authorization certificate from principal.
- 7. Name of principal and its catalog number against each item is must in technical bid.

 (Enclosed the demonstrative photograph of each item indicating item number below it)
- 8. Principal certificate mentioning that all instruments with catalog number are brand new and against
 - BHU purchase order.

its decision will be final.

- 9. Any item is to be demonstrated if asked; the failure of demonstration will result into disqualification.
- 10. High quality of each item is must. The quality of each item will be decided by technical committee and
- 11. Minimum 5 years comprehensive warrantee for immediate repair or replacement of item
- 12. Oil bottles to be provided free of cost for their proper maintenance.

Item No. 104. - Radiolucent Spinal Frame

Technical Specification

Description: It can be used for spinal surgery in prone position even on conventional general surgery table.

- 1. Should be true and complete radiolucent so that 3D reconstruction from C-arm intensifier can be done without artifact during surgery
- 2. It should be original
- 3. It should be strong enough to bear heavy weight patient
- 4. Both arches of frame can be adjusted in distance and height, its accessories like arm support, head ring pad & abdominal padding to be provided with basic unit.
- 5. Item should be US- FDA approved and enclose the supportive document.
- 6. Principal certificate with item no. mentioning that the supplied item is brand new and against the BHU order.
- 7. Mention principal name & item code in technical bid otherwise the bid will be cancelled.
- 8. Authorization certificate from principal and user list is to be submitted.
- 9. 5 years comprehensive warrantee.

Item No. 105. High Speed Electrical Craniotome and Drill set

Technical Specification

Description: High speed electrical drill system with attachment for craniotomy, skull base surgery, spine surgery, tans oral, transphenoidal and metal cutting.

- 1. Electrical drill system with power and high Speed 60,000 rpm and above.
- 2. Console to allow visible display and setting of maximum high speed
- 3. Multi functional foot control for varying the speed and foot button for reverse rotation.
- 4. System should give audible beeps/alerts while in reverse action.
- 5. The motor should be able to run for long duration without heating.
- 6. Cables should be lightweight, flexible and auto-clavable.
- 7. Should have quick release and lock system for tools and attachment.
- 8. Attachments should have tapered design for better visibility under microscope.
- 9. System should have facility of automatic temperature control.
- 10. Should have simplified mechanism for locking and unlocking burrs.
- 11. The system should have irrigation facility preferably inbuilt.
- 12. No lubrication required for running the motor.
- 13. Motor should be small and light weighted (about 3 to 4 inches) and thin (about 2 cm).
- 14. One craniotomy perforator attachment for making burr hole.
- 15. One specialized attachment and tool for cutting metal implants.
- 16. One small straight attachment compatible for cutting burr of 1 mm.
- 17. One medium straight attachment compatible for diamond/cutting burr of 2,3,5 mm.
- 18. One long angled attachment compatible for diamond/cutting burr of 2,3, 5 mm.
- 19. One Pediatric duraguard for cutting the bone flap should be supplied with craniotomy attachment.
- 20. One adult duraguard for cutting the bone flap should be supplied with craniotomy attachment.
- 21. Four reusable cranial perforator for making burr hole should be supplied.

Additional Accessories to be provided along with above mentioned unit.

1.	Craniotomy Cutter (Pediatric) for cutting bone -	5	
2.	Craniotomy Cutter (Adult) for cutting bone	-	10
3.	Diamond Burr 2 mm compatible to small straight attachment	-	2
4.	Diamond Burr 2 mm compatible to medium straight attachment -	2	
5.	Diamond Burr 2 mm compatible to long angled attachment	-	2
6.	Diamond Burr 3 mm compatible to small straight attachment	-	2
7.	Diamond Burr 3 mm compatible to medium straight attachment -	2	
8.	Diamond Burr 3 mm compatible to long angled attachment	-	2
9.	Diamond Burr 5 mm compatible to small straight attachment	-	2
10.	Diamond Burr 5 mm compatible to medium straight attachment -	2	
11.	Diamond Burr 5 mm compatible to long angled attachment	-	2

12.	Acorn burr	-	2	
13.	Rosen burr/ball burr	-	4	
14.	Oil spray for high motor and hand pieces		-	4
15.	Cleaning Brushes		-	2
16.	Cutting burr 2 mm		-	2
17.	Cutting burr 1 mm		_	2

Terms and condition:

- 1. Equipment should be US FDA approved, supportive document to be enclosed
- 2. 5 years comprehensive warrantee /guarantee of basic unit and all attachments both excluding cutter and burr from the date of satisfactory installation.
- 3. CMC/AMC terms for next five years after the expiry of guarantee/warrantee period.
- 4. Principal certificate mentioning that this product is new and for BHU only
- 5. Manufacture office should be in India
- 6. Quote all items otherwise bid will be cancelled.
- 7. Mention the name of principal and item code in technical bid otherwise the bid will not be considered.
- 8. Authorization certificate/user list is to be submitted.
- 9. Principal's office should be in India (enclose the supportive evidence)
- 10. Equipment is to be repaired within 72 hours or to be replaced by stand by machine.

Item No. 106. Miniplate Fixation Set

Technical Specification

Description: Miniplate fixation set is for cranial repair of craniotomy site and closure for burr hole by MRI compatible Titanium plate/screw/mesh for rigid fixation and protection. It should contain the following minimum components

Sl. No.	Name of component	Number
1.	Screw driver with blade for cross & square, twist drills with handle for screw with thread (Full set)	4
2.	Plate bending forcep	2
3.	Plate holding forcep	2
4.	Plate cutting forcep	2
5.	Self drilling screw1-1.5 mm diameter & 3mm long	1000
6.	Self drilling screw 1-1.5 mm diameter & 4 mm long	1000
7.	Self drilling screw 1-1.5 diameter mm & 5 mm long	1000
8.	2 holes titanium plate Approximate 15 mm long	400
9.	4 holes titanium plate	400
10.	Long multi hole titanium plate about 6 cm	100
11	Titanium mesh Approximate 6x9 cm	50
12.	Burr hole titanium cover 20 mm	400
13.	Double Y titanium plate Approximate15-20 mm	50
14.	Container for storage and sterilization of same company	2

Terms and Conditions:

- 1. Each Item should be US- FDA approved and enclose the supportive document.
- 2. All Instruments should be highly heat resistance and auto cleavable.
- 3. Lot number and name of company should be mentioned on each & every instrument.
- 4. Quote all items otherwise bid will be disqualified.
- 5. Five year comprehensive warrantee on item no. 1,2,3 and 4.
- 6. The principal should have office in India

Item No. 107. Ultrasound Surgical Aspirator

Technical Specification

Ultrasound Aspirator System should have Fragmentation, Irrigation and Aspiration facilities continuous with low noise.

- 1. Surgical aspirator should be Magneto-restrictive or Piezoelectric technology based system.
- 2. Console should be light weighted and portable on trolley with single foot switch.
- 3. Main voltage should be as per Indian standard with perfect class of proctection.
- 4. Console and hand piece should be capable of working continuous without any cooling system.
- 5. Should have in build suction & irrigation system with high vacuum.
- 6. Hand pieces should be light weighted, preferable 25 to 55 khz, autoclavable without need to dismantle.
- 7. Tip of all Hand pieces must be permanent for indefinite number of patients for whole warrantee period of 5 years.
- 8. One standard Macro straight hand piece with connecting cable
- 9. One standard Macro angled hand piece with connecting cable
- 10. One Micro tipped long angled hand piece with connecting cable
- 11. It should be provided with container for hand pieces for storage & Autoclaving.
- 12. Suction-Irrigation kit -10
- 13. Essential Accessories (Cleaning brush, protective cover, connection cable etc,) are be provided free of cost.
- 14. Service is to be provided at site and fault has to be repaired within 72 hours and if not possible, substitute unit is to be provided for smooth functioning of O.T..
- 15. Surgical aspirator must be US FDA approved (enclose document for proof)
- 16. 5 years comprehensive guarantee for both basic unit and all three hand pieces.
- 17. Power input to be 220-240 VAC, 50 Hz fitted with Indian plug.

Item No. 108. "Neurosurgery Radiolucent O.T. Table"

Technical Specification

Description: It should be of high quality and every component of the top of table, mattress and side rail for attachment should be absolute radiolucent so that 3-D C-Arm reconstruction of spine from craniovertebral junction to sacrum. The table should be provided with radiolucent skull fixation system.

- 1. The equipment must be US FDA approved.
- 2. Full length wide table top and side bar/attachment should be true radiolucent so that 3D reconstruction from Siemens' C-arm image intensifier could become possible without any artifact.
- 3. It should have electro hydraulic control with remote, and standby control on the table for all functions of table movement in case of hand set failure.
- 4. It should be capable to bear heavy weight patient of 200 kg.
- 5. It should have single slim base column and table top can be traversed caudally with foot rest extension for full imaging area of patient and cranially as well.
- 6. It should have full 360 degree mobility.
- 7. It can be lowered down very low for heavy patient surgery in prone kept on the spinal frame.
- 8. It should be provided with lightweight seamless radiolucent mattresses with secure Velcro free fixing.
- 9. Table can be transformed into sitting & semi sitting with crossbar attachment facility, prone in extension. It can be changed into trendelenberg/ reverse trendelenberg with foot rest/ extension.
- 10. It should be provided with standard accessories like arm support set, chest support set, adjustable pelvis support set, instrument table with detachable tray.
- 11. It should also be provided with complete radiolucent neurosurgical 3 or 4 pin skull clamp set for operation in supine and prone position (3 or 4 pins skull clamp with reusable adjustable adult & paediatric pins, base unit, transitional short & long piece,

- ball & socket swivel adoptor, , horse shoe pad for adult and paediatric with extension bar & gel pad, prone pad etc.) .
- 12. The leg section may be articulated either upward or downward to permit concord position.
- 13. Battery status indicators on handset and table base.
- 14. Auto self locking of head and leg sections which are interchangable.
- 15. 5 years comprehensive warranty from the date of satisfactory installation and 5 years CMC after warranty period.
- 16. Enclose user list, authorization certificate from parent company, certificate in support of US FDA

2: Department of Plastic Surgery

Technical Specifications for Plastic Surgery Equipments

Item No. 109. Total performance system power tool

- 1. Set Total performance system power tool (modular)
- 2. Battery Hand piece, modular
- 3. Power Module (2 per set)
- 4. Sterile Cover, for Power drill system
- 5. Lid for Battery Hand piece
- 6. AO/ASIF Quick Coupling
- 7. Drill Chuck (Drilling Speed), with Key
- 8. Attachment for Acetabular and Medullary Reaming,
- 9. Quick Coupling for Kirschner Wires _ 1.0 to 4.0 mm,
- 10. Quick Coupling for DHS/DCS® Triple Reamers
- 11. Screw Attachment, with AO/ASIF Quick Coupling
- 12. Sagittal Saw Attachment
- 13. Vario Case, size 1/1, Battery Hand piece, with Insert, without Lid, without Contents
- 14. Lid (Stainless Steel), size 1/1, for Vario Case
- 15. Oil Dispenser with 50 ml

Power Tool

- 16. Battery Handpiece, modular
- 17. Lid for Battery Handpiece

Charger, battery and accessories for battery

- 18. Universal Battery Charger II
- 19. Power Module
- 20. Sterile Cover

Attachments

- 21. AO/ASIF Quick Coupling
- 22. Drill Chuck (drilling speed), with key
- 23. Drill Chuck (reaming speed), with key
- 24. Drill Chuck, keyless
- 25. Attachment for Acetabular and Medullary Reaming
- 26. Quick Coupling for Kirschner Wires _ 1.0 to 4.0 mm
- 27. Quick Coupling for DHS/DCS® Triple Reamers
- 28. Screw Attachment, with AO/ASIF Quick Coupling
 - Torque Limiter, 1.5 Nm
 - Torque Limiter, 4.0 Nm
- 29. Hudson Quick Coupling (drilling speed),
- 30. Hudson Quick Coupling (reaming speed
- 31. Trinkle Quick Coupling (drilling speed),
- 32. Trinkle Quick Coupling (reaming speed),
- 33. Trinkle Quick Coupling (drilling speed), modified,

- 34. Trinkle Quick Coupling (reaming speed), modified,
- 35. Sagittal Saw Attachment,
- 36. Reciprocating Saw Attachment,
- 37. Adapter for Radiolucent Drive,
- 38. Top for Sternum for Reciprocating Saw Attachment
- 39. Radiolucent Drive
- 40. Angular Drive Unit for Medullary Reaming
- 41. Kuentscher Adapter
- 42. Harris Adapter

Accessories

- 43. Spare Key for Drill Chuck, clamping range up to _ 6.5 mm
- 44. Cleaning brush
- 45. Oil dispenser with oil

Vario Case

- 46. Vario Case, size 1/1, Battery Handpiece, with Insert, without Lid, without Contents
- 47. Insert, size 2/3, for Vario Case
- 48. Vario Case, size 1/2, for Trauma Recon System Battery Handpiece, without Lid, without Contents
- 49. Lid (Stainless Steel), size 1/1, for Vario Case
- 50. Lid (Stainless Steel), size 1/2, for Vario Case
- 51. Total performance system power tool with saws, driver and burrs. Saggital saw hand piece, transverse saw hand piece, power drive, mini burr.
- 52. Shall meet IEC-60601-1-2 :2001(Or Equivalent BIS)
- 53. General Requirements of Safety for Electromagnetic Compatibility or should comply with 89/366/EEC;EMC-directive.
- 54. The unit shall be capable of operating continuously in ambient temperature of 10 40deg C and relative humidity of 15-90%
- 55. Power input to be 220-240VAC, 50Hz fitted with Indian plug
- 56. Electrical safety conforms to standards for electrical safety IEC-60601-1 General Requirements and IEC-60601-2-25 Safety of Electrocardiograms (OR EQUIVALENT BIS Standard)
- 57. User Manual in English
- 58. Service manual in English
- 59. List of important spare parts and accessories with their part number and costing
- 60. Certificate of calibration and inspection.
- 61. Log book with instruction for daily, weekly, monthlyand quarterly maintenance checklist.
- 62. The job description of the hospital technician and company service engineer should be clearly spelt out
- 63. List of Equipment's available for providing calibration and routine Preventive Maintenance Support. as permanufacturer documentation in service/technicalmanual.
- 64. Specify Life of Equipment in standard operating condition from the date of Installation.
- 65. Comprehensive warranty for five years (free repair and replacement of all parts)
- 66. AMC/CMC rate term, for after expiry of Warranty period, for next 5 years
- 67. During warranty /AMC period Unit has to be repaired within 48 hour or to be replaced by other unit till it is being repaired.

- 68. During Warranty / AMC Period three preventive Maintenance at the time interval of four months to be carried out by company and duly signed service report to be submitted to Trauma Centre and. In case of failure in providing preventive service, Warranty/ AMC will be extended automatically for further four months for each failure in preventive maintenance, any number of breakdown calls to be attended by company.
- 69. In case of equipment is not under Warranty/ AMC then also it is liability of supplier company to provide service and spare parts for said Life period of equipment at on call basis within 72 working hrs. On Call service charge for particular equipment to be mentioned at the time of filling Tender.
- 70. Certificate for insuring availability of Spare Parts and services, by Principle Company, for the said life period of the Equipment, from the date of Installation, even after discontinuation of model, Company will provide spare part and services up to that period, otherwise Company will provide good working standby set for remaining period.
- 71. Company Item should be US- FDA and European CE approved.
- 72. Country of origin Certificate, Shipment details and Original Bill to be provided by Principle Company at the time of Delivery/ Installation.(In case of Equipment is Imported from other Country.)
- 73. A certificate to be issued by Principal Company showing that equipment is brand new and brought for Trauma Centre, IMS,BHU.

Item No. 110. Nerve Stimulator-mapper-locator set

- 1. Nerve Stimulator with Mapper locator cable, probe and power adapter.
- 2. Shall meet IEC-60601-1-2:2001(Or Equivalent BIS)
- 3. General Requirements of Safety for Electromagnetic Compatibility or should comply with 89/366/EEC; EMC-directive.
- 4. The unit shall be capable of operating continuously in ambient temperature of 10 40deg C and relative humidity of 15-90%
- 5. Power input to be 220-240VAC, 50Hz fitted with Indian plug
- 6. Electrical safety conforms to standards for electrical safety IEC-60601-1 General Requirements and IEC-60601-2-25 Safety of Electrocardiograms .(OR EQUIVALENT BIS Standard)
- 7. User Manual in English
- 8. Service manual in English
- 9. List of important spare parts and accessories with their part number and costing
- 10. Certificate of calibration and inspection.
- 11. Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist.
- 12. The job description of the hospital technician and company service engineer should be clearly spelt out
- 13. List of Equipment's available for providing calibration and routine Preventive Maintenance Support. as per manufacturer documentation in service/technical manual.
- 14. Specify Life of Equipment in standard operating condition from the date of Installation.
- 15. Comprehensive warranty for five years (free repair and replacement of all parts)
- 16. AMC/CMC rate term, for after expiry of Warranty period, for next 5 years
- 17. During warranty /AMC period Unit has to be repaired within 48 hour or to be replaced by other unit till it is being repaired.
- 18. During Warranty / AMC Period three preventive Maintenance at the time interval of four months to be carried out by company and duly signed service report to be submitted to Trauma Centre and. In case of failure in providing preventive service, Warranty/ AMC will be extended automatically for further four months for each failure in preventive maintenance, any number of breakdown calls to be attended by company.
- 19. In case of equipment is not under Warranty/ AMC then also it is liability of supplier company to provide service and spare parts for said Life period of equipment at on call basis within 72 working hrs. On Call service charge for particular equipment to be mentioned at the time of filling Tender.
- 20. Certificate for insuring availability of Spare Parts and services, by Principle Company, for the said life period of the Equipment, from the date of Installation, even after discontinuation of model, Company will provide spare part and services up to that period, otherwise Company will provide good working standby set for remaining period.
- 21. Company Item should be US-FDA and European CE approved.
- 22. Country of origin Certificate, Shipment details and Original Bill to be provided by Principle Company at the time of Delivery/ Installation.(In case of Equipment is Imported from other Country.)

23. A certificate to be issued by Principal Company showing that equipment is brand new and brought for Trauma Centre, IMS, BHU.

Item No. 111. Mesh dermatome with variable expansion

Quality Based

Each Item must be US FDA/ European CE approved.

Item No. 112. Electronic tourniquet

3: Department of General Surgery

Technical Specifications for General Surgery Instruments item No.

113 to 195 Surgical Instruments Set

as per attached list:

Sl.No.	Name of the Instrument	Quantity
113.	Metzenbaum scissors 6" curved (TC)	6
114.	Metzenbaum scissors 9" curved (TC)	6
115.	Stitch cutting scissors	10
116.	Mayo Scissors small straight (TC)	4
117.	Mayo Scissors small curved (TC)	4
118.	Mayo Scissors large straight (TC)	4
119.	Mayo Scissors large curved (TC)	4
120.	Iris scissors straight (TC)	2
121.	Iris scissors curved (TC)	2
122.	Langenbeck retractor small	8
123.	Langenback retractor medium	8
124.	Czerney retractor	8
125.	Deaver's retractor	8
126.	Doyen's retractor	8
127.	Morris retractor Large	4
128.	Morris retractor Small	4
129.	Cat's paw retractor	4
130.	Jeweller's forceps small	4
131.	Jeweller's forceps medium	4
132.	Jeweller's forceps large	4
133.	Adson's forceps tooth	4
134.	Adson's forceps non-tooth	4
135.	Vulsellum forceps	4
136.	Allis forceps	8
137.	Baby Allis Forceps	8
138.	Babcock Forceps Large	8
139.	Babcock Forceps Small	8
140.	Scalpel handle no.3 & 4	10 each
141.	Kidney trays	10
142.	Small Bowls (Katori)	10
143.	Sponge holding forceps	10
144.	Artery forceps (6 inch & 9 inch)	30 each
145.	Mosquito forceps	20
146.	Cheatle forceps	6
147.	Dissecting forceps 3", 4", 5"	6
148.	Skin hooks single	4
149.	Skin hooks double sharp	4
150.	Skin hooks double blunt	4

151.	Needle holder 4" & 5"	4 each
152.	Needle holder 7"	4
153.	Towel clips	40
154.	Chisel straight	4
155.	Chisel curved	4
156.	Bulldog clamps	10
157.	Giggley saw handle	6 pairs
158.	Dingam mouth gag with tongue depressor set	2
159.	Kilner Dott mouth gag with tongue depressor set	2
160.	Cleft palate elevators left, right, straight	1
161.	Cleft palate scissors 6" (TC)	1
162.	Metallic rulers	2
163.	Selfretaining abdominal wall retractor	4
164.	Aufricht scissors	2
165.	Skin grafting handle (Watson type)	2
166.	Silver's miniature skin grafting handle	2
167.	Skin grafting meshing board	1
168.	Double action bone nibbler	1
169.	Double action bone cutter	1
170.	Wire cutter	1
171.	Fascial stripper	1
172.	Tendon stripper	1
173.	Tendon hook	1
174.	Tendon retriever	1
175.	Hand drill chuck type	1
176.	Hand drill collet type	1
177.	Rib shear	2
178.	Jaw hook	1
179.	Ramus retractor	1
180.	Mandible retractor	1
181.	Rowe's maxillary disimpaction forceps left and	1
	right	
182.	K-wire cutter	1
183.	K-wire bender	1
184.	Wire twister	1
185.	Bone awl	1
186.	Bone currete	1
187.	Joel's Thyroid retractor	2
188.	Desjordin's store holding forceps	2
189.	Intestinal Clamps (Non crushing)	8
190.	Vascular Clamps (De Bakey's)	16
191.	Right angle Bowel Clamps (Non crushing)	4
192.	Octopus self retaining abdominal wall retractor	1
193.		1
1/3.	Right angle artery Forceps (6 & 8 inch)	4 each

195.	Periosteal elevator (straight & Curved)	4 each
------	---	--------

- 1. All scissors, needle holders and dissecting forceps should be made of Tungston Carbide. Other instruments should be of stainless steel.
- 2. Specify Life of Equipment in standard operating condition from the date of installation.
- 3. Comprehensive warranty for five years (free repair and replacement of all parts)
- 4. AMC/CMC rate term, for after expiry of warranty period, for next 5 years
- 5. During warranty/AMC period Unit has to be repaired within 48 hours or to be replaced by other unit till it is being repaired.
- 6. Certificate for insuring availability of spare parts and services, by principle company, for the said life period of the equipment, from the date of installation, even after discontinuation of model, Company will provide spare part and services up to that period, otherwise company will provide good working standby set for remaining period.
- 7. Company item should be US-FDA/European CE approved.
- 8. Country of origin Certificate, Shipment details and Original Bill to be provided by Principle Company at the time of Delivery/Installation. (In case of Equipments imported from other Country)
- 9. A certificate to be issued by Principal Company showing that equipment is brand new and brought for Trauma Centre, IMS, BHU.

Item No. 196. High Frequency Monopolar and Bipolar Surgical Diathermy Unit

- 1. High Frequency Microprocessor based 300-400 W of High reputed foreign make.
- 2. FDA/CE approved.
- 3. Capable of Monopolar and biopolar coagulation separately without switchover.
- 4. Micro adjustment of bipolar current.
- 5. Digital display with touch control panel.
- 6. Silicon patient plate.
- 7. Bipolar cord 10.
- 8. Mono polar cord 10.
- 9. Vario foot control.
- 10. Bipolar non sticky 1 mm blunt tip bayonet forcep 6 inches long- 2
- 11. Bayonet Bipolar non sticky, 0.4-0.5 mm tipped 7 inches long forcep -2
- 12. Unit should have Audio-visual error monitoring system.
- 13. Voltage/Ampere plug top as per Indian standard.
- 14. Comprehensive warranty for five years (free repair and replacement of all parts)
- 15. AMC/CMC term after expiry of Warranty period for next 5 years Unit has to be repaired within 48 hour or to be replaced by other unit till it is being repaired.
- 16. Trolley with inbuilt electric socket with strong four wheels.
- 17. Submit User list.
- 18. Authorization letter from parent company and FDA/CE approved certificate.

4: Department of Orthopaedic <u>Technical Specifications for Orthopaedic Instrument's</u> Item No. 197. Basic Set LC-DCP/DCP-Complete

S.NO	PARTICULAR	QTY
2	Drill Bit Q.C. 3.2MM	3
3	Drill Bit Q.C. 4.5MM	2
4	Large Countersink	1
5	Tap Handle Q. C.	1
6	Tap Q.C 4.5mm	2
7	Tap Q.C6.5mm	1
8	Double Drill Sleeve 4.5mm/3.2mm	1
9	Insert Drill Sleeve 4.5mm/3.2mm	1
10	Double Drill Sleeve 6.5mm/3.2mm	1
11	Hex Screwdriver with fibre handle'- 3.5	1
12	Hex Screwdriver Q.C. 3.5	1
13	Depth Gauge for Large Screws Stainless Steel	1
14	Sharp Hook	1
15	DCP Load & Neutral Drill Guide 3.2mm(For 4.5mm Screws)	1
16	SS LC-DCP Universal Drill Guide 4.5mm/3.2mm	1
17	SS LC-DCP Load & Neutral Drill Guide 3.2mm	1
18	Template for contouring plates Large DCP/LCDCP - 7 H x 120mm	1
19	Template for contouring plates Large DCP/LCDCP - 9 H x 155mm	1
20	Template for contouring plates Large DCP/LCDCP - 12 H x 210mm	1

Item No. 198. Small Fragment Set

SMALL FRAGMENT SET, DCP - COMPLETE IN ALUMINIUM BOX			
Sr. No	Description	QTY.	
1.	Drill Bit Q.C. 2.5mm	2	
2.	Drill Bit Q.C. 3.5mm	2	
3.	Small Countersink	1	
4.	Tap Q.C 3.5mm x 1.25mm	2	
5.	Tap Q.C3.5mm x 1.75mm	2	
6.	T' Handle Q.C.	1	
7.	Double Drill Sleeve 3.5mm/2.5mm	1	
8.	Drill Guide & Drill Sleeve (2mm)	1	
9.	Tap Sleeve/Drill Sleeve 3.5/2.7mm	1	
10.	DCP Load & Neutral Drill Guide 2.5mm(For 3.5mm Screws)	1	
11.	Hex Screwdriver with fibre handle 2.5	1	
12.	Hex Screwdriver Q.C. Swiss made 2.5	1	
13.	Depth Gauge for Small Screws Stainless Steel	1	
14.	Sharp Hooks	1	
15.	Screw Forceps	1	
16.	Bending Iron For Small Plates	1	
17.	Bending Iron For Small Plates	1	
18.	Bending Pliers For Finger Plates	1	
19.	Template for contouring plates Small DCP/LCDCP - 5 H x 63mm	1	
20.	Template for contouring plates Small DCP/LCDCP - 7 H x 87mm	1	
21.	Self Centering Bone Holding Forceps for Small Fragment 190mm	1	
22.	Reduction Forceps with Point 130mm	1	
23.	Reduction Forceps Extra Small 140mm	1	
24.	Small Hohmann Retractor 6mm Wide	1	
25.	Small Hohmann Retractor 8mm Wide	1	
26.	Retractor Small Fragment With Broad Shank	2	
27.	Periosteal Elevator Small With Straight edge 6mm	1	
28.	Clips For Plates	5	

Item No. 199. Mini Fragment Set

	MINI FRAGMENT SET WITH HEX SCREWS BOX			
S.No	Description	QTY.		
1	Drill Bit Q.C. 2.0MM	2		
2	Drill Bit Q.C. 2.7MM	2		
3	Small Countersink	1		
4	Tap Q.C 2.7mm	2		
5	T' Handle Q.C.	1		
6	Drill Guide & Drill Sleeve (2mm)	1		
7	Tap Sleeve 3.5mm also Drill Sleeve 3.2mm	1		
8	Depth Gauge for Small Screws Stainless Steel	1		
9	Drill Bit Q.C.1.1mm	2		
10	Drill Bit Q.C. e 1.5mm	2		
11	Mini Countersink	1		
12	Tap Q.C. 1.5mm	2		
13	Tap Q.C. 2.0mm	2		
14	Hex Screwdriver with fibre handle 2.5	1		
15	Hex Screwdriver with fibre handle 'ADLER'-Swiss made 1.5mm A/F for 1.5 & 2.0mm Hex Slot screws	1		
16	Mini Drill Sleeve for 1.1mm & 1.5mm Drills	1		
17	Depth Gauge for Mini Screw	1		
18	Sharp Hook	1		
19	Screw Forceps	1		
20	Clips For Plates	5		
21	Bending Iron For Mini/Small Plates	1		
22	Bending Plier For Finger Plates	1		
23	Holding Forceps For Small Plates, 135mm	1		
24	Holding Forceps with Foot for Small Plates, 135mm	1		
25	Reduction Forceps With Point 130mm	1		
26	Retractor Short Narrow Tip, Small, Width 6mm	1		
27	Retractor Short Narrow Tip, Small, Width 8mm	1		
28	Retractor with Broad Shank, for Small Fragment	2		
29	Periosteal Elevator, Fibre Handle, Curved, Straight Edge, Width 3mm	1		

Item No. 200. CHS/DCS Instrument Set

	CHS/DCS INSTRUMENT SET			
Sr. No	Description	QTY.		
1	Guide Wire (2.5mm X 230mm Length)	10		
2	C.H.S. Angle Guide (Q.C.) 135 Deg.	1		
3	C.H.S. Angle Guide (Q.C.) 130 Deg.	1		
4	C.H.S. `T' Handl With Q.C.	1		
5	Direct Measuring Device	1		
6	C.H.S. Tri-Action Reamer Q.C. for 38mm Barrel length	1		
7	C.H.S. Tri-Action Reamer Q.C. for 25mm Barrel length	1		
8	C.H.S./D.C.S.Tap with Q.C. 12.5mm	1		
9	Centering Sleeve For Tap	1		
10	C.H.S. Wrench	1		
11	Centering Sleeve for Wrench	1		
12	CHS Coupling Screw	1		
13	Coupling Screw For Removal	1		
14	Guide Shaft	1		
15	Impactor For C.H.SPlates	1		
16	Hex Screwdriver with fibre handle 3.5	1		
17	D.C.S. Tri-Action Reamer	1		
18	D.C.S. Angle Guide 95 Deg. With Q.C.	1		

Item No. 201. General Instrument set

Sr. No	Decarintian	QTY.
1.	Description Bone Awl With Eye Straight 5/32"	1
2.	Plate Bender Pair	1
3.		1
	Roller Type Plate Bender	
4.	Stille Type Chisel Straight 7" 5mm, 10mm, 15mm, 20mm, 25mm, 30mm - 1 each Stille Type Chisel Curved 7" 5mm, 10mm, 15mm, 20mm, 25mm, 30mm - 1 each	6
5.	• •	
6.	Charley'S Compression Clamp With 2 Pin	1
7.	Lowman'S Bone Holding Clamp 4"	1
8.	Lowman'S Bone Holding Clamp 5"	1
9.	Lowman'S Bone Holding Clamp 8"	1
10.	Volkman Curette Double Ended 4mm & 9mm, 6mm & 10mm, 9mm & 12mm	3
11.	Universal Bone Drill With Chuck (Plated Indian Chuck)	2
12.	Universal Bone Drill With Imported Jacob'S Chuck And Key	1
13.	Farabeauf Rugine Straight	1
14.	Farabeauf Rugine Curved	1
15.	Square Nails Extractor	1
16.	Extra Hook For A.M. Head Extractor	1
17.	Stille Horsley Bone Cutting Forceps 10" Length	1
18.	Heygrove'S Bone Holding Forceps 8"	2
19.	Heygrove'S Bone Holding Forceps 10"	2
20.	Heygrove'S Bone Holding Forceps 12"	2
21.	Burn'S Bone Holding Forceps Length 6", 7", 8"	3
22.	Stille Gouge Straight, 5mm, 10mm, 15mm, 20mm, 25mm, 30mm, 35mm - 1 each	7
23.	Stille Gouge Curved, 5mm, 10mm, 15mm, 20mm, 25mm, 30mm, 35mm - 1 each	7
24.	Heath Mallet 250Gms.	1
25.	Gigli Saw Introducer	1
26.	Steinman Pin Introducer ('T' Handle With Plated Chuck)	1
27.	Watson Jone'S Handle For Guide Wire	1
28.	Lane'S Bone Lever Serrated End	2
29.	Levers For Radius & Ulna	2
	Stille Type Osteotome Straight, 5mm, 10mm, 15mm, 20mm, 25mm, 30mm, 35mm - 1	
30.	each	7
31.	Stille Type Osteotome Curved, 5mm, 10mm, 15mm, 20mm, 25mm, 30mm, 35mm - 1 each	7
32.	Mastoid Retractor	2
33.	Gigli Saw Wires	10
34.	William'S Screwdriver	10
35.	Burn'S Self Holding Screwdriver	1
35. 36.	Bohler'S Stirrup Small With Steinman Pin	1
	-	
37.	Bohler'S Stirrup Medium With Steinman Pin	1
38.	Bohler'S Stirrup Big With Steinman Pin Self centering Bone Holding Forceps	1

39.	Self Centering Bone Holding Forceps 240mm	1
40.	Self Centering Bone Holding Forceps 260mm	1
41.	Self Centering Bone Holding Forceps 280mm	1
	Reduction Forceps	
42.	Reduction Forceps 170mm	2
43.	Reduction Forceps 240mm	2
44.	Patella Forceps 175mm	2
45.	Retractor Short Narrow Tip Width 18mm	1
	Steinman Pin	
46.	Steinman Pin Ø4.0mm, Length 150mm	2
47.	Steinman Pin Ø4.0mm, Length 175mm	2
48.	Steinman Pin Ø4.0mm, Length 200mm	2
49.	Steinman Pin Ø4.5mm, Length 150mm	2
50.	Steinman Pin Ø4.5mm, Length 175mm	2
51.	Steinman Pin Ø4.5mm, Length 200mm	2
52.	Bench Press for cont0uring large fragement plates	1
53.	Charnley self retaining retractor	3
54.	Femoral distractor	2

Item No. 202. Instrument Set For Austin Moore Prosthesis & Bipolar

INS	INSTRUMENT SET FOR AUSTIN MOORE PROSTHESIS & BIPOLAR		
SR. NO.	DESCRIPTION	QTY.	
1	Modular Rasp for A M Prosthesis	1	
2	Rasp for Intramedulary Canal for Bipolar Prosthesis	1	
3	Aluminium Impactor with Tufnol Head For	1	
4	Impactor For Bipolar Prosthesis	1	
5	Head Extractor for femoral head	1	
6	Head Gauge For Prosthesis	1	
7	Hohmann Retractor, NarrowTip, 43mm	2	
8	Slotted Hammer For Version Control	1	
9	Intramedullary Reamer, Short, 300mm used for canal preparation for prosthesis	1	
10	Kuntscher Diamond Pointed Awl	1	

Item No. 203. K Nail Instrument Set

	K.NAIL INSTRUMENT SET			
SR. NO.		DESCRIPTION		QTY.
1	Kuntscher Diamond Pointed A	wl		1
3	K-Nail Extractor with 2 hooks			1
4	Hammer 500 gms.			1
5	Kocher Bone Hook Medium			1
6	K. Nail Impactor			1
7	Kuntscher Nail Punch For Fin	al Tapping		1
8	Kuntscher Nail Driver			1
9	K. Nail Set			1
10	Intramedullary Reamer	9,- 14mm - 1 each		6
11	Intramedullary Reamer	6,7,8 mm - 1 each		3
12	Guide Wire For K. Nail - set o	of seven sizes for Nails from 6mm - 15mm		7

Item No. 204. Wire Instrument Set

WIRE INSTRUMENT SET		
SR. NO.	DESCRIPTION	QTY.
1	Aluminium Case	1
3	Wire Bending Plier	1
4	Wire Passer Standard	1
5	Wire Tightner Universal	1

Item No. 205. Tension Band Wiring Set

	TENSION BAND WIRING SET		
SR. NO.	DESCRIPTION	QTY.	
1	Aluminium Case	1	
2	Drill Bit Q.C.2.0MM	1	
3	Reduction Forceps With Point 130mm	1	
4	Drill Guide & Drill Sleeve (2mm)	1	
5	Double Drill Sleeve 3.5mm/2.5mm	1	
6	Hammer With Fibre Handle: 250gms Approx	1	
7	Suture Wire Reel :20 guage	1	
8	Type Wire Tightner	1	
9	"K" wires 2.0mm x 150mm	10	
10	Wire Bending Plier	1	

Item No. 206. Bone Forceps Set

BONE FORCEPS SET		
SR. NO.	DESCRIPTION	QTY.
1	Aluminium Case	1
2	Self Centering Bone Forceps 240mm	1
3	Self Centering Bone Forceps 260mm	2
4	Self Centering Bone Forceps 280mm	2
5	ReductionForceps 220mm	1
6	ReductionForceps 160mm	1
7	ReductionForceps 180mm	1
8	Reduction Forceps With Point 200mm	1

Item No. 207. Instrument Set for Square Nailing of Radius/ULNA

I	INSTRUMENT SET FOR SQUARE NAILING OF RADIUS/ULNA		
SR. NO.	DESCRIPTION	QTY.	
1	Square Nail Extractor	1	
2	Burns Bone Holding Forceps, Length 6"	2	
3	Steinman Pin Introducer With Indian Chuck & Key	2	
4	Punch For Square Nail	1	
	Reamers For Square Nail 2mm, 2.5mm, 3mm,		
5	3.5mm, 4mm - 1 each	5	

Item No. 208. Laminectomy Instrument Set

LAMINECTOMY INSTRUMENT SET		
SR. NO.	DESCRIPTION	QTY.
1	Laminectomy Retractor With Follow Up Blades	1
2	Cones Spinal Curette Angled (ring curette) 1/4", 1/8", 3/8" - 1 each	3
3	Disc Punch Upward	1
4	Disc Punch Downward	1
5	Disc Punch Straight	1
6	Heyjack Punch Upward	1
7	Heyjack Punch Downward	1
8	Leksells Rongeur Double Action	1
9	Jansen Gouge Forceps St. 71/2"	1
10	Jansen Gouge Forceps Curved. 71/2"	1
11	Dura Retractor	1
12	Tudor Edward Bone Cutting Forceps Double Action 91/2"	1
13	Cobbs Elevator 3/8",1/2",3/4" - 1 Each	3
14	Bone Nibbler Single Action Straight	1
15	Bone Nibbler Single Action Curved	1
16	Capner Gouge - 5mm, 10mm, 15mm - 1 Each	3
17.	Meyerding Retractor (weight and chain)	2

Item No. 209. Plaster Instrument Set

PLASTER INSTRUMENT SET		
SR. NO.	DESCRIPTION	QTY.
1	Lorenz Plaster Shears	1
2	Plaster Cast Spreader	1
3	Plaster Knife	1
4	Plaster Saw With Allum. Handle	1
5	Plaster Cutting Scissors	1
6	Plaster Bender Small 7"	1
7	Plaster Bender Big 101/2"	1
8	Plaster Cutting Saw - Electric	1

Item No. 210. Staple Instrument Set

STAPLE INSTRUMENT SET		
SR. NO.	DESCRIPTION	QTY.
1	Staple Extractor	1
2	Blount Staple Driver	1
3	Staple Inserter	1

Item No. 211. Instrument Set for Angled Blade Plate

INSTRUMENT SET FOR ANGLED BLADE PLATE in box		
Sr. No	Description	QTY.
1	Drill Sleeve (60mm)	1
2	Triple Drill Guide Built-in Anteversion locator	1
3	Router	1
4	Chisel Guide (16mm)	1
5	Seating Chisel	1
6	Inserter-Extractor	1
7	Slotted Hammer	1
8	Impactor	1
9	Triangular Positioning Plate	1
10	Triangular Positioning Plate	1
11	Triangular Positioning Plate	1
12	Quadrangular Positioning Plate	1
13	Condylar Plate Guide	1
14	Hammer 500gms.	1

Item No. 212. Large 7MM Cannulated Screw Instrument Set

Large 7mm Cannulated Screw Instrument Set in Box		
Sr. No	Description	QTY.
1	Cannulated Drill Bit,dia 4.5mm/2.1mm, 230mm length	1
2	Cannulated Tap, dia 7mm, 230mm length	1
3	Cannulated Hex Screwdriver, length 230mm for 7mm Cannulated Screws	1
4	Direct Measuring Device for 7mm Cannulated Screws	1
5	Parallel Wire Guide	1
6	Guide Wire 2.0mm with threaded tip, 230mm length	5
7	Drill bit Q.C, 2.0mm, length 100mm	1
8	Double Drill Sleeve 4.5/3.2	1
9	Parallel Drill Guide 4.5mm	1
10	Trocar 2.0mm	1
11	Drill Sleeve 4.5/2.0	2
12	Drill Sleeve 8.0/4.5	1
13	Protection Sleeve 11.0/8.0	1

Item No. 213. 4MM Cannulated Screw Instrument Set

4mm Cannulated Instrument Set		
S.No	DESCRIPTION	QTY.
1	DRILL BIT, 2.7/1.35MM DIA CANNULATED LENGTH 160/130MM, FOR QUICK COUPLING	1
2	TAP CANNULATED FOR 4MM CANNULATED SCREWS WITH QUICK COUPLING, LENGTH 147/60MM, ADLER	1
3	SCREWDRIVER, HEXAGONAL, CANNULATED, FOR 3.5MM CANNULATED SCREWS, LENGTH 190MM	1
4	Guide Wire 1.25mm for small cannulated screws, length 150mm	1

Item No. 214. Tubular External Fixator Set

	TUBULAR EXTERNAL FIXATOR SET		
Sr. No.	Description	QTY.	
	INSTRUMENTS		
1	Drill Bit Q.C. Dia 3.5mm Length 195mm	1	
2	Drill Bit Q.C. Dia 4.5mm Length 195mm	1	
	Trocar Dia 3.5mm for Drill Sleeves	1	
3	Drill Sleeve with Anti Rotation Bar Dia 5.0/3.5mm, length 110mm	1	
4	Drill Sleeve With Handle Ø6.0/5.0mm, Length 110mm	1	
5	Socket Wrench 11mm	1	
6	Combination Wrench 11mm	1	
7	Simple T-Handle for Steinman Pins	1	
8	Open Compressor	1	

Item No. 215. Universal External Fixator Set

UNIVERSAL EXTERNAL FIXATOR SET		
	INSTRUMENTS	
1.	Protection Cap, For Pins Ø4.5mm	10
2.	Protection Cap, For Pins Ø5.0mm	30
3.	Drill Bit Q.C Dia 3.5mm Length 195mm	1
4.	Drill Bit Dia 4.5mm Length 195mm	1
5.	Trocar Dia 3.5mm for Drill Sleeves	1
6	Drill Sleeve with Anti Rotation Bar Dia 5.0/3.5mm, length 110mm	1
7	Drill Sleeve With Handle Ø6.0/5.0mm, Length 110mm	1
8	Socket Wrench 10mm	1
9	Combination Wrench 10mm	1
10	Simple T-Handle for Steinman Pins	1
11	Compressor	1

Item No. 216. Spine Instrument Set (Monoaxial/Poly Axial/Cervical/Tlif)

PEDICAL SCREW INSTRUMENT SET		
S.No	Particular	Qty
1	Starter Awl, Soft-Grip	1
2	Pedicle Centraliser	4
3	Pedicle Probe	1
4	Pedicle Probe, Straight	1
5	Q.C Handle, Soft-Grip	2
6	TAP, Q.C, 4.50mm,	1
7	TAP, Q.C, 5.50mm,	1
8	TAP, Q.C, 6.25mm,	1
9	TAP, Q.C, 7.00mm,	1
10	Pedicle Sound	1
11	Monoaxial Screw Inserter, Q.C, Complete	1
12	Monoaxial Screw Inserter Q.C, Shaft	
13	Monoaxial Screw Inserter Sleeve	
14	Monoaxial Screw Manipulator, Q.C	1
15	Polyaxial/Reduction Screw Introducer, Q.C, Complete	1
16	Polyaxial/Reduction Screw Introducer, Q.C, Shaft	
17	Polyaxial/Reduction Screw Introducer, Sleeve	
18	Polyaxial/Reduction Screw Hex Driver 2.5mm , Q.C	1
19	Inner Screw Inserter, Self-holding	1
20	Inner Screw Final Tightener, Q.C	1
21	Spondylolisthesis Reduction Screw Break-off Instrument (Pair)	1
22	Screw Gauge For Screws	1

23	Rod Contouring Template Ø. 6.0 mm,	1
24	Soft Aluminium, Set of 3 (90mm, 150mm, 200mm)	1
25	Rod Contouring Template Ø. 6.0 mm,	
26	Soft Aluminium, Length 90mm	1
27	·	
28	Rod Contouring Template Ø. 6.0 Mm,	1
29	Soft Aluminium, Length 150mm	
	Rod Contouring Template Ø. 6.0 Mm,	1
30	Soft Aluminium, Length 200mm	,
31	Rod Bender, Roller Type	1
32	Rod Holder, Regular	1
33	Rod Holder, Heavy-duty	1
34	Vise Grip, for Rod rotation	1
35	In Situ Bending Iron, Left	1
36	In Situ Bending Iron, Right	1
37	Rod Stabiliser, Anti-torque	1
38	Rod Pusher, Straight, 6.0mm, Soft-Grip	1
39	Rod Pusher, Curved, 6.0mm, Soft-Grip	1
40	Rocker, 6.0mm	1
41	Co-axial Rod Reducer, 6.0mm	1
42	Multi-directional Rod Reducer, 6.0mm, Complete	1
43	Multi-directional Rod Reducer, Main Body	1
44	Multi-directional Rod Reducer, Threaded Arm	1
45	Distractor, 6.0mm	1
46	Compressor, 6.0mm	1
47	Pin Cutter 18" to cut 6mm Hard and Soft rods	1
48	Hook Holder, Soft-Grip	1
49	Hook Pusher, Soft-Grip	1
50	Facet Finder, Soft-Grip	1
51	Supralaminar Locator, Soft-Grip	1
52	Infralaminar Locator, Soft-Grip	1
53	Inserter For Staple Washer for Anterior surgery	1
54	Lamina Feeler	1
55	Pedical Feeler	1
56	Thoracic Scapula Retractor	1
57	Rib Spreader	1

Cervical Spine Instrument		
S.No	Particular	Qty
1	<u>Instrumentation</u>	_
2	Template for Sizing, 1 level	1
3	Template for Sizing, 2 level	1

4	Template for Sizing, 3 level	1
5	Template for Sizing, 4 level	1
6	Aluminium Case, 2-part with lid	1
7	Instrument Tray	1
8	Plate Tray 1	1
9	Plate Tray 2	1
10	Rack with Lid	1
11	Drill bit, 2.5mm, with stopper	2
12	Drill Sleeve, eccentric with adjustable depth control	1
13	Drill Sleeve, neutral with adjustable depth control	1
14	Plate Holder	1
15	Plate Bender	1
16	Hex Screwdriver 2.5mm a/f, with self holding sleeve	2
17	HEX. SCREWDRIVER, 2.5MM LONG, WITHOUT SLEEVE	1
18	HOLDING SLEEVE FOR HEX. SCREWDRIVER	1
19	Q.C. Handle	1
20	Temporary Stabilizing Pin	2
		1
21	High speed electric drilling system with burr (SML)	
22.	Cervical Distractor (Med,lateral,cranial, caudal)	1

Item No. 217. Power Drilling System (Battery Operated)

	Battery Operated Power Drilling System	
S. No.	Description	Qty
1	UNIVERSAL Modular / Battery Single Trigger Handpiece	1
2	UNIVERSAL Compact battery Charger	1
3	UNIVERSAL Battery for Aseptic transfer Kit	1
4	UNIVERSAL Funnel for Aseptic Transfer Kit	1
5	UNIVERSAL Aseptic Transfer Kit Housing	1
1	Power Cord US	1
1	UNIVERSAL Oscillating Saw Attachment	1
2	UNIVERSAL Reciprocating Saw Attachement	1
3	UNIVERSAL Small A.O. Quick Connect Drill Attachment 1000 rpm	1
4	UNIVERSAL Key chuck Attachment with Key 1000 rpm	1
5	UNIVERSAL AO Reamer Attachement 250 rpm	1
6	UNIVERSAL Hudson Reamer attchement 250 rpm	1
7	UNIVERSAL Wire Driver, Micrometric, 1-4 mm	1
1	UNIVERSAL Sterilization Case	1
2	Tray Cover	1

Item No. 218. Electric Drilling System

S.N.	Description	
3.IV.	Description	
1	Driving Unit includes Motor, Stand, Foot Control, Flexible Shaft, Tool kit, Oil Bottle & special Container	
2	Cannulated Drill Handpiece max. Speed 1200 RPM & with Fixed S.S. Chuck (0-1/4") –	
3	Reaming Handpiece with max. Speed 400 RPM Cannulated, & AO type quick coupling	
4	Pistol Grip Saggital Saw (with Set of five blades)	
5	Flexible Reamer Shaft 8 mm dia, Fixed Head	
6	Flexible Reamer Shaft for Detachable Heads up to 12mm	
7	Reamer Heads, from 8.5 mm to 12.00 mm (set of 8)	
S.N.	Description	
1	Handpiece with R/F & Speed Control switch (Autoclavable) Manman Battery Charger with 2 bay capable of charging Li-ion Batteries (with mains cord) with volt meter. Manman Batteries 02 nos. (Non autoclavable) with autoclavable battery case.	
2	Cannulated Drilling Attachment max. Speed 1200 RPM & with Fixed S.S. Chuck (0-1/4") with Extra Manman Chuck Key	
3	Reaming Attachment with max. Speed 400 RPM Cannulated, & quick coupling	
4	Saggital Saw Attachment (with 2 TKR blades)	

Item No. 219. General Pelvic Instruments

	General & Pelvic Instruments	
S.No	Particular	Size
1	Self Centering Bone Holding Forceps	150mm
2	Self Centering Bone Holding Forceps	190mm
3	Self Centering Bone Holding Forceps	240mm
4		260mm
	Self Centering Bone Holding Forceps	1
5	Self Centering Bone Holding Forceps	280mm
6	Reduction Forceps Serrated Rachet Lock	140mm
7	Reduction Forceps Serrated Rachet Lock	170mm
8	Reduction Forceps Serrated Speed Lock	170mm
9	Reduction Forceps Serrated Speed Lock	200mm
10	Reduction Forceps Serrated Speed Lock	240mm
11	Reduction Forceps Pointed Speed Lock	170mm
12	Reduction Forceps Pointed Speed Lock	200mm
13	Reduction Forceps Pointed Speed Lock	240mm
14	Patella Holding Freeps	3 Prong
15	Patella Holding Frceps	4 Prong
16	Pelvic Reduction Forceps Oblique Small Pointed with Ball Tip Speed Lock	190mm
17	Pelvic Reduction Forceps Oblique Small Pointed with Ball Tip Speed Lock	240mm
18	Pelvic Reduction Forceps Oblique Small Pointed with Ball Tip Speed Lock	400mm
19	Pelvic Reduction Forceps Small Rachet Lock for 3.5mm & 4.5mm Screws	200mm
20	Pelvic Reduction Forceps Small Rachet Lock for 3.5mm & 4.5mm Screws	250mm
21	Pelvic Reduction Forceps large with Speed Lock	
22	Pelvice Redction Forceps with Angled Point Ball Tip Speed Lock	250mm
23	Pelvice Redction Forceps Long with Ball Tips Speed Single Prong	400mm
24	Pelvice Redction Forceps Long with Ball Tips Speed Three Prong	400mm
25	Lanes Bon Holding Forceps with Rachet Lock	200mm
26	Lanes Bon Holding Forceps with Rachet Lock	250mm
27	Lanes Bon Holding Forceps with Rachet Lock	300mm
28	Lanes Bone Holding Foceps with Racht	200mm
29	Lanes Bone Holding Foceps with Racht	250mm
30	Lanes Bone Holding Foceps with Racht	300mm
31	Burns Bone Holding Forceps	
32	Chisel with Fiber Handle Straight	5mm
33	Chisel with Fiber Handle Straight	10mm
34	Chisel with Fiber Handle Straight	15mm
35	Chisel with Fiber Handle Straight	20mm
36	Chisel with Fiber Handle Straight	25mm
37	Chisel with Fiber Handle Straight	30mm
38	Osteotome with Fiber Handle Curved	5mm
39	Osteotome with Fiber Handle Curved	8mm
40	Osteotome with Fiber Handle Curved	10mm
41	Osteotome with Fiber Handle Curved	12mm
42	Osteotome with Fiber Handle Curved	14mm
43	Osteotome with Fiber Handle Curved	16mm
44	Osteotome with Fiber Handle Curved	18mm
45	Osteotome with Fiber Handle Curved	20mm

46	Osteotome with Fiber Handle Curved	25mm
47	Osteotome with Fiber Handle Curved	30mm

Item No. 220. C-Arm Image Intensifier

A Mobile C-Arm Image Intensifier suitable for use in Operation Theatres for Surgical procedures should be provided.

A) **IMAGE INTENSIFIER:**

- 1. Image Intensifying Tube: 9 Inches, Triple Field.
- 2. CCD Camera: High Resolution Compact CCD Camera.
- **3.** Monitor (2 Nos): 17" Monitor along with a trolley.

B) <u>C-ARM MOVEMENTS:</u>

- 1. Rotation: ± 180 Degrees.
- 2. Up/Down Movement Motorized: At least 400mm or more.
- 3. Horizontal Travel: At least 200 mm or more
- 4. Arc Orbital Movement: At least 110 Degrees or more.
- 5. Wig Wag: ±12.5 Degrees.
- 6. Source to Image distance should be more than 900mm.
- 7. Depth of "C" should be 580 mm or more.

C) X-RAY GENERATOR:

- 1. High Frequency (40 KHz)
- 2. Output power should be at least 5KW or more
- 3. Rotating Anode Tube of focal spot 0.3mm & 0.6mm.
- 4. Radiographic mA upto 100mA
- **5.** Fluoroscopic mA: 0.1- 5mA (Normal Mode), Pulsed Fluoro for High definition Fluoro should be upto 10 mA.

(i) D) <u>CONTROL:</u> Control should have the following:

- 1. LCD display should be 20 x 3 (column x rows) display on which KV, mAs, fluoro time, FmA, I.I ZOOM and error inter lock display for KV, filament, thermal are displayed on wide angle LCD.
 - 2. An inbuilt Radiographic Timer to select mAs in steps for more than 200mAs.
- 3. A 5 minutes cumulative Timer with Buzzer.
- 4. Fluoro mA from 0.1-5 mA, continuously variable.
 - 5. Indicators for left/right, up/down should be provided on Control Panel.
- 6. Monoblock Temp. Sensor: Thermal Safety cut off.
- 7. Provision must exist on Control Panel for easy identification of faults, to minimize the downtime.
- 8. Servo Voltage Stabilizer: A Servo Voltage Stabilizer with suitable rating is Provided.
- 9. Automatic Brightness Control: Provided to operate the machine in automatic mode for hands free operation.
- 10. Collimator should be provided.
- 11. Emergency Fluoro to be provided.
- 12. Autofocus

E) MEMORY SYSTEM should include the following: -

- 2 Monitors System for LIH, LIVE and Stored Images.
- Permanent Image Storage capacity of Approx. 10,000 Images.
- 50 Temporary Image Storage for quick review.
- CD writer to Store Images on CD for giving it to Patients.
- Flicker free Images on a flat Screen.
- 32 Bit Image Storage for Excellent Resolution.
- Image Sharpening (Real-time or Stored Images).
- Image Rotation.
- Colorized Images.
- Dynamic contrast control (Gray Level Stretch).
- Negative Images (Gray Level Invert).
- Frames Averaging for smoothing of Images. (Real time) 256 frames.
- 32 Bit at 800 x 600 resolutions.
- Digital Subtraction of Images.
- QUAD view (4 Images on Monitor).
- Cine Loop of 500 frames (Multiple Cine Loops can be stored permanently).
- Variably frame Rate of 2, 5, 10, 15 & 27 frames per second for cine Loop.
- Image orientation: Left/ Right Top/ Bottom.
- Patient's Name, Operator Name, Hospital Name, Date & Time display on Monitor.
- Images can be stored in folders of Individual patient's Name.
- Quick exploration of Stored Images.
- ON Screen Help Mode.
- Negative Images (Gray Level Invert).
- ON Screen Measurements Length (X & Y) & Area.
- Area of Interest Marker.
- Contrast enhancement of Area of Interest.
- Histogram of Area of Interest.
- Facility for Image Printing preferably on plain paper.
- Text annotations and provision of removal of all text from the image.
- Automatic capture and storage of cine loop with cine foot switch
- Offset and gain adjustments for improved image quality.
- Thumb nail use of complete study
- Frame by frame review.
- Printing options in different formats (Frames of different loops can be printed on the same sheet, 1x1, 1x2, 1x4, 1x8 formats)
- Frame rate selection
- LAN connectivity.
 - DICOM Compatible.

F) Power requirement: The unit should be operable on Single Phase 230 V \pm 10% AC, 50 Hz

G) Other Requirements:

- The Equipment must be CE Certified.
- The company must be ISO & EN ISO certified.
- The unit should be approved by AERB
- The company should have proven trade record in Govt. Sector.

Item No. 221. Vacuum assisted Closure System

Technical Specification

- 1. Programmable with Auto On/Off
- 2. Microprocessor controlled pressure setting (-25 to -200 mmHg)
- 3. Electrically Operated at least 6 hours battery backup
- 4. Double layer filter for bacteria & soakage
- 5. Error & Trouble shooting Alarms

5. Department of Anaesthesia & ICU Technical Specifications for Anaesthesia & ICU Equipments

Item No. 222. Flexible/Fiberoptic Video Endoscope (Adult Size)

- Flexible Intubation Endoscope with with outer diameter of scope ranging between 5-6 mm with working length of 65cm or more. Up and down tip deflection should be same ranging 130-140 degrees. Working channel should be 2.0 -2.3mm. It should take ETT from 6 size onwards.
- One pediatric scope with outer diameter of scope should be ranging 4.0mm-4.2mm with working length of 65cm or more. Up and down tip deflection should be same ranging 130-140 degrees. Working channel should be 1.3-1.5 mm. It should take ETT from 4.0 size onwards
 - Both Flexible Intubation scopes should provide good quality view
 - Automatic/ manual white balance facility should be available
- It should be light weight, high resolution & potable flexible scope
- Airway Guide (cum Bite block) for Oral intubation should be provided with both the scopes.
- ET TUBE HOLDER has to be a part standard accessory for both scopes
- Set should include- Suction Adaptors (Disposable), Cleaning brush & Leakage tester as standard accessories
- 2 Container for sterilization and storage of scope should be provided
- One imported Trolley to hang both Scope as well monitor manufactured by same company should be provided
- Suitable for following applications-
 - Bronchoscopy
 - Endotracheal Intubation (Gold standard for Difficult Airways)
 - Foreign body removal
 - Bronchial Lavage
 - Inspection of the Airways
 - Dilatation Tracheotomy

Item No. 223. Videolaryngoscope

Laryngoscope required with video illumination to visualize and document the operational area on screen. It should consist of following features:

- 1. **For Adult**: 60 degree angulated thin, low-profile Titanium blades of sizes of 3 & 4 with lightweight strength and durability& incorporated with high resolution digital camera.
- 2. **For preterm to small child**: reusable or disposable angled blade/stats of sizes of 0, 1, 2 and 2.5 with good finish.
- 3. One special shape curved blade with 80 degree angle of vision for very difficult airway and for anterior larynx should also be present in the set. No specific stylet should be required to place the tube while using this blade.
- 4. LED light illumination for obtaining high quality brightness for best visualization. anti -fog technology, with a rapid heating profile to resist lens fogging.
- Should be operable with conventional 220V,50 Hz power supply as well as chargeable batteries
 With more than 1 hour of power backup. In built camera with CMOS technology with a good picture quality.
- 6. Monitor should have visualizing screen of a minimum of 6 inches, preferably bigger size with anti-reflective screen.
- 7. Integrated video as well as still picture recording should be possible on USB with JPEG and MPEG4 format which can be easily transferred to the computer/laptop.
- 8. Stored videos and pictures can be retrieved and seen on same monitor.
- 9. Movable stand should be provided to hang the screen.
- 10. Onboard tutorial for convenient usage, learning, and teaching.
- 11. Other accessories like stylet & a stable good quality stand for mounting the video laryngoscope set should be included in the supply.

Item No. 224. Scoop Stretchers

- 1. Scoop Stretcher made of lightweight
- 2. High-impact composite materials.
- 3. Featuring two hinged.
- 4. Inter locking pieces that can be used to gently scoop us a patient without having to roll them.
- 5. Specify Life of Equipment in standard operating condition from the date of Installation.
- 6. Comprehensive warranty for five years (free repair and replacement of all parts)
- 7. AMC/CMC rate term, for after expiry of Warranty period, for next 5 years
- 8. During warranty /AMC period Unit has to be repaired within 48 hour or to be replaced by other unit till it is being repaired.
- 9. During Warranty / AMC Period three preventive Maintenance at the time interval of four months to be carried out by company and duly signed service report to be submitted to Trauma Centre and. In case of failure in providing preventive service, Warranty/ AMC will be extended automatically for further four months for each failure in preventive maintenance, any number of breakdown calls to be attended by company.
- 10. In case of equipment is not under Warranty/ AMC then also it is liability of supplier company to provide service and spare parts for said Life period of equipment at on call basis within 72 working hrs. On Call service charge for particular equipment to be mentioned at the time of filling Tender.
- 11. Certificate for insuring availability of Spare Parts and services, by Principle Company, for the said life period of the Equipment, from the date of Installation, even after discontinuation of model, Company will provide spare part and services up to that period, otherwise Company will provide good working standby set for remaining period.
- 12. Company Item should be US-FDA / European CE approved/ISO Certified.
- 13. Country of origin Certificate, Shipment details and Original Bill to be provided by Principle Company at the time of Delivery/ Installation (In case of Equipment is Imported from other Country.)
- 14. A certificate to be issued by Principal Company showing that equipment is brand new and brought for Trauma Centre, IMS, BHU.

PART 3 – Contract

Section VII. General Conditions of Contract

Table of Clauses

1.	Definitions	109
2.	Contract Documents	110
3.	Fraud and Corruption	110
4.	Interpretation	110
	Language	
6.	Joint Venture, Consortium or Association	111
7.	Eligibility	111
8.	Notices	112
9.	Governing Law	112
10.	Settlement of Disputes	112
11.	Obligations During Arbitrations	113
12.	Scope of Supply	113
13.	Delivery and Documents	113
14.	Supplier's Responsibilities	113
15.	Contract Price	113
16.	Terms of Payment	114
17.	Taxes and Duties	114
	Performance Security	
	Copyright	
	Confidential Information	
	Subcontracting	
	Specifications and Standards	
	Packing and Documents	
	Insurance	
	Transportation and Incidental Services	
	Inspections and Tests	
	Liquidated Damages	
28.	Warranty	119
	Patent Indemnity	
	Force Majeure	
	Change Orders and Contract Amendments	
	Extensions of Time	
	Termination	
34.	Assignment	123

Section VII. General Conditions of Contract

1. Definitions

- 1.1 The following words and expressions shall have the meanings hereby assigned to them:
 - (a) "University" means Banaras Hindu University established under Banaras Hindu University Act 1915.
 - (b) "Contract" means the Contract Agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
 - (c) "Contract Documents" means the documents listed in the Contract Agreement, including any amendments thereto.
 - (d) "Contract Price" means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.
 - (e) "Day" means calendar day.
 - (f) "Completion" means the fulfillment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
 - (g) "GCC" means the General Conditions of Contract.
 - (h) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.
 - (i) "The Project Site," term where applicable, means the place of work named in the Special Conditions of Contract (SCC).
 - (j) "Purchaser" means Banaras Hindu University, institute, faculty, department and other entities of the University competent for purchasing Goods and Services, as specified in the SCC.
 - (k) "Related Services" means the services incidental to the supply of the goods, such as insurance, installation, training and initial maintenance and other such obligations of the Supplier under the Contract.

- (1) "SCC" means the Special Conditions of Contract.
- (m) "Subcontractor" means any person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier.
- (n) "Supplier" means the person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Contract Agreement.
- (o) "The Project Site," where applicable, means the place named in the SCC.

2. Contract Documents

2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Contract Agreement shall be read as a whole.

3. Corrupt and Fraudulent Practices

- 3.1 The University requires compliance with its policy against the corrupt and fraudulent practices as set forth Section- V.
- 3.2 The Purchaser requires the Supplier to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the bidding process or execution of the Contract. The information disclosed must include the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

4. Interpretation

- 4.1 Unless the context requires otherwise, singular means plural and vice versa.
- 4.2 The Contract constitutes the entire agreement between the Purchaser and the Supplier and supersedes all communications, negotiations and agreements (whether written or oral) of the parties with respect thereto made prior to the date of Contract.

4.3 Amendment

No amendment or other variation of the Contract shall be valid unless it is reduced to writing, dated, expressly refers to the Contract, and is signed by the duly authorized representative of each party thereto.

4.4 Nonwaiver

- (a) Subject to GCC Sub-Clause 4.5(b) below, no relaxation, forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- (b) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.

4.5 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

5. Language

- 5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Purchaser, shall be written in the language specified in the SCC. Supporting documents and printed literature that are part of the Contract may be in any language provided they are accompanied by an accurate translation of the relevant passages in the language specified, in which case, for purposes of interpretation of the Contract, such translation shall govern.
- 5.2 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Supplier.

6. Joint Venture, Consortium or Association

6.1 If the Supplier is a joint venture, consortium, or association, all of the parties shall be jointly and severally liable to the Purchaser for the fulfillment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior consent of the Purchaser.

7. Eligibility

- 7.1 The Bidder should not have been declared insolvent by the competent court.
- 7.2 The Bidder should not be disqualified for contract under the law of the land.

- 7.3 The Bidder should not be adjudged defaulter of Tax Payment under Income Tax Law or any other Law for the time being inforce.
- 7.4 The Supplier and its Subcontractors shall have the nationality of an eligible country. A Supplier or Subcontractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country. Nationality must be disclosed by the supplier
- 7.5 All Goods and Related Services to be supplied under the Contract shall have their origin in Eligible Countries. For the purpose of this Clause, origin means the country where the goods have been grown, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.

8. Notices

- 8.1 Any notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the **SCC**. The term "in writing" means communicated in written form with proof of receipt.
- 8.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

9. Governing Law

- 9.1 The Contract shall be governed by and interpreted in accordance with the laws of India, unless otherwise specified in the SCC.
- 9.2 Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in India when
 - (a) as a matter of law or official regulations, India prohibits commercial relations with that country; or
 - (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, India prohibits any import of goods from that country or any payments to any country, person, or entity in that country.

10 Settlement of Disputes

10.1 The Purchaser and the Supplier shall make every effort to resolve amicably by direct informal negotiation any

- disagreement or dispute arising between them under or in connection with the Contract.
- 10.2 If the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to settle the issue by arbitration, as hereinafter provided, as to the matter in dispute, no arbitration in respect of the matter be commenced unless such notice is given in accordance with this Clause for the final settlement of the matter. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.
- 10.3 All questions, disputes and differences arising shall be referred by the Vice-Chancellor, Banaras Hindu University to the sole arbitrator for arbitration under the provision of the Arbitrations and Conciliation Act, 1996.

11 Obligations During Arbitrations

- 11.1 Notwithstanding any reference to arbitration in Clause 10,
 - (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
 - (b) the Purchaser shall pay any amount due to the Supplier.

12. Scope of Supply

12.1 The Goods and Related Services to be supplied shall be as specified in the Schedule of Requirements.

13. Delivery and Documents

13.1 Subject to GCC Sub-Clause 33.1, the Delivery of the Goods and Completion of the Related Services shall be in accordance with the Delivery and Completion Schedule specified in the Schedule of Requirements. The details of shipping and other documents to be furnished by the Supplier are specified in the SCC.

14. Supplier's Responsibilities

14.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 12, and the Delivery and Completion Schedule, as per GCC Clause 13.

15 Contract Price

15.1 Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in the SCC.

16. Terms of Payment

- 16.1 Ordinarily, payments for services rendered or supplies made shall be released only after the services have been rendered or supplies appropriate to the requirement made. However in following cases advance payments may be made if specified in SCC:
 - (i) Advance payment demanded by firms holding maintenance contracts for servicing of Air-conditioners, computers, other costly equipment, etc.
 - (ii) Advance payment demanded by firms against fabrication contracts, turnkey contracts etc.

Such advance payment should not exceed the following limits:-

- (i) Thirty percent of the contract value to private firms;
- (ii) Forty percent of the contract value to a State or central Government agency or a Public Sector Undertaking; or
- (iii)In case of maintenance contract, the amount should not exceed the amount payable for six months under the contract.
- 16.2 The Supplier's request for payment shall be made to the Purchaser in writing, accompanied by invoices describing, as appropriate, the Goods delivered and Related Services performed, and by the documents submitted pursuant to GCC Clause 13 and upon fulfillment of all other obligations stipulated in the Contract.
- 16.3 Payments shall be made promptly by the Purchaser, within ninety (90) days after submission of an invoice or request for payment by the Supplier, and after the Purchaser has accepted it.
- 16.4 The currencies in which payment shall be made to the supplier under this contract shall be Indian currency unless otherwise agreed.

17. Taxes and Duties

- 17.1 For goods manufactured outside India, the Supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside India.
- 17.2 For goods Manufactured within India, the Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser.

17.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in India, the Purchaser shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent or country or origin, the supplies shall provide benefit from any such tax sowing to the purchaser.

18. Performance Security

- 18.1 If required as specified in the SCC, the Supplier shall, within twenty-one (21) days of the notification of contract award, provide a performance security for the performance of the Contract in the amount specified in the SCC.
- 18.2 The proceeds of the Performance Security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 18.3 As specified in the SCC, the Performance Security, if required, shall be denominated in the currency (ies) of the Contract or in a freely convertible currency acceptable to the Purchaser; and shall be in one of the format stipulated by the Purchaser in the SCC, or in another format acceptable to the Purchaser.
- 18.4 Performance security should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty obligation.
- 18.5 Bid security shall be refunded to the successful bidder within 30 days of receipt of performance security.

19. Copyright

19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party

20. Confidential Information

20.1 The Purchaser and the Supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Subcontractor such documents, data, and other information it receives from the Purchaser to the extent required for the Subcontractor to perform its work under the Contract, in which event the Supplier shall from such Subcontractor undertaking obtain an

- confidentiality similar to that imposed on the Supplier under GCC Clause 20.
- 20.2 The Purchaser shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Purchaser for any purpose other than the performance of the Contract.
- 20.3 The obligation of a party under GCC Sub-Clauses 20.1 and 20.2 above, however, shall not apply to information that:
 - (a) now or hereafter enters the public domain through no fault of that party;
 - (b) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or
 - (c) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.
- 20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.
- 20.5 The provisions of GCC Clause 20 shall survive completion or termination, for whatever reason, of the Contract.

21. Subcontracting

- 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under the Contract if not already specified in the bid. Such notification, in the original bid or later on shall not relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.
- 21.2 Subcontracts shall comply with the provisions of GCC Clauses 3 and 7.

22. Specifications and Standards

- 22.1 Technical Specifications and Drawings
 - (a) The Goods and Related Services supplied under this Contract shall conform to the technical specifications and standards mentioned in Section-VI, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods' country of origin or India.

(b) Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Purchaser and shall be treated in accordance with GCC Clause 33.

23. Packing and Documents

- 23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 23.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in the SCC, and in any other instructions ordered by the Purchaser.

24. Insurance

24.1 Unless otherwise specified in the SCC, the Goods supplied under the Contract shall be fully insured—in a freely convertible currency from an eligible country—against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the SCC.

25. Transportation and Incidental Services

- 25.1 The Supplier is required under the Contract to transport the Goods to a specified place of final destination within India, defined as the Project Site, transport to such place of destination in India, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price"; or any other agreed upon trade terms (specify the respective responsibilities of the Purchaser and the Supplier)
- 25.2 The Supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;

- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Purchaser's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- 25.3 Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services otherwise shall be at the cost of suppliers.

26. Inspections and Tests

- 26.1 The Supplier shall at its own expense and at no cost to the Purchaser carry out all such tests and/or inspections of the Goods and Related Services as are specified in the SCC.
- 26.2 The inspections and tests may be conducted on the premises of the Supplier or its Subcontractor, at point of delivery, and/or at the Goods' final destination, or in another place in India as specified in the SCC. Subject to GCC Sub-Clause 26.3, if conducted on the premises of the Supplier or its Subcontractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Purchaser.
- 26.3 The Purchaser or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Sub-Clause 26.2, provided that the Purchaser bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 26.4 Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.

- 26.5 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract, provided that the Supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.
- 26.6 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.7 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier, if permitted by the purchaser, shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice pursuant to GCC Sub-Clause 26.4.
- 26.8 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of any report pursuant to GCC Sub-Clause 26.6, shall absolve the Supplier from any warranties or other obligations under the Contract.

27. Liquidated Damages

27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Purchaser may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in those SCC. Once the maximum is reached, the Purchaser may terminate the Contract pursuant to GCC Clause 35.

28. Warranty

28.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate

- all recent improvements in design and materials, unless provided otherwise in the Contract.
- 28.2 Subject to Sub-Clause 22.1(b) of GCC, the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in India.
- 28.3 Unless otherwise specified in the SCC, the warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the SCC, or warranty period mentioned by supplier whichever period concludes later unless mutually agreed.
- 28.4 The Purchaser shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.
- 28.5 Upon receipt of such notice, the Supplier shall, within the period specified in the SCC, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the SCC; the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

29. Patent Indemnity

- 29.1 The Supplier shall, subject to the Purchaser's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered.
- 29.2 If any proceedings are brought or any claim is made against the Purchaser arising out of the matters referred to in GCC Sub-Clause 29.1, the Purchaser shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in

the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.

29.3 The Purchaser shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.

30. Force Majeure

- 30.1 For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 30.2 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably possible, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 30.3 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

31. Change Orders and Contract Amendments

- 31.1 The Purchaser may at any time order the Supplier through notice in accordance GCC Clause 8, to make changes within the general scope of the Contract in any one or more of the following:
 - (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
 - (b) the method of shipment or packing;
 - (c) the place of delivery; and
 - (d) the Related Services to be provided by the Supplier.
- 31.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this

- Clause must be asserted within twenty-eight (28) days from the date of the Supplier's receipt of the Purchaser's change order.
- 31.3 Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
- 31.4 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

32. Extensions of Time

- 32.1 If at any time during performance of the Contract, the Supplier or its subcontractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to GCC Clause 13, the Supplier shall promptly notify the Purchaser in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.
- 32.2 Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 26, unless an extension of time is agreed upon, pursuant to GCC Sub-Clause 34.1.

33. Termination

33.1 Termination for Default

- (a) The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part:
 - (i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 35;
 - (ii) if the Supplier fails to perform any other obligation under the Contract; or
 - (iii) if the Supplier, in the judgment of the Purchaser has engaged in fraud and corruption, as defined in GCC Clause 3, in competing for or in executing the Contract.

(b) In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 33.1(a), the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Purchaser for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

33.2 Termination for Insolvency.

(a) The Purchaser may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Purchaser.

33.3 Termination for Convenience.

- (a) The Purchaser, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- (b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:
 - (i) to have any portion completed and delivered at the Contract terms and prices; and/or
 - (ii) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.
- 34.1 Neither the Purchaser nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.

34. Assignment

Section VIII. Special Conditions of Contract

The following Special Conditions of Contract (SCC) shall supplement and / or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

GCC Clause Ref. No.	SCC			
GCC 1.1(i)	The Purchaser's country is: India.			
GCC 1.1(k)	The Purchaser is: The OSD, Trauma Centre, Institute of Medical Sciences, Banaras Hindu University, Varanasi-221005			
GCC 1.1 (j)	The Project Site(s)/Final Destination(s) is/are: The OSD, Trauma Centre, Institute of Medical Sciences, BHU, Varanasi-221005			
GCC 5.1	The language shall be: Hindi or English			
GCC 8.1	For notices, the Purchaser's address shall be:			
	Attention : Prof. Anand Kumar			
	Street Address : Officer on Special Duty, Trauma Centre, IMS			
	Banaras Hindu University			
	Floor/ Room number:			
	City : Varanasi			
	ZIP Code : 221005			
	Country : India			
	Telephone : 91-542-2366444			
	Facsimile number : 91-542-2366444			
	Electronic mail address: osdtraumabhu@gmail.com			
GCC 9.1	The governing law shall be the law of India.			
GCC 10.2	The rules of procedure for arbitration proceedings pursuant to GCC Clause 10.2 shall be as follows:			
	Contracts with Supplier for arbitral proceeding			

	In the case of a dispute between the Purchaser and a Supplier, the dispute shall be referred to adjudication or arbitration in accordance with the laws of India by the arbitrator appointed by vice-chancellor, BHU, unless otherwise agreed.		
GCC 13.1	Details of Shipping and other Documents to be furnished by the Supplier are :		
	 (i) An airway bill (ii) Insurance Certificate, (iii) Manufacturer's or Supplier's Warranty Certificate, (iv) Inspection Certificate issued by nominated inspection agency, (v) Supplier's factory shipping details etc 		
	The above documents shall be received by the Purchaser before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses.		
GCC 15.1	The prices charged for the Goods supplied and the related Services performed shall not be adjustable.		
GCC 16.1	Sample provision GCC 16.1—The method and conditions of payment to be made to the Supplier under this Contract shall be as follows: Payment for Goods supplied from abroad: Payment of foreign currency portion shall be made in Indian Rupees in the following manner:		
	(i) On Shipment: Ninety (90%) percent of the Contract Price of the Goods shipped shall be paid through irrevocable confirmed letter of credit opened in favor of the Supplier in a bank in its country, upon receiving equipment in good condition and documents specified in GCC Clause 13.1 under Section-VII.		
	(iii) On Acceptance: Remaining (10%) percent of the Contract Price of Equipment received shall be paid within thirty (30) days of receipt of the equipment upon submission of claim supported by the acceptance certificate issued by the Purchaser by bank draft/wire transfer.		
	Payment of local currency portion shall be made in Indian Rupees within thirty (30) days of presentation of claim supported by a certificate from the Purchaser declaring that the Goods have been delivered and that all other contracted Services have been performed.		
	Payment for Goods and Services supplied from within India:		

	Payment for Goods and Services supplied from within India shall be made in Indian Rupees , as follows:
	(i) On Delivery & Acceptance: Hundred (100%) percent of the Contract Price shall be paid on receipt of the Goods in good conditions and acceptance certificate for satisfactory installation and functioning.
GCC 18.1	A Performance Security shall be required @ 5% of contract price.
GCC 18.3	If required, the Performance Security shall be in the form of : Bank Guarantee If required, the Performance security shall be denominated in Indian Rupees.
GCC 23.2	The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract.
GCC 24.1	The insurance coverage shall be as specified in the Incoterms . If not in accordance with Incoterms , insurance shall be as follows: NA
GCC 25.1	Responsibility for transportation of the Goods shall be as specified in the Incoterms . If not in accordance with Incoterms , responsibility for transportations shall be as follows: NA
GCC 25.2	Incidental services to be provided are:
	Selected services covered under GCC Clause 25.2 and/or other should be specified with the desired features. The price quoted in the bid price or agreed with the selected Supplier shall be included in the Contract Price.
GCC 26.1	The inspections and tests shall be: Equipment should be installed at site by designated engineer of the firm. Demonstration should be made to the satisfaction of the P.I. At least four free visits should be made by the engineer during the first year after installation to clarify and rectify any doubts or problems as may be faced by the user.
GCC 26.2	The Inspections and tests shall be conducted at the Department where the equipment is installed. For the rest please refer to GCC 26.1.
GCC 27.1	The liquidated damage shall be: 1% per week

GCC 27.1	The maximum amount of liquidated damages shall be: 10%				
GCC 27.1	The maximum amount of fiquidated damages shall be. 10/0				
GCC 28.3	The period of validity of the Warranty shall be as per techn specification or at least a minimum of 12 months if not specified, from of acceptance/ satisfactory installation of the equipment. For purposes the Warranty, the place(s) of final destination(s) shall be the Department where the equipment is installed.				
	The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract (if any). If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, at its discretion, either:				
	(a) make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests in accordance with SCC 4,or				
	(b) pay liquidated damages to the Purchaser with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be 1% per week of actual value of the equipment (maximum 10%).				
GCC 28.5	The period for repair or replacement shall be: 60 days				

Part 4 -Bidding Forms and Contract Forms

Section IX: Bidding Forms

Table of Forms

1.	Tender Form(Techno commercial unpriced Bid)	130
2.	Tender Form(Price Bid)	133
3.	Bidder Information Form	135
4.	Manufacturer's Authorization	136

(ii) TENDER FORM

(Techno commercial un-priced Bid)

(On the letter head of the firm submitting the bid)

Tender	No
То	
	The
Dear Si	r,
2.	I/We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders;
3.	I/We meet the eligibility requirements and have no conflict of interest;
4.	I/We have not been suspended nor declared ineligible in India;
5.	I/We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods: [insert a brief description of the Goods and Related Services];
6.	I/We offer to supply the items as listed in the schedule to this tender hereto/portion thereof as you may specify in the acceptance of Tender at the price given in the said Schedule and agree to hold this offer open for a period of 90 days from the date of opening of the tender.
7.	I/we shall be bound by a communication of acceptance issued by you.
8.	I/We have understood the Instruction to bidders and Conditions of Contract in the form as enclosed with the invitation to the tender and have thoroughly examined the specifications quoted in the Schedule hereto and am/are fully aware of the nature of the goods required and my/our offer is to supply the goods strictly in accordance with the specifications and requirements.
	A crossed Bank Draft in favor of the Registrar, BHU for Rs (Rupees

- (a) Samples of items quoted for, as per instructions provided in the schedule of requirement.
- (b) Schedule of requirements, quoting the make only duly signed and stamped.(without indicating price)
- (c) Income Tax clearance certificate.
- (d) Copy of last audited balance sheet.
- (e) Copy of Valid Central/State sales tax registration certificate.
- (f) Copy of relevant major purchase orders valuing mare than Rs. 20000/- executed during last two years for Govt. Depts., PSUs & Central Autonomous bodies..
- (g) Proof of manufacturing Unit, dealership certificate/general order suppliers.
- (h) Statement of deviations from financial terms & conditions, if any.
- (i) Any other enclosure. (Please give details)
- 11. We undertake to execute all orders which have been placed to meet emergent requirements on priority basis.

12. Certified that the bidder is:

a) A sole proprietorship firm and the person signing the bid document is the sole proprietor/constituted attorney of the sole proprietor,

Or

b) A partnership firm, and the person signing the bid document is a partner of the firm and he has authority to refer to arbitration disputes concerning the business of the partnership by virtue of the partnership agreement/by virtue of general power of attorney.

Ωr

c) A company and the person signing the document is the constituted attorney.

(NOTE: Delete whatever is not applicable. All corrections/deletions should invariable be duly attested by the person authorized to sign the bid document).

- 13. We do hereby undertake that, until a formal notification of award, this bid, together with your written acceptance thereof shall constitute a binding contract between us.
- 14. If our bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents;
- 15. We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process, other than alternative bids submitted;
- 16. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in any type of fraud and corruption

Name of the Bidder* [insert complete name of person signing the Bid]

Name of the person duly authorized to sign the Bid on behalf of the Bidder** [insert complete name of person duly authorized to sign the Bid]

Title of the person signing the Bid [insert complete title of the person signing the Bid]

Signature of the person named above <u>[insert signature of person whose name and capacity are shown above]</u>

Date signed _[insert date of signing] day of [insert month], [insert year] *: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

**: Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid Schedules.

Yours faithfully,	
Signature of bidder)	
Dated this day of	
Address:	
Telephone No.:	
FAX	
E-mail	
Company seal	

(iii) TENDER FORM

(Priced Bid)

(On the letter head of the firm submitting the bid document)

To,		
The		
D C T 1 N	D / 1	
Ref: Tender No	Dated:	
Sir,		

Having examined the bidding documents and having submitted the techno commercial unpriced bid for the same, we, the undersigned, hereby submit the priced bid for supply of goods and services as per the schedule of requirements and in conformity with the said bidding documents.

- 1. We hereby offer to supply the Goods/Services at the prices and rates mentioned in the enclosed schedule of requirement.
- 2. We do hereby undertake that, in the event of acceptance of our bid, the supply of Goods/Services shall be made as stipulated in the schedule of requirement and that we shall perform all the incidental services.
- 3. The prices quoted are inclusive of all charges net F.O.R University. We enclose herewith the complete Financial Bid as required by you. This includes:
 - a. Price Schedule(Bill of Quantity-BOQ).
 - b. Statement of deviations from financial terms and conditions.
- 4. We agree to abide by our offer for a period of **90 days** from the date fixed for opening of the bid documents and that we shall remain bound by a communication of acceptance within that time.
- 5. We have carefully read and understood the terms and conditions of the bid document and we do hereby undertake to supply as per these terms and conditions. The Financial Deviations are only those mentioned in the statement of deviations from financial terms and conditions.
- 6. We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient,

its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of	Address	Reason	Amount
Recipient			

(If none has been paid or is to be paid, indicate "none.")

- 7. We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed; and
- 8. We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Certified that the bidder is:

A sole proprietorship firm and the person signing the bid document is the sole proprietor/constituted attorney of sole proprietor,

0r

A partnership firm, and the person signing the bid document is a partner of the firm and he has authority to refer to arbitration disputes concerning the business of the partnership by virtue of the partnership agreement/by virtue of general power of attorney,

0r

A company and the person signing the bid document is the constituted attorney.

(NOTE: Delete whatever is not applicable. All corrections/deletions should invariably be duly attested by the person authorized to sign the bid document.)

We do hereby undertake that, until a formal notification of award, this bid, together with your written acceptance thereof, shall constitute a binding contract between us.

Dated this day of
Signature of Bidder
Details of enclosures
Full Address:
Telephone No
Mobile No.:
Fax No.:
E-mail :

COMPANY SEAL

Bidder Information Form

[The Bidder shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission]

ADVT. No.: [insert number of bidding process] Alternative No.: [insert identification No if this is a Bid for an alternative] Page of 1. Bidder's Name [insert Bidder's legal name] 2. In case of JV, legal name of each member : [insert legal name of each member in JV] 3. Bidder's actual or intended country of registration: [insert actual or intended country of registration] 4. Bidder's year of registration: [insert Bidder's year of registration] 5. Bidder's Address in country of registration: [insert Bidder's legal address in country of registration] 6. Bidder's Authorized Representative Information Name: [insert Authorized Representative's name] Address: [insert Authorized Representative's Address] Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers] Email Address: [insert Authorized Representative's email address] 7. Attached are copies of original documents of [check the box(es) of the attached original documents] Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above,. In case of JV, letter of intent to form JV or JV agreement,. ☐ In case of Government-owned enterprise or institution, documents establishing: Legal and financial autonomy Operation under commercial law Establishing that the Bidder is not dependent agency of the Purchaser 2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

Manufacturer's Authorization

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid, if so indicated in the **BDS**.]

Date: [insert date (as day, month and year) of Bid Submission]
ADVT. No.: [insert number of bidding process]
Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [insert complete name of Purchaser]

WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 28 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: [insert s	ignature(s) of authorized rep	presentative(s) of the Manufacturer]
Name: [insert co	mplete name(s) of authorize	ed representative(s) of the Manufacturer]
Title: [insert title	?]	
Dated on	day of	,[insert date of signing]

Section X. Contract Forms

This Section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.

Table of Forms

1.	Letter of Acceptance	. 138
2.	Contract Agreement	. 139
3.	Performance Security	141
4.	Advance Payment Security	. 145

TENDER ACCEPTANCE LETTER

(To be given on Company Letter Head)

	Date.
	- -
	- -
Sub: Acceptance of Terms &	& Conditions of Tender.
-	Reference No
Name of Tender/ Work: -	
Dear Sir, 1. I/We have downloaded/ 'Tender/Work' from the web	obtained the tender document(s) for the above mentioned site(s) namely:
as per your advertisement, giv	ven in the above mentioned website(s).
documents from Page No	I/We have read the entire terms and conditions of the tender to (including all documents like which form part of the contract agreement and I/we shall abide as/ clauses contained therein.
<u> </u>	from time to time by your department/ organisation too have also, while submitting this acceptance letter.
document(s)/ corrigendum(s) 5. In case any provisions of the shall without prejudice to an	ally accept the tender conditions of above mentioned tender in its totality/entirety. his tender are found violated, then your department/organisation by other right or remedy be at liberty to reject this tender/bid full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Contract Agreement

[The successful Bidder shall fill in this form in accordance with the instructions indicated]

THIS AGREEMENT made

the [insert: number] day of [insert: month], [insert: year].

BETWEEN

- (1) [insert complete name of Purchaser], a [insert description of type of legal entity, for example, an agency of the Ministry of of the Government of {insert name of Country of Purchaser}, or corporation incorporated under the laws of {insert name of Country of Purchaser}] and having its principal place of business at [insert address of Purchaser] (hereinafter called "the Purchaser"), of the one part, and
- [insert name of Supplier], a corporation incorporated under the laws of [insert: country of Supplier] and having its principal place of business at [insert: address of Supplier] (hereinafter called "the Supplier"), of the other part:

WHEREAS the Purchaser invited bids for certain Goods and ancillary services, viz., [insert brief description of Goods and Services] and has accepted a Bid by the Supplier for the supply of those Goods and Services

The Purchaser and the Supplier agree as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other contract documents.
 - (a) the Letter of Acceptance
 - (b) the Tender Forms
 - (c) the Addenda Nos.____ (if any)
 - (d) Special Conditions of Contract
 - (e) General Conditions of Contract
 - (f) the Specification (including Schedule of Requirements and Technical Specifications)
 - (g) the completed Schedules (including Price Schedules(BOQ))
 - (h) any other document listed in GCC as forming part of the Contract

- 3. In consideration of the payments to be made by the Purchaser to the Supplier as specified in this Agreement, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of [insert the name of the Contract governing law country] on the day, month and year indicated above.

For and on behalf of the Purchaser

Signed: [insert signature] in the capacity of [insert title or other appropriate designation] in the presence of [insert identification of official witness]

For and on behalf of the Supplier

Signed: [insert signature of authorized representative(s) of the Supplier] in the capacity of [insert title or other appropriate designation] in the presence of [insert identification of official witness]

Performance Security

Option 1: (Bank Guarantee)

[The bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated]

Beneficiary: [insert name and Address of Purchaser]

Date: _[Insert date of issue]

PERFORMANCE GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that _ [insert name of Supplier, which in the case of a joint venture shall be the name of the joint venture] (hereinafter called "the Applicant") has entered into Contract No. [insert reference number of the contract] dated [insert date] with the Beneficiary, for the supply of _ [insert name of contract and brief description of Goods and related Services] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of [insert amount in figures]


[insert amount in words], such sum being payable in the types and proportions of

Beneficiary any sum or sums not exceeding in total an amount of [insert amount in figures] (________) [insert amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire, no later than the Day of, $2...^2$, and any demand for payment under it must be received by us at this office indicated above on or before that date.

The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, and denominated either in the currency(ies) of the Contract or a freely convertible currency acceptable to the Beneficiary.

Insert the date twenty-eight days after the expected completion date as described in GC Clause 18.4. The Purchaser should note that in the event of an extension of this date for completion of the Contract, the Purchaser would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee. In preparing this guarantee, the Purchaser might consider adding the following text to the form, at the end of the penultimate paragraph: "The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six]



Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

months][one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."

Option 2: Performance Bond

By this Bond [insert name of Principal] as Principal (hereinafter called "the Supplier") and [insert name of Surety] as Surety (hereinafter called "the Surety"), are held and firmly bound unto [insert name of Purchaser] as Obligee (hereinafter called "the Supplier") in the amount of [insert amount in words and figures], for the payment of which sum well and truly to be made in the types and proportions of currencies in which the Contract Price is payable, the Supplier and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Contractor has entered into a written Agreement with the Purchaser dated the ______ day of ______, 20 _____, for [name of contract and brief description of Goods and related Services] in accordance with the documents, plans, specifications, and amendments thereto, which to the extent herein provided for, are by reference made part hereof and are hereinafter referred to as the Contract.

NOW, THEREFORE, the Condition of this Obligation is such that, if the Supplier shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Supplier shall be, and declared by the Purchaser to be, in default under the Contract, the Purchaser having performed the Purchaser's obligations thereunder, the Surety may promptly remedy the default, or shall promptly:

- (1) complete the Contract in accordance with its terms and conditions; or
- (2) obtain a Bid or bids from qualified Bidders for submission to the Purchaser for completing the Contract in accordance with its terms and conditions, and upon determination by the Purchaser and the Surety of the lowest responsive Bidder, arrange for a Contract between such Bidder and Purchaser and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by Purchaser to Supplier under the Contract, less the amount properly paid by Purchaser to Contractor; or
- (3) pay the Purchaser the amount required by Purchaser to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.

The Surety shall not be liable for a greater sum than the specified penalty of this Bond.

Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate.

No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Purchaser named herein or the heirs, executors, administrators, successors, and assigns of the Purchaser.

In testimony whereof, the Supplier has hereunto set his hand and affixed his seal, and the Sure has caused these presents to be sealed with his corporate seal duly attested by the signature his legal representative, this day of 20			
SIGNED ON	on behalf of		
Ву	in the capacity of		
In the presence of			
SIGNED ON	on behalf of		
Ву	in the capacity of		
In the presence of			

Advance Payment Security

[Guarantor letterhead or SWIFT identifier code]

Beneficiary: [Insert name and Address of Purchaser]

Date: [Insert date of issue]

ADVANCE PAYMENT GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that [insert name of Supplier, which in the case of a joint venture shall be the name of the joint venture] (hereinafter called "the Applicant") has entered into Contract No. [insert reference number of the contract] dated [insert date] with the Beneficiary, for the execution of [insert name of contract and brief description of Goods and related Services] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum [insert amount in figures] () [insert amount in words] is to be made against an advance payment guarantee.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of [insert amount in figures] (_______) [insert amount in words]¹ upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the Applicant:

- (a) has used the advance payment for purposes other than toward delivery of Goods; or
- (b) has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.

The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency(ies) of the advance payment as specified in the Contract, or in a freely convertible currency acceptable to the Purchaser.

A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Applicant on its account number [insert number] at [insert name and address of Applicant's bank].

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Applicant as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, has been certified for payment, or on the [insert day] day of [insert month], 2 [insert year], whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No.758, except that the supporting statement under Article 15(a) is hereby excluded.

[signature(s)]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

INVITATION FOR BIDS Notice Inviting Tender (NIT)

BANARAS HINDU UNIVERSITY OFFICE OF DIRECTOR INSTITUTE OF MEDICAL SCIENCES VARANASI-221005

e-Procurement Notice

Dated: 05-03-2015

Ref: BHU/IMS/TC/N-1/2014/04

Online tenders are hereby invited in **two cover system** from reputed **manufacturer/ authorized representative of a manufacture/whole sale dealer/importer** for supply of :-

Item	Name of Items	Quantity
No.		
	DEPARTMENT OF NEUROSURGERY	
	Cranial Surgery Set (From item No. 01- 103)	
1.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED	3
	Approximate 165 MM LONG	_
2.	TOENNIS-ADSON DISSECTING SCISSOR CURVED DELICATE	3
	Approximate 175 MM LONG	_
3.	SCHMIEDEN-TAYLOR DURA SCISSOR Approximate 155 MM LONG	3
4.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED	3
	Approximate 115 MM LONG	
5.	MICRO ADSON TOOTH DISSECTING TISSUE FORCEP Approximate 180	3
	MM LONG	
6.	ADSON TOOTH DELICATE TISSUE FORCEP Approximate 120 MM	3
	LONG	
7.	CAIRS-DOTT/CUSHING DELICATE DISSECTING STRAIGHT FORCEP	3
	APPROXIMATE 175 MM	_
8.	DEBAKEY DISSECTING Forcep 1.5 MM TIP Approximate 200 MM LONG	3
9.	CUSHING/BROWN/GRUENWALD-GERALD BAYONET DELICATE	3
	DISSECTING Forcep ½ Approximate 180 MM LONG	
10.	Backhaus Towel Clamp sharp tip approximate 90 mm	12
11.	HEAVY DISSECTING FORCEP MEDIUM ½ Approximate 145 MM LONG	3
12.	HUDSON/ADSON TOOTH DURAL FORCEP APPROXIMATE 120 MM	3
	LONG	
13.	DANDY DELICATE FORCEP CURVED ON SIDE Approximate 140 MM	90
	LONG	
14.	BABY-CRILE-WOOD NEEDLE HOLDER WITH TUNSGTEN CARBIDE	3
	INSERT Approximate 150 MM LONG	
15.	DE'BAKEY NEEDLE HOLDER WITH TUNSGTEN-CARBIDE INSERT	3
	APPROXIMATE 180 MM LONG	
16.	MAYO-HEGAR NEEDLE HOLDER HEAVY PATTERN WITH	3
	TUNSGTEN CARBIDE INSERT APPROXIMATE 185 MM LONG	

17. ADSON-BABY/CONE SELF RETAINING RETRACTOR SEMI SHARP APPROXIMATE 140 MM LONG 18. GILLIES DURAL HOOK SHARP APPROXIMATE 180 MM LONG 20. DAVIS RASPATORY APPROXIMATE 245 MM LONG 3 21. FREER RASPARATORY APPROXIMATE 245 MM LONG 3 22. MALLEABLE BRAIN SPATULA FLAT 19 MM WIDE Approximate 200 mm Long 23. MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 mm LONG 24. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 25. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM APPROXIMATE 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM APPROXIMATE 130 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR ANGULAR EATION APPROXIMATE 190 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE - 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. BURY SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135			
18. GILLIES DURAL HOOK SHARP APPROXIMATE 180 MM LONG 19. FRAZIER DURAL HOOK APPROXIMATE 130 MM LONG 20. DAVIS RASPATORY APPROXIMATE 130 MM LONG 21. FREER RASPARATORY APPROXIMATE 190 MM LONG 22. MALLEABLE BRAIN SPATULA FLAT 19 MM WIDE Approximate 200 mm Long 23. MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 mM LONG 24. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 25. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM LONG 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM APPROXIMATE 350 MM GOOD APPROXIMATE 350 MM APPROXIMATE 350 MM APPROXIMATE 350 MM LONG 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM APPROXIMATE 350 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 31. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE - 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM -1, 4. CUSHING PERFORATOR 12 MM -1, 5. CUSHING PERFORATOR 10 MM -1, 4. CUSHING PERFORATOR 12 MM -1, 5. CUSHING PERFORATOR 10 MM -1, 6. BURR CONICAL 10 MM -1, 7. BURR CONICAL 14 MM -1, 8. BURR SPHERICAL 22 mm, 10. DRILL BIO 2 mm -1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN BELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3 Approximate 210 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3 Approximate 135 MM LONG	17.		3
20. DAVIS RASPATORY APPROXIMATE 245 MM LONG 21. FREER RASPARATORY APPROXIMATE 190 MM LONG 3 22. MALLEABLE BRAIN SPATULA FLAT 9 MM WIDE Approximate 200 mm Long 23. MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 mM LONG 44. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 55. MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG 66. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 67. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM LONG 68. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM LONG 69. GIGLIE HOOK HANDLE FOR WIRE SAWS 60. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 60. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 61. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 61. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 63. RANEY CLIP APPLYING /REMOVING FORCEP 63. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 64. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 65. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING	18.		3
21. FREER RASPARATORY APPROXIMATE 190 MM LONG 22. MALLEABLE BRAIN SPATULA FLAT 9 MM WIDE Approximate 200 mm long 23. MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 mM LONG 24. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 mM LONG 25. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 mM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEBEBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 210 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3 Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3 Approximate 135 MM LONG	19.	FRAZIER DURAL HOOK APPROXIMATE 130 MM LONG	6
22. MALLEABLE BRAIN SPATULA FLAT 9 MM WIDE Approximate 200 mm Long 23. MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 MM LONG 24. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 25. MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE - 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. BURR SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3 Approximate 135 MM LONG	20.	DAVIS RASPATORY APPROXIMATE 245 MM LONG	3
Long MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 MM LONG MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG EFERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG PERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM PERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM MALONG BIGLIE HOOK HANDLE FOR WIRE SAWS DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) RANEY CLIP APPLYING /REMOVING FORCEP RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER RUSKIN BONE RONGEUR CURVED Approximate 205 MM LONG VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. BURT SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3 Approximate 135 MM LONG	21.	FREER RASPARATORY APPROXIMATE 190 MM LONG	3
23. MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200 MM LONG 24. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 25. MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE - 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG	22.	**	3
24. MALLEABLE BRAIN SPATULA FLAT 17 MM WIDE Approximate 200 MM LONG 25. MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE - 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 14 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 13 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG	23.	MALLEABLE BRAIN SPATULA FLAT 12 MM WIDE Approximate 200	3
25. MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200 MM LONG 26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 9 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 3 43. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE - 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 11 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 210 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE Approximate 135 MM LONG	24.		3
26. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM Approximate 110 MM LONG 27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 9 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL 3 BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	25.	MALLEABLE BRAIN SPATULA FLAT 25 MM WIDE Approximate 200	3
27. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm Approximate 110 MM 28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 9 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 3 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 Approximate 210 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	26.	FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 3 MM	6
28. FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM Approximate 110 MM 29. GIGLIE HOOK HANDLE FOR WIRE SAWS 9 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIGLE WIRE SAW APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 3 RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL 3 BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE 3 Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	27.	FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 4 mm	6
29. GIĞLIE HOOK HANDLE FOR WIRE SAWS 30. DEMARTEL CONDUCTOR FLEXIBLE FOR GIĞLE WIRE SAW APPROXIMATE 350 MM 31. GIĞLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE 3 Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 APPROXIMATE 35 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	28.	FERGUSION/FRAZIER SUCTION CANNULAE ANGULAR 2.5 MM	6
APPROXIMATE 350 MM 31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 6 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	29.		9
31. GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG (MINIMUM 20 WIRES TO BE CONSIDERED AS 1 UNIT) 32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	30.		12
32. RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE CONSIDERED AS 1 UNIT) 33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG	31.	GIGLE TWISTED WIRE SAW APPROXIMATE 500 MM LONG	9
33. RANEY CLIP APPLYING /REMOVING FORCEP 34. RUSKIN BONE RONGEUR ANGULAR DOUBLE ACTION APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	32.	RANEY SCALP REUSABLE CLIP PACK (MINIMUM 24 PIECES TO BE	3
APPROXIMATE 190 MM LONG 35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG	33.	· · · · · · · · · · · · · · · · · · ·	3
35. OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM LONG 36. VENTRICULAR PUNTURE CUSHING/CUSHING-CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1, HUDSON DRILL BRACE – 1, 2, HUDSON CEREBELLAR EXTENSION PIECE-1, 3, CUSHING PERFORATOR 10 MM-1, 4, CUSHING PERFORATOR 12 MM-1, 5, CUSHING PERFORATOR 14 MM-1, 6, BURR CONICAL 10 MM-1, 7, BURR CONICAL 14 MM-1, 8, Burr SPHERICAL 16 mm, 9, BURR SPHERICAL 22 mm, 10, DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG	34.		3
36. VENTRICULAR PUNTURE CUSHING/CUSHING- CAIRNS/DANDY/CONE 1.5-2.0 MM DIAMETER 37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 49. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	35.	OLIVERCRONA BONE RONGEUR CURVED Approximate 205 MM	3
37. HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM- 1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT) 38. JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG 49. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	36.	VENTRICULAR PUNTURE CUSHING/CUSHING-	3
39. SCALPEL HANDLE FOR SURGICAL BLADE NO. 11 BAYONET TYPE Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	37.	HUDSON HAND DRILL SET: COMPONENTS: 1. HUDSON DRILL BRACE – 1, 2. HUDSON CEREBELLAR EXTENSION PIECE-1, 3. CUSHING PERFORATOR 10 MM-1, 4. CUSHING PERFORATOR 12 MM-1, 5. CUSHING PERFORATOR 14 MM-1, 6. BURR CONICAL 10 MM-1, 7. BURR CONICAL 14 MM-1, 8. Burr SPHERICAL 16 mm, 9. BURR SPHERICAL 22 mm, 10. DRILL BID 2 mm-1 (ALL TO BE QUOTED AS 1 UNIT)	3
Approximate 210 MM LONG 40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE 3 Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	38.	JANSEN SELF RETAINING RETRACTOR Approximate 100 MM LONG	6
40. SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE Approximate 135 MM LONG 41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	39.		3
41. SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE 3	40.	SCALPEL HANDLE FOR SURGICAL BLADE NO. 23 BAYONET TYPE	3
	41.	SCALPEL HANDLE FOR SURGICAL BLADE NO. 15 BAYONET TYPE	3

42.	DAHLGREN SKULL PUNCH With 2 Extra Hooks Approximate 210 MM	3
	LONG	
43.	BURR HOLE PROTECTION FORCEP APPROXIMATE 205 MM LONG	3
44.		
	Long	
45.	CURVED PERIOSTEAL ELEVATOR/RASPATORY 12.5 MM WIDE	3
1.0	APPROXIMATE 140 MM LONG	2
46.	VOLKMANN BONE CURETTE 3.5 mm CUP Approximate mm 170 mm	3
47.	Long WIRE CUTTER TO CUT WIRE CLOSE TO BONE	3
48.	PENFIELD DISSECTOR No. 1 Approximate 175 MM LONG	3
		3
49.	PENFIELD DISSECTOR NO. 2 Approximate 195 MM LONG	
50.	PENFIELD TISSUE DISSECTOR NO. 3 Approximate 195 MM LONG	3
51.	PENFIELD TISSUE DISSECTOR NO. 4 Approximate 205 MM LONG	3
52.	COMPLETE PNEUMATIC KERRSION PUNCH ASSEMBLY WITH	1
	2MM,3MM,4MM LONG BLADES	2
53.	KERRISON PUNCH 90° 3 MM UPWARD, NOIR TYPE, DETACHABLE	3
5.1	WITH STANDARD FOOT PLATE APPROXIMATE 180 MM LONG	3
54.	KERRISON PUNCH 90 ^o 4 MM UPWARD, NOIR TYPE, DETACHABLE WITH STANDARD FOOT PLATE APPROXIMATE 180 MM LONG	3
55.	KERRISON PUNCH 40 ⁰ 2 MM UPWARD, NOIR TYPE, DETACHABLE	3
33.	WITH STANDARD FOOT PLATE APPROXIMATE 180 MM LONG	3
56.	FREER/HALLE PERIOSTEAL ELEVATOR BLUNT 4 MM WIDE AND	3
30.	APPROXIMATE 190 MM LONG	3
57.	PENNYBACKER PROBE DISSECTOR 5 MM WIDE Approximate 230 MM	3
	LONG	
58.	YASARGIL GALEA SPRING-HOOK (LARGE) FOR GALEA FIXATION	6
	WITH BULL DOG CLAMP	
59.	YASARGIL GALEA SPRING-HOOK (SMALL) FOR GALEA FIXATION	6
	WITH BULL DOG CLAMP	
60.	WULLSTEIN/WEITLANER RETRACTOR BLUNT APPROXIMATE 130	3
<i>C</i> 1	MM LONG KERRISON PUNCH 40 ⁰ 2 MM BAYONET UPWARD, NOIR,	3
61.	DETACHABLE WITH THIN FOOT PLATE APPROXIMATE 180 MM	3
	LONG	
62.	YASARGIL MICRO DISSECTING SCISSOR BAYONET STRAIGHT	3
02.	Approximate 225 MM LONG	5
63.	YASARGIL MICRO DISSECTING SCISSOR BAYONET CURVED	3
	UPWARD APPROXIMATE 225 MM LONG	
64.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH	3
	STRAIGHT TIP Approximate 165 MM LONG	
65.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH UPWARD	3
	CURVED TIP APPROXIMATE 165 MM LONG	_
66.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH	3
(7	STRAIGHT TIP Approximate 200 MM LONG	2
67.	YASARGIL MICRO DISSECTING SCISSOR BAYONET WITH UPWARD	3
	CURVED TIP APPROXIMATE 200 MM LONG	

68.	YASARGIL FORCEP FOR GRASPING TUMOR BAYONET 3 MM CUP Approximate 200 MM LONG	3
69.	YASARGIL MICROFORCEP BAYONET 0.6 mm Tip Approximate 180 mm	3
70.	YASARGIL MICROFORCEP BAYONET 0.9 mm Tip Approximate 220 mm	3
71.	Long JEWELER MICROFORCEP ANGULAR TIP Approximate 110 MM LONG	3
72.	LUCAE TOOTH BAYONET FORCEP APPROXIMATE 140 MM LONG	3
73.	YASARGIL MICRO NEEDLE HOLDER BAYONET STRAIGHT APPROXIMATE 200 MM LONG	3
74.	CASPAR EXPLORATION HOOK WITH 90° TIP Approximate 245 MM LONG	3
75.	ADSON NERVE HOOKBLUNT APPROXIMATE 190 MM LONG	3
76.	KLAINERT-KUTZ/KILMER DURA HOOK SHARP Approximate 160 MM LONG	3
77.	CASPAR MICRO-DISSECTOR 2 MM DOWN WARD CURVED APPROXIMATE 230 MM LONG	3
78.	CASPAR MICRO DISSECTOR UPWARD CURVED BAYONET 1 MM Approximate 200 MM LONG	3
79.	CASPAR MICRO DISSECTOR BAYONET DOWNWARD CURVED 1 MM APPROXIMATE 210 MM LONG	3
80.	YASARGIL MICRO RASPATORY BAYONET DOWNWARD CURVED APPROXIMATE 185 MM LONG	3
81.	SAMI TYPE KNIFE FOR TUMOR TISSUE 1.5 MM Approximate 230 MM LONG	3
82.	SAMI TYPE KNIFE OR TUMOR TISSUE 2 MM Approximate 230 MM LONG	3
83.	YASARGIL ARACHNOID KNIFE BAYONET SHAPE	3
84.	FERGUSON/FRAZIER 2 MM CANNULA ANGULAR Approximate 110 MM LONG	3
85.	NOIR/SUPER CUT METZENBAUM DISSECTING SCISSOR CURVED Approximate 180 mm LONG	3
86.	NOIR/SUPER CUT BABY METZENBAUM DISSECTING SCISSOR DELCATE CURVED APPROXIMATE 145 MM LONG	3
87.	CRILE-WOOD NEEDLE HOLDER WITH TUNGSTEN CARBIDE INSERT APPROXIMATE 185 MM LONG	3
88.	FRYKHOLN/LEKSELL BONE RONGEUR DOUBLE ACTION Approximate 240 mm Long	3
89.	ECHLIN BONE RONGEUR DOUBLE ACTION Approximate 230 MM LONG	3
90.	MOLLISON SELF RETAINING RETRACTOR Approximate 155 MM LONG	3
91.	ADSON-ANDERSON SELF RETAINING LAMINECTOMY RETRACTOR APPROXIMATE 190 MM LONG	3
92.	CONE SKULL PUNCH APPROXIMATE 23 CM FOR THICK SKULL	3
93.	MISKIMON SELF RETAINING RETRACTOR Approximate 200 MM LONG	3
94.	TAYLOR DURAL SCISSORS ABOUT 140 MM LONG ANGLED	3

95.	REUSABLE SUBCUTANEOUS TUNNELLOR FOR PASSAGE OF SHUNT TUBE FROM SKULL TO ABDOMEN (ADULT)	3
96.	REUSABLE SUBCUTANEOUS TUNNELLOR FOR PASSAGE OF SHUNT	3
70.	TUBE FROM SKULL TO ABDOMEN (PEDIATRIC)	
97.	PERITONEAL TROCAR FOR PLACEMENT OF SHUNT IN ABDOMEN	
98.	CASPAR STRAIGHT BIOPSY FORCEP 2 MM X 12 MM APPROXIMATE	3
	160 MM LONG	
99.	CUSHING/CASPAR STRAIGHT BIOPSY Forcep 2 MM Approximate 140	3
100.	MM LONG TAKAHASI/WEIL-BLAEK LSEY/LOVE-GRUENWALD 3 MM BIOPSY	3
100.	FORCEP APPROXIMATE 120 MM LONG	3
101.	COBB RASPARATORY ABOUT 13 MM Approximate 280 MM LONG	3
102.	LANGENBECK RETRACTOR 14 MM WIDE Approximate 180 MM LONG	3
103.	STERLIZATION TRAY/CONTAINER LARGER SIZE	3
104.	Radiolucent Spinal Frame	1
105.	High Speed Electrical Craniotome and Drill set	2
106.	Miniplate Fixation Set	1
107.	Ultrasound Surgical Aspirator	1
108.	Neurosurgery Radiolucent O.T. Table	1
	Department of Plastic Surgery	
109.	Total power tool assembly with saws, driver, drill and burrs	1
110.	Nerve Stimulator-Mapper-Locator	1
111.	Mesh dermatome with variable expansion	1
112.	Electronic tourniquet	4
	Department of General Surgery	
113.	Metzenbaum scissors 6" curved (TC)	6
114.	Metzenbaum scissors 9" curved (TC)	6
115.	Stitch cutting scissors	10
116.	Mayo Scissors small straight (TC)	4
117.	Mayo Scissors small curved (TC)	4
118.	Mayo Scissors large straight (TC)	4
119.	Mayo Scissors large curved (TC)	4
120.	Iris scissors straight (TC)	2
121.	Iris scissors curved (TC)	2
122.	Langenbeck retractor small	8
123.	Langenback retractor medium	8
124.	Czerney retractor	8
125.	Deaver's retractor	8
126.	Doyen's retractor	8
127.	Morris retractor Large	4
128.	Morris retractor Small	4
129.	Cat's paw retractor	4
130.	Jeweller's forceps small	4
131.	Jeweller's forceps medium	4

132.	Jeweller's forceps large	4
133.	Adson's forceps tooth	4
134.	Adson's forceps non-tooth	4
135.	Vulsellum forceps	4
136.	Allis forceps	8
137.	Baby Allis Forceps	8
138.	Babcock Forceps Large	8
139.	Babcock Forceps Small	8
140.	Scalpel handle no.3 & 4 (Each Size)	10
141.	Kidney trays	10
142.	Small Bowls (Katori)	10
143.	Sponge holding forceps	10
144.	Artery forceps (6 inch & 9 inch) (Each size)	30
145.	Mosquito forceps	20
146.	Cheatle forceps	6
147.	Dissecting forceps 3", 4", 5"	6
148.	Skin hooks single	4
149.	Skin hooks double sharp	4
150.	Skin hooks double blunt	4
151.	Needle holder 4" & 5" (Each Size)	4
152.	Needle holder 7"	4
153.	Towel clips	40
154.	Chisel straight	4
155.	Chisel curved	4
156.	Bulldog clamps	10
157.	Giggley saw handle (Pair)	6
158.	Dingam mouth gag with tongue depressor set	2
159.	Kilner Dott mouth gag with tongue depressor set	2
160.	Cleft palate elevators left, right, straight	1
161.	Cleft palate scissors 6" (TC)	1
162.	Metallic rulers	2
163.	Selfretaining abdominal wall retractor	4
164.	Aufricht scissors	2
165.	Skin grafting handle (Watson type)	2
166.	Silver's miniature skin grafting handle	2
167.	Skin grafting meshing board	1
168.	Double action bone nibbler	1
169.	Double action bone cutter	1
170.	Wire cutter	1
171.	Fascial stripper	1
172.	Tendon stripper	1
173.	Tendon hook	1

174		1
174.	Tendon retriever	1
175.	Hand drill chuck type	1
176.	Hand drill collet type	1
177.	Rib shear	2
178.	Jaw hook	1
179.	Ramus retractor	1
180.	Mandible retractor	1
181.	Rowe's maxillary disimpaction forceps left and right	1
182.	K-wire cutter	1
183.	K-wire bender	1
184.	Wire twister	1
185.	Bone awl	1
186.	Bone currete	1
187.	Joel's Thyroid retractor	2
188.	Desjordin's store holding forceps	2
189.	Intestinal Clamps (Non crushing)	8
190.	Vascular Clamps (De Bakey's)	16
191.	Right angle Bowel Clamps (Non crushing)	4
192.	Octopus self retaining abdominal wall retractor	1
193.	Right angle artery Forceps (6 & 8 inch) (Each Size)	4
194.	Lung retractor	2
195.	Periosteal elevator (straight & Curved) (Each Size)	4
196.	High Frequency Monopolar and Bipolar Surgical Diathermy Unit	1
	Department of Orthopaedic	
197.	Basic Set LC-DCP/DCP-Complete	2
198.	Small Fragment Set	1
199.	Mini Fragment Set	1
200.	CHS/DCS Instrument Set	1
201.	General Instrument Set	1
202.	Instrument Set For Austin Moore Prosthesis & Bipolar	1
203.	K Nail Instrument Set	1
204.	Wire Instrument Set	1
205.	Tension Band Wiring Set	1
206.	Bone Forceps Set	1
207.	Instrument Set for Square Nailing of Radius/ULNA	1
208.	Laminectomy Instrument Set	1
209.	Plaster Instrument Set	1
210.	Staple Instrument Set	1
211.	Instrument Set for Angled Blade Plate	1
212.	Large 7MM Cannulated Screw Instrument Set	1
213.	4MM Cannulated Screw Instrument Set	1
214.	Tubular External Fixator Set	1
		•

215.	Universal External Fixator Set	1
216.	Spine Instrument Set (Monoaxial/Poly Axial/Cervical/Tlif)	1
217.	Power Drilling System (Battery Operated)	2
218.	Electric Drilling System	2
219.	General Pelvic Instruments	1
220.	C-Arm Image Intensifier	2
221.	Vacuum assisted Closure System	
	Department of Anaesthesiology & ICU	
222.	FLEXIBLE/ FIBEROPTIC VIDEO BRONCOSCOPE (ADULT SIZE)	1
223.	Videolaryngoscope	1
224.	Scoop Stretchers	4

Bidders can download complete set of bidding documents from e- procurement Platform https://eprocure.gov.in/eprocure/app from 07-03-2015 onwards. Bidders need to submit the bids online for the interested items by uploading all the required documents through https://eprocure.gov.in/eprocure/app.

Last Date/ Time for receipt of bids through e-procurement is: 17-04-2015 upto 05:00PM. (Server time). Late bids shall not be accepted.

For further details regarding Tender Notification & Specifications please visit website: https://eprocure.gov.in/eprocure/app and www.bhu.ac.in.

CRITICAL DATE SHEET

Published Date	07-03-2015 (04:00 PM)
Bid Document Download Start Date	07-03-2015 (04:00 PM)
Clarification Start Date	07-03-2015 (04:00 PM)
Clarification End Date	16-03-2015 (04:00 PM)
Pre bid meeting	NA
Bid Submission Start Date	18-03-2015 (04:00 PM)
Bid Document Download End Date	17-04-2015 (05:00 PM)
Bid Submission End Date	17-04-2015 (05:00 PM)
Bid Opening Date	22-04-2015 (11:00 AM)